













STEP 2: DETERMINE GTW & TW

CHECK OWNERS MANUAL FOR WET & DRY WEIGHTS											
Tongue Weight lbs Tongue weight should be about 10 to 15 percent of gross trailer weight.	1000	2000	3000	4000	5000	6000	7000	8000	10,000	12,000	
	Class I										
	Class II										
	Class III										
	Class III with Weight Distribution										
Class IV with Weight Distribution											
 Vacation lbs	14'	16'	18'	20'	22'	24'	26'	28'	30'	32'	
 Vacation lbs	2100	2400	2700	3000	3300	3600	3900	4200	4500	4800	
 Camper lbs	11'	12'	13'	14'	15'	16'					
 Camper lbs	1100	1200	1300	1400	1500	1600					
TRAILER WEIGHTS ONLY-ADD WEIGHT OF RECREATIONAL VEHICLE & CARGO											
 Boat	Aluminum										
	12 – 15 feet					Trailer Weight = 200 lbs					
	16 – 20 feet					Trailer Weight = 300 lbs					
 Boat	Fiberglass										
	Outboard	Up to – 17' Trailer Weight = 200 lbs				21' to 22' Trailer Weight = 570 lbs					
	Inboard	18' to 20' Trailer Weight = 527 lbs				22' to 24' Trailer Weight = 670 lbs					
 Rec. Vehicle 1 Axle	Motorcycle, Snowmobile, ATV, Personal Watercraft										
	Carries Two Vehicles – Trailer Weight = 250 lbs										
 Rec. Vehicle 2 Axle	Motorcycle, Snowmobile, ATV, Personal Watercraft										
	Carries Four Vehicles – Trailer Weight = 500 lbs										
 Open	4' x 6' Trailer Weight = 450 lbs										
	5' x 8' Trailer Weight = 645 lbs										
 Horse	1 Horse Vehicle Trailer Weight = 1000 lbs										
	2 Horse Vehicle Trailer Weight = 1800 lbs										
 Other	Car Transport Trailer Weight = 1800 lbs										
	Garden or Equipment Trailer Weight = 1800 lbs										
	Tow Dolly Trailer Weight = 500 lbs										

STEP 3: MATCH THE TOW VEHICLE & TRAILER

For safety, make sure the customer's tow vehicle is capable of towing the intended trailer. Neither the vehicle nor the trailer alone can determine the right hitch for the situation. They work together, and in no case should the trailer's GTW and TW exceed the vehicle's maximum towing capacity.

See next page to determine passenger car/truck styles and truck bumper styles.



RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
ACURA																					
1.6 EL Canada Only	97-00	32	SF	24677	Ø	3593	15														
		32	CL1	60834	Ø	3593	15														
1.7 EL Canada Only	2001	32	SF	24677	Ø	3593	15														
		32	CL1	60834	Ø	3593	15														
2.2 CL	1997	28	SF	24647	1,X	3593	20														
2.3 CL	98-99	28	SF	24647	1,X	3593	20														
3.0 CL	97-99	28	SF	24647	1,X	3593	20														
3.2 CL	01-03	21	SF	24791	Ø, JR	3592	15														
		21	CL1	60913	Ø, JR	3592	15														
3.2 TL	99-03	21	SF	24791	Ø, JR	3592	15														
		21	CL1	60913	Ø, JR	3592	15														
3.5 RL	96-01							44	FH	36226		36061	30								
3.5 RL	02-04							44	FH	36226		36061	30								
CSX Canada Only	06-10	30	SF	24861	Ø, HM, JR	3593	30														
		30	CL1	60277	Ø, HM, JR	3593	30														
Integra 2 Dr.	94-01	26	CH1	24589	Ø, HM	3593	40														
		26	CH1	60891	Ø, HM	3593	40														
Integra 4 Dr.	94-01	26	CH1	24589	HM	3593	40														
		26	CH1	60891	HM	3593	40														
MDX	01-06													46	PR	44589	Ø, CS, GP, JR	3.5	5	30	
														29	PS3	51159	Ø, CS, GP, JR	3.5	5	30	
														46	MF	75599	Ø, CS, GP, JR	3.5	5	30	
														46	CL3	87454	Ø, JP, CS, GP, JR	3.5	5	30	
MDX	07-11													57	RT	44562	Ø, f, JR	3.5	5	35	
														48	RT	44594	Ø, JR	4	5	35	
														57	RT	75520	Ø, f, JR	3.5	5	35	
														48	RT	75614	Ø, JR	4	5	35	
														57	RT3	87429	Ø, JP, f, JR	3.5	5	35	
														48	RT3	87474	Ø, JP, JR	4	5	35	
RDX	07-09							26	CH2	36427	Ø, GP	36061	15	42	CH3	44584	Ø, GP	4		30	
								26	CH2	90162	Ø, GP	36061	15	42	CH3	75563	Ø, GP	4		30	
														42	CH3	87449	Ø, JP, GP	4		30	
RDX	10-11													39	PR	44646	Ø, GP	4		30	
														39	MF	75692	Ø, GP	4		30	
														39	CL3	87584	Ø, JP, GP	4		30	
RSX	02-06	23	SF	24719	TA	3593	30														
		23	CL1	60853	TA	3593	30														
SLX	96-99							35	CH2	36166	Ø	36071	30	51	PR	33043		5	7.5	45	
								35	CH2	90064	Ø	36071	30	51	CH3	75043	HM	5	7.5	40	
														51	CH3	87544	JP, HM	5	7.5	40	
TL	04-08	20	CH1	24755	TA	3594	35														
		20	CH1	60814	TA	3594	35														
TL	09-11	21	SF	24834	Ø, HM, JR, KH	3593	45														
		21	CL1	60236	Ø, HM, JR, KH	3593	45														
TSX	06-08	29	CH1	24768	Ø, HM, JR	3593	40														
		29	CH1	60831	Ø, HM, JR	3593	40														
TSX	09-10	21	SF	24834	Ø, HM, JR, KH	3593	45														
		21	CL1	60236	Ø, HM, JR, KH	3593	45														
ZDX	2010	32	SF	24854	Ø, GP, J	3590	25														
		32	CL1	60270	Ø, GP, J	3590	25														
AUDI																					
A4 4 Dr. Sedan, Inc. Quattro	09-11	32	SF	24830	Ø, EP, GP	3593	25														
		32	CL1	60219	Ø, EP, GP	3593	25														
A6 4 Dr. Sedan, Inc. Quattro	05-11	29	SF	24836	Ø, HM, JR	3593	25														
		29	CL1	60238	Ø, HM, JR	3593	25														

† = Available while supply lasts.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EP = Fascia trimming required.
 GP = Hitch cross-tube concealed behind bumper.
 HM = Hitch cross-tube is visible beneath bumper.
 J = Hitch is positioned further rearward to accommodate spare tire.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.

X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
ACURA																
B	PC3								119175	119130						
B	PC3								119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B,E	PC3,4								119186	119146 & 118151						
B	PC3	E5	118336	HG	5				119175	119130						
B	PC3	E5	118336	HG	5				119175	119130						
B	SUV3	E5	118336	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
W	SUV1,2	E11	118424	CH	20				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
W	SUV1,2	E11	118500	CH	15				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E11	118500	CH	15				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	PC3								119175	119130						
B	SUV5	E5	118339	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B,LD	PC3,4	E10	118489	HG	10				119186	119130						
B,LD	PC3,4								119186	119130						
B	PC3	E11	118302	HG	10				119175	119130						
B	PC3	E11	118302	HG	10				119175	119130						
B,E	SUV9	E13	118503	CH	30				119186	119146 & 118151						
AUDI																
AP	PC1,2								119186	119146 & 118151						
AP	PC1,2								119186	119146 & 118151						

AP=2 wire system w/Pulse Width Modulation (PWM). Upgraded ModuLite® required.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 HG=T-One incorporates taillight converter.
 LD=Vehicle has LED taillamps.
 W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
		AUDI (Continued)																		
A6 Avant Wagon, Inc. Quattro	06-10	29	SF	24836	Ø, HM, JR	3593	25													
Q5	09-11	29	CL1	60238	Ø, HM, JR	3593	25							55	RT	44654	Ø, HM	4.5	30	
														55	RT	75708	Ø, HM	4.5	30	
														55	RT3	87603	Ø, JP, HM	4.5	30	
BMW																				
328i Sedan	2007	47	SF	24857	Ø, GP, SV	3593	45													
		47	CL1	60273	Ø, GP, SV	3593	45													
328i Sedan	08-10	47	SF	24857	Ø, GP, SV	3593	45													
		47	CL1	60273	Ø, GP, SV	3593	45													
328xi Sedan	2007	47	SF	24857	Ø, GP, SV	3593	45													
		47	CL1	60273	Ø, GP, SV	3593	45													
328xi Sedan	08-10	47	SF	24857	Ø, GP, SV	3593	45													
		47	CL1	60273	Ø, GP, SV	3593	45													
X3	04-10													38	PR	44531	AA, EP	3.5	4	100
														38	MF	75371	AA, EP	3.5	4	100
														38	CL3	87403	JP, AA, EP	3.5	4	100
X5	00-06													35	PR	44178	AA, EP	6	6	60
														21	PS3	51093	AA, EP	6	6	60
														35	MF	75492	AA, EP	6	6	60
														35	CL3	87405	JP, AA, EP	6	6	60
X5	07-11													52	CH3	44590	Ø, AA, EP, GP	6	6	75
														52	CH3	75600	Ø, AA, EP, GP	6	6	75
														52	CH3	87455	Ø, JP, AA, EP, GP	6	6	75
BUICK																				
Allure Canada Only	05-09							46	FH	36374	GP, JR	36061	30							
								34	PS2	51183	GP, JR	36061	30							
								46	CL2	90981	GP, JR	36061	30							
Centurion RWD	1977							41	FH	36122		36063	30							
Centurion RWD	78-85							41	FH	36122		36063	30	53	MF	75146		3.5	8	30
Centurion FWD	86-89							42	FH	36100	†, AO	36061	40							
Centurion FWD	90-91							43	FH	36131	†	36061	40							
Centurion FWD	92-99	42	SF	24625	JR	3592	20	47	FH	36216	GP, JR	36061	40							
								47	CL2	90188	GP, JR	36061	40							
Century Sedan	78-81							42	CH2	36104		36061	30							
								42	CH2	90187		36061	30							
Century Sedan	89-96							45	CH2	36187	JR	36063	40							
								45	CH2	90059	JR	36063	40							
Century Sedan	97-05	28	SF	24659	TA	3592	30	46	FH	36374	GP, JR	36061	30							
		28	CL1	60833	TA	3592	30	34	PS2	51183	GP, JR	36061	30							
								46	CL2	90981	GP, JR	36061	30							
Century Estate Wagon RWD	78-81							42	CH2	36104		36061	30							
								42	CH2	90187		36061	30							
Century Estate Wagon FWD	84-96							53	FH	36103	Ø, AI, FM	36061	40							
Century Wagon RWD	78-81							42	CH2	36104		36061	30							
								42	CH2	90187		36061	30							
Century Wagon FWD	84-96							53	FH	36103	Ø, AI, FM	36061	40							
Electra RWD	1977							41	FH	36122		36063	30							
								41	CL2	90039	Ø	36063	25							
Electra RWD	78-84							41	FH	36122		36063	30	53	MF	75146		3.5	8	30
								41	CL2	90039	Ø	36063	25							

† = Available while supply lasts.
 AA = Requires temporary removal of bumper during installation.
 AI = Additional installation time required.
 AO = Will not fit vehicles with twin tailpipes.
 EP = Fascia trimming required.
 FM = On vehicles equipped with load leveling device, air pump mounting modification required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.

Ø = Uses all existing holes, no drilling required.
 SV = Trimming or removal of under body appearance panel required.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
AUDI (Continued)																	
AP	PC1,2									119186	119146 & 118151						
B, E	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
BMW																	
BM	PC3,4									119191							
BM	PC3,4									119191							
BM	SUV3,4									119191		20320 20143	20321 20125 20144	20224			
BM	SUV3,4									119191		20320 20143	20321 20125 20144	20224			
E	SUV3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
BUICK																	
A	PC3,4									119186	20252						
C	PC3,4									119186		20320 20143	20321 20125 20144	20224			
C	PC3,4									119186							
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
B	PC3,4									119175	119130						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
C	PC3,4									119186							
C	PC3,4									119186		20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 AP=2 wire system w/Pulse Width Modulation (PWM). Upgraded ModuLite® required.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 BM=3 wire system. Upgraded ModuLite® HD required. Multiplexed Wiring System.
 C=2 or 3 wire system, determine at installation.
 E=ModuLite® required.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		BUICK (Continued)																				
Electra FWD	85-90							43	FH	36505	AO,GP		36061	30								
								43	CL2	90020	AO,GP		36061	30								
Electra FWD	86-89							42	FH	36100	†,AO		36061	40								
Electra FWD	1990							43	FH	36131	†		36061	40								
Electra Park Ave. RWD	1977							41	FH	36122			36063	30								
								41	CL2	90039	Ø		36063	25								
Electra Park Ave. RWD	78-84							41	FH	36122			36063	30	53	MF	75146			3.5	8	30
								41	CL2	90039	Ø		36063	25								
Electra Park Ave. FWD	86-89							42	FH	36100	†,AO		36061	40								
Electra Park Ave. FWD	1990							43	FH	36131	†		36061	40								
Enclave	08-11														32	RT	44569	Ø,GP,JR		5	5	25
															22	PS3	51083	Ø,RT,GP,JR		5	5	25
															32	RT	75528	Ø,GP,JR		5	5	25
															32	RT3	87435	Ø,JP,GP,JR		5	5	25
Estate Wagon Full Size	77-90							50	CH2	36105			36063	30								
								50	CH2	90224			36063	30								
La Crosse All, Except Super	05-09							46	FH	36374	GP,JR		36061	30								
								34	PS2	51183			36061	30								
								46	CL2	90981	GP,JR		36061	30								
La Crosse CX	10-11							47	FH	36494	Ø,†,HM		36061	20								
								53	FH	36503	Ø,HM		36061	20								
								47	CL2	90076	Ø,†,HM		36061	20								
								53	CL2	90126	Ø,HM		36061	20								
La Crosse CXL, AWD	10-11							47	FH	36494	†,HM		36061	20								
								53	FH	36503	HM		36061	20								
								47	CL2	90076	†,HM		36061	20								
								53	CL2	90126	HM		36061	20								
La Crosse CXL, FWD	10-11							47	FH	36494	Ø,†,HM		36061	20								
								53	FH	36503	Ø,HM		36061	20								
								47	CL2	90076	Ø,†,HM		36061	20								
								53	CL2	90126	Ø,HM		36061	20								
La Crosse CXS	10-11							47	FH	36494	Ø,†,HM		36061	20								
								53	FH	36503	Ø,HM		36061	20								
								47	CL2	90076	Ø,†,HM		36061	20								
								53	CL2	90126	Ø,HM		36061	20								
Le Sabre RWD	1977							41	FH	36122			36063	30								
Le Sabre RWD	78-83							41	FH	36122			36063	30	53	MF	75146			3.5	8	30
Le Sabre RWD	84-85							41	FH	36122			36063	30	53	MF	75146			3.5	8	30
								41	CL2	90039	Ø		36063	25								
Le Sabre FWD	86-89							42	FH	36100	†,AO		36061	40								
Le Sabre FWD	88-89							43	FH	36505	AO,GP		36061	30								
								43	CL2	90020	AO,GP		36061	30								
Le Sabre FWD	90-91							43	FH	36131	†		36061	40								
								43	FH	36505	AO,GP		36061	30								
								43	CL2	90020	AO,GP		36061	30								
Le Sabre FWD	92-96	42	SF	24625	JR	3592	20	47	FH	36216	GP,JR		36061	40								
								43	FH	36505	AO,GP		36061	30								
								43	CL2	90020	AO,GP		36061	30								
								47	CL2	90188	GP,JR		36061	40								
Le Sabre FWD	97-99	42	SF	24625	JR	3592	20	47	FH	36216	GP,JR		36061	40								
								47	CL2	90188	GP,JR		36061	40								

† = Available while supply lasts.
 AO = Will not fit vehicles with twin tailpipes.
 GP = Hitch cross tube concealed behind bumper.
 HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER					
BUICK (Continued)																		
C	PC3,4									119186								
C	PC3,4									119186								
C	PC3,4									119186								
C	PC3,4									119186								
C	PC3,4									119186				20320 20143		20321 20125 20144	20224	
C	PC3,4									119186								
C	PC3,4									119186								
A,N	SUV1,2	E7	118450		10	E8	118384	RD	5					20320 20143		20321 20125 20144	E1 E3 20269 22289	5
A	PC3,4									119186	20252							
A	PC3,4	E7	118479		10					119186	20252							
BP,LD	PC1,2	E18	118497	CH	45					119186	119146 & 118151							
BP,LD	PC1,2	E18	118497	CH	45					119186	119146 & 118151							
BP,LD	PC1,2	E18	118497	CH	45					119186	119146 & 118151							
BP,LD	PC1,2	E18	118497	CH	45					119186	119146 & 118151							
C	PC3,4									119186								
C	PC3,4									119186				20320 20143		20321 20125 20144	20224	
C	PC3,4									119186				20320 20143		20321 20125 20144	20224	
C	PC3,4									119186								
C	PC3,4									119186								
A	PC3,4									119186	20252							
A	PC3,4									119186	20252							
A	PC3,4									119186	20252							

A=2 wire system. No Converter required, but a ModuLite® can be used.
 BP=3 wire system w/Pulse Width Modulation (PWM). Upgraded ModuLite® required.
 C=2 or 3 wire system, determine at installation.
 CH=T-One is equipped with circuit protected ModuLite® module.
 LD=Vehicle has LED taillamps.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CL2=Class II
 FH=Frame Hitch
 MF=Max Frame
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		BUICK (Continued)																			
Le Sabre All Models	00-01							48	CH2	36281	GP, JR		36061	35							
								48	FH	36309	HM, JR		36063	30							
								36	PS2	51173	HM, JR		36063	30							
								48	CL2	90140	HM, JR		36063	30							
								63	CH2	90203	GP, JR		36061	35							
Le Sabre All Models	02-05							48	FH	36309	HM, JR		36063	30							
								36	PS2	51173	HM, JR		36063	30							
								48	CL2	90140	HM, JR		36063	30							
Le Sabre Wagon Full Size	77-90							50	CH2	36105			36063	30							
								50	CH2	90224			36063	30							
Lucerne All, Except Super & Special Edition Models	06-09							48	FH	36309	HM, JR, KH		36063	30							
								36	PS2	51173	HM, JR, KH		36063	30							
								48	CL2	90140	HM, JR, KH		36063	30							
Lucerne Super & Special Edition Models	08-09							48	FH	36502	B, HM, JR		36063	25							
								48	CL2	90125	B, HM, JR		36063	25							
Lucerne All Models	10-11							48	FH	36502	B, HM, JR		36063	25							
								48	CL2	90125	B, HM, JR		36063	25							
Park Ave.	1991							46	CH2	36210	FX, JR		36061	40							
								46	CH2	90063	FX, JR		36061	40							
Park Ave.	92-95							46	CH2	36210	FX, JR		36061	40							
								46	CH2	90063	FX, JR		36061	40							
Park Ave.	1996							46	CH2	36210	FX, JR		36061	40							
								46	CH2	90063	FX, JR		36061	40							
Park Ave.	97-99							51	FH	36245	JR		36061	40							
								51	CL2	90022	JR		36071	25							
Park Ave.	00-04							51	FH	36245	JR		36061	40							
Regal All Models	78-87							42	CH2	36104	CA		36061	30							
								42	CH2	90187	CA		36061	30							
Regal 2 Dr.	88-94	44	CH1	24500	AI, JR, TA	3591	40	48	FH	36124	AI, JR, TA	36053	60								
		42	CH1	60835	AI, JR, TA	3591	40														
Regal 4 Dr., Except GS/Limited	1991	44	CH1	24500	AI, JR, TA	3591	40	48	FH	36124	AI, JR, TA	36053	60								
		42	CH1	60835	AI, JR, TA	3591	40														
Regal GS	91-92		CH1	60243	† AI, JR, TA	3592	40	62	CH2	36134	AW, FE, HB, JR, TA	36061	60								
								62	CH2	90313	AW, FE, HB, JR, TA	36061	60								
Regal 4 Dr., Except GS	92-94	44	CH1	24500	AI, JR, TA	3591	40	48	FH	36124	AI, JR, TA	36053	60								
		42	CH1	60835	AI, JR, TA	3591	40														
Regal Limited	93-94		CH1	60243	† AI, JR, TA	3592	40	62	CH2	36134	AW, FE, HB, JR, TA	36061	60								
								62	CH2	90313	AW, FE, HB, JR, TA	36061	60								
Regal 2 & 4 Dr.	95-96		CH1	60243	† AI, JR, TA	3592	40	62	CH2	36134	AW, FE, HB, JR, TA	36053	60								
								62	CH2	90313	AW, FE, HB, JR, TA	36053	60								
Regal (App. begins with 97-1/2)	97-04	30	SF	24660	Ø, TA	3594	20	56	FH	36241	JR	36065	35								
		30	CL1	60884	Ø, TA	3594	20	56	CL2	90993	JR	36065	35								
Regal All Models	2011							53	FH	36503	B, HM	36061	20								
								53	CL2	90126	B, HM	36061	20								
Regal Estate Wagon	82-83							42	CH2	36104		36061	30								
								42	CH2	90187		36061	30								
Rendezvous All, Inc. Ultra	02-07							37	FH	36425		36071	40	54	PR	33061	Ø		3.5	55	
								37	CL2	90158		36071	40	42	PR	44538			3.5	40	
														25	PS3	51151	HM		3.5	40	
														54	MF	75138	Ø		3.5	55	
														42	MF	75430	HM		3.5	40	
														42	CL3	87004	JP		3.5	40	
Riviera	1977							41	FH	36122		36063	30								
								41	CL2	90039	Ø	36063	25								

† = Available while supply lasts.
 AI = Additional installation time required.
 AW = Will not fit Turbo models.
 CA = Models with dual exhaust require exhaust modification.
 FE = Fascia trimming required. Allow additional installation time.
 FX = Fits vehicles with spacer between E/A unit and frame built before Jan. '93 and after Mar. '93.
 GP = Hitch crosstube concealed behind bumper.
 HB = Slight fascia deformation may occur on some models.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
BUICK (Continued)																
A,F	PC3,4								119186	119146 & 118151						
A,F	PC3,4								119186	119146 & 118151						
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4	E5	118419		10				119186	20252						
A	PC3,4	E5	118419		10				119186	20252						
A	PC3,4	E5	118419		10				119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A,E	PC1,2	E18	118504	CH	45				119186	119146 & 118151						
A	PC3,4								119186	20252						
A	SUV1,2	E10	118383		20				119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		BUICK (Continued)																			
Riviera	1978							41	FH	36122			36063	30	53	MF	75146		3.5	8	30
								41	CL2	90039	Ø		36063	25							
Riviera	95-99								CH2	36281	GP, JR		36063	35							
								51	CL2	90022	B, JR, OX		36053	25							
								63	CH2	90203	GP, JR		36063	35							
Roadmaster 4 Dr. Sedan	91-96							41	FH	36122			36063	30	53	MF	75146		3.5	8	30
								41	CL2	90039	Ø		36063	25							
Roadmaster Estate Wagon Full Size	91-96							50	CH2	36105			36063	30	65	PR	33007		3.5	10	40
								50	CH2	90224			36063	30	65	ML	41509		3.5	10	40
Skylark	92-98							52	CH2	36159	B, JR, KH		36063	40							
								52	CH2	90018	B, JR, KH		36063	40							
Terraza All, Inc. AWD	05-07							34	FH	36361	AL, GP, JR		36061	40	39	PR	33094	AL, JR	3.5	5	40
								24	PS2	51102	AL, GP, JR		36061	40	41	PR	44574	AL, JR	3.5	5	40
								34	CL2	90148	AL, GP, JR		36061	40	18	PS3	51079	AL, GP, JR	3.5	5	40
														41	MF	75278	AL, GP, JR	3.5	5	40	
														41	CL3	87410	JP, AL, JR	3.5	5	40	
CADILLAC																					
Calais RWD	78-84														53	MF	75146		3.5	8	30
CTS	03-07	36	CH1	24767	JR, TA	3594	45														
		36	CH1	60830	JR, TA	3594	45														
CTS 4 Dr. Sedan Only	08-11	36	CH1	24767	JR, TA	3594	45														
		36	CH1	60830	JR, TA	3594	45														
CTS-V	04-07	36	CH1	24767	JR, TA	3594	45														
		36	CH1	60830	JR, TA	3594	45														
CTS-V 4 Dr. Sedan Only	08-11	36	CH1	24767	JR, TA	3594	45														
		36	CH1	60830	JR, TA	3594	45														
De Ville RWD	1977							41	CL2	90039	Ø		36063	25							
De Ville RWD	78-84							41	CL2	90039	Ø		36063	25	53	MF	75146		3.5	8	30
De Ville RWD	1985							41	CL2	90039	Ø		36063	25							
De Ville FWD	86-88							42	FH	36100	†, AO		36061	40							
De Ville FWD	89-92							62	CH2	36173			36071	40							
								62	CH2	90058			36071	40							
De Ville FWD	1993							62	CH2	36173			36071	40							
								62	CH2	90058			36071	40							
De Ville Inc. Concours	94-96							56	CH2	36185	JR, TA		36063	40							
								56	CH2	90048	JR, TA		36063	40							
De Ville	97-99							53	FH	36267	JR		36063	20							
								53	CL2	90044	JR		36063	20							
De Ville	00-05							40	FH	36287	Ø		36071	20							
								40	CL2	90142	Ø		36071	20							
DTS	06-11							40	FH	36287	Ø		36071	20							
								40	CL2	90142	Ø		36071	20							
Eldorado	92-94							59	CH2	36175	B, JR		36063	40							
								59	CH2	90055	B, JR		36063	40							
Eldorado	95-02							60	CH2	36202			36063	30							
								60	CH2	90056			36063	30							

† = Available while supply lasts.
 AL = Additional installation time required for vehicles equipped with load leveling compressor.
 AO = Will not fit vehicles with twin tailpipes.
 GP = Hitch crosstube concealed behind bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 QX = Requires 36053 drawbar purchased separately.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
BUICK (Continued)																	
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224			
A,F	PC3,4									119186	119146 & 118151						
A	PC3,4	E3	118347							119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4	E4	118352							119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252						
A	SUV1,2	E10	118396							119186	20252	20320 20143	20321 20125 20144	20224			
CADILLAC																	
A,F	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	PC3,4	E15	118440	CH	45					119186	119146 & 118151						
SK	PC3,4	E15	118466	CH	15					119186	119146 & 118151						
B,E	PC3,4	E15	118440	CH	45					119186	119146 & 118151						
SK	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
E	PC3,4									119186	119146 & 118151						
E	PC3,4									119186	119146 & 118151						
E	PC3,4									119186	119146 & 118151						
D																	
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 D=See auto dealer for trailer tow wiring kit.
 E=ModuLite® required.
 F=ModuLite® recommended.
 SK=2 wire system, ModuLite® required. Vehicle has LED taillamps.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
CADILLAC (Continued)																	
A	SUV7	E3	118319		5					119186	20252	20320 20143	20321 20125 20144	20224			
H	SUV6					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	SUV6					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
B,F	PC3,4									119186	119146 & 118151						
E,LD	SUV3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E,LD	SUV3,4					E3	118259		5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E	PC3,4									119186	119146 & 118151						
CHEVROLET																	
A	SUV4									119186	20250	20320 20143	20321 20125 20144	20224			
A	SUV4									119186	20250	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 E=ModuLite® required.
 F=ModuLite® recommended.
 H=3 wire system with OEM standard 2 wire harness.
 LD=Vehicle has LED taillamps.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		CHEVROLET (Continued)																			
Avalanche	2002														45	PM	37072	Ø, CN, HM	6	10	20
															45	ML	41540	Ø, CN, HM	6	10	15
															44	PR	44095	Ø, CN, HM	5	10	15
															38	CH3	44624	Ø, CN, HM	5	8	15
															28	PS3	51041	Ø, CN, HM	5	10	15
															38	CH3	75110	Ø, CN, HM	5	8	15
															45	CL3	87459	Ø, JP, CN, HM	6	10	15
															38	CH3	87548	Ø, JP, CN, HM	5	8	15
Avalanche	03-06														45	PM	37072	Ø, CN, HM	6	10	20
															45	ML	41540	Ø, CN, HM	6	10	15
															44	PR	44095	Ø, CN, HM	5	10	15
															38	CH3	44624	Ø, CN, HM	5	8	15
															28	PS3	51041	Ø, CN, HM	5	10	15
															38	CH3	75110	Ø, CN, HM	5	8	15
															56	CL3	82660	Ø	6	10	30
															45	CL3	87459	Ø, JP, CN, HM	6	10	15
															38	CH3	87548	Ø, JP, CN, HM	5	8	15
Aveo 4 Dr. Sedan	04-06	27	CH1	24742		3593	30														
		27	CH1	60801		3593	30														
Aveo 5 Dr. Hatchback	04-10	23	SF	24741		3593	30														
		23	CL1	60849		3593	30														
Aveo 4 Dr. Sedan	2006	27	CH1	24810	Ø, HM, TA	3593	20														
		27	CH1	60896	Ø, HM, TA	3593	20														
Aveo 4 Dr. Sedan	07-10	27	CH1	24810	Ø, HM, TA	3593	20														
		27	CH1	60896	Ø, HM, TA	3593	20														
Bel Air	1977							41	FH	36122		36063	30								
Bel Air	78-81							41	FH	36122		36063	30	53	MF	75146		3.5	8	30	
Blazer Full Size	73-75														45	PR	33042		5	7.5	30
															45	CH3	75129		5	7.5	30
															45	CH3	87495	JP	5	7.5	30
Blazer Full Size	76-84														45	PR	33042		5	7.5	30
															45	CH3	75129		5	7.5	30
															45	CH3	87495	JP	5	7.5	30
Blazer Full Size	85-91														45	PR	33042		5	7.5	30
															45	CH3	75129		5	7.5	30
															45	CH3	87495	JP	5	7.5	30
Blazer Full Size	92-94														42	PM	37074	HM	6	10	30
															52	MF	37152		5	6	30
															42	CH3	41511	HM	6	10	30
															38	PR	44096	HM	5	7	30
															38	CH3	44656	HM	5	7.5	30
															22	PS3	51012	HM	5	7	30
															38	CH3	75037	HM	5	7.5	30
															42	CH3	87468	JP, HM	6	10	30
															38	CH3	87546	JP, HM	5	7.5	30
Blazer Downsize, All Models	95-97							35	CH2	36244	Ø, GP	36051	15	40	RT	33015	Ø, SD	4	6	15	
								35	CH2	90183	Ø, GP	36051	15	40	PR	33021	Ø	4	6	20	
															56	RT	37051	JT	5	6	30
															40	PR	44098	Ø, HM	4	6	20
															19	PS3	51031	Ø, HM	4	6	15
															40	RT	75079	Ø, SD	4	6	15
															40	RT3	87478	Ø, JP, SD	4	6	15

CN = Requires OEM factory bumper for hitch installation.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JT = 2WD models only.
 Ø = Uses all existing holes, no drilling required.
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.
 TA = Trunk access required for hitch installation.

Draw-Title Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	SUV6					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	SUV6					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
B	PC3,4	E13	118485	CG	15					119175	119130						
B	PC3,4	E13	118485	CG	15					119175	119130						
B	PC3,4	E13	118485	CG	15					119175	119130						
B	PC3,4	E12	118514	CG	25					119175	119130						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E1	118311		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E1	118311		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV6	E3	118319		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV7									119186	20250	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		CHEVROLET (Continued)																				
Blazer Downsize, All Models	1998							35	CH2	36244	Ø,FP,GP,XX		36051	15	40	RT	33015	Ø,FP,XX,SD	4	6	15	
								35	CH2	90183	Ø,FP,GP,XX		36051	15	40	PR	33021	Ø,FP,XX	4	6	20	
															56	RT	37051	FP,JT,XX	5	6	30	
															40	PR	44098	Ø,FP,HM,XX	4	6	20	
															19	PS3	51031	Ø,FP,HM,XX	4	6	15	
															40	RT	75079	Ø,FP,XX,SD	4	6	15	
															40	RT3	87478	Ø,JP,FP,XX,SD	4	6	15	
															40	RT	33015	Ø,FP,XX,SD	4	6	15	
															40	PR	33021	Ø,FP,XX	4	6	20	
															56	RT	37051	FP,JT,XX	5	6	30	
Blazer Downsize, All Models	99-01							35	CH2	36244	Ø,FP,GP,XX		36051	15	40	RT	33015	Ø,FP,XX,SD	4	6	15	
								35	CH2	90183	Ø,FP,GP,XX		36051	15	40	PR	33021	Ø,FP,XX	4	6	20	
															56	RT	37051	FP,JT,XX	5	6	30	
															40	PR	44098	Ø,FP,HM,XX	4	6	20	
															19	PS3	51031	Ø,FP,HM,XX	4	6	15	
															40	RT	75079	Ø,FP,XX,SD	4	6	15	
															40	RT3	87478	Ø,JP,FP,XX,SD	4	6	15	
															40	RT	33015	Ø,FP,XX,SD	4	6	15	
															40	PR	33021	Ø,FP,XX	4	6	20	
															56	RT	37051	FP,JT,XX	5	6	30	
Blazer Downsize, All Models	02-05							35	CH2	36244	Ø,FP,GP,XX		36051	15	40	RT	33015	Ø,FP,XX,SD	4	6	15	
								35	CH2	90183	Ø,FP,GP,XX		36051	15	40	PR	33021	Ø,FP,XX	4	6	20	
															56	RT	37051	FP,JT,XX	5	6	30	
															40	PR	44098	Ø,FP,HM,XX	4	6	20	
															19	PS3	51031	Ø,FP,HM,XX	4	6	15	
															40	RT	75079	Ø,FP,XX,SD	4	6	15	
															40	RT3	87478	Ø,JP,FP,XX,SD	4	6	15	
															40	RT	33015	Ø,FP,XX,SD	4	6	15	
															40	PR	33021	Ø,FP,XX	4	6	20	
															56	RT	37051	FP,JT,XX	5	6	30	
Camaro Inc. Z-28 & SS, Except w/Dual Exhaust Pipes On Drivers Side	93-96	45	CH1	24586	JR		3592	40														
		45	CH1	60889	JR		3592	40														
Camaro Inc. Z-28 & SS, Except w/Dual Exhaust Pipes On Drivers Side	97-02	45	CH1	24586	JR		3592	40														
		45	CH1	60889	JR		3592	40														
Camaro All Models	10-11	35	CH1	24850	Ø,GP		3594	15														
		35	CH1	60266	Ø,GP		3594	15														
Caprice	1977								41	FH	36122			36063	30							
Caprice	78-90								41	FH	36122			36063	30	53	MF	75146		3.5	8	30
									41	CL2	90039	Ø		36063	25							
Caprice	91-96								41	FH	36122			36063	30	53	MF	75146		3.5	8	30
									41	CL2	90039	Ø		36063	25							
Caprice Estate Wagon	77-90								50	CH2	36105			36063	30							
Caprice Estate Wagon	91-96								50	CH2	36105			36063	30	65	PR	33007		3.5	10	40
									50	CH2	90224			36063	30	65	ML	41509		3.5	10	40
Cavalier 2 & 4 Dr., Except Z-24	88-90	45	CH1	24621	†,TA		3592	30														
		45	CH1	60252	†,TA		3592	30														
Cavalier All, Except Z-24	95-99	35	SF	24733	GP,JR		3592	40														
		27	PS1	51163	GP,JR		3592	40														
Cavalier Z-24	95-99	42	SF	24613	JR,KH		3592	40														
		42	CL1	60864	JR,KH		3592	40														
Cavalier All, Inc. RS & Z-24	95-02	35	CL1	60973	Ø,JR		3592	25														
Cavalier All, Inc. Z-24	00-01	35	SF	24733	GP,JR		3592	40														
		27	PS1	51163	GP,JR		3592	40														
Cavalier All, Except Z-24	2002	35	SF	24733	GP,JR		3592	40														
		27	PS1	51163	GP,JR		3592	40														
Cavalier Z-24	2002	42	SF	24613	JR,KH		3592	40														
		42	CL1	60864	JR,KH		3592	40														

† = Available while supply lasts.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch cross tube concealed behind bumper.
 HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.
 KH = Minor heat shield modification may be required.

KK = When installing on a vehicle originally equipped with an OEM hitch, OEM bumper brackets must be purchased and installed prior to new hitch installation.
 Ø = Uses all existing holes, no drilling required.
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
CHEVROLET (Continued)																	
A	SUV7									119186	20250	20320 20143	20321 20125 20144	20224			
A	SUV7					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224			
A	SUV7									119186	20250	20320 20143	20321 20125 20144	20224			
A	PC1,2									119186	20252						
B	PC1,2									119175	119130						
A,F	PC1,2	E17	118486	CH	15					119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4	E3	118347		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4	E4	118352		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 F=ModuLite® recommended.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 FH=Frame Hitch
 MF=Max. Frame
 ML=Max. E-Loader
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I						CLASS II						CLASS III/IV/V						
		200 lbs. TW		2,000 lbs. GTW		DRAW BAR	IN	300 lbs. TW		3,500 lbs. GTW		DRAW BAR	IN	350-2,500 lbs. TW		3,500-18,000 lbs. GTW		X 1,000 WC	WD	IN
		PC	REC TYPE	HITCH PART #	FOOTNOTES			PC	REC TYPE	HITCH PART #	FOOTNOTES			PC	REC TYPE	HITCH PART #	FOOTNOTES			
CHEVROLET (Continued)																				
Cavalier All, Except LS Sport	03-05	35	SF	24733	GP, JR	3592	40													
		27	PS1	51163	GP, JR	3592	40													
Cavalier LS Sport	03-05	42	SF	24613	JR, KH	3592	40													
		42	CL1	60864	JR, KH	3592	40													
		35	CL1	60973	Ø, JR	3592	25													
Cavalier Z-24 (Canada Only)	03-05	42	SF	24613	JR, KH	3592	40													
		42	CL1	60864	JR, KH	3592	40													
		35	CL1	60973	Ø, JR	3592	25													
Celebrity Wagon	84-90							53	FH	36103	Ø, AL, FM	36061	40							
Cobalt 2 Dr., Except SS Models	05-10	23	SF	24745	JR	3593	40													
		23	CL1	60808	JR	3593	40													
Cobalt 4 Dr., Except SS Models	05-10	23	SF	24745	JR	3593	40													
		23	CL1	60808	JR	3593	40													
Cobalt Sport 2 Dr.	08-10	42	SF	24756	HM, JR	3594	25													
		32	PS1	51164	HM, JR	3594	25													
		42	CL1	60815	HM, JR	3594	25													
Cobalt Sport 4 Dr.	08-10	42	SF	24756	HM, JR	3594	25													
		32	PS1	51164	HM, JR	3594	25													
		42	CL1	60815	HM, JR	3594	25													
Cobalt SS 2 Dr., Incl. Supercharged Models	05-10	42	SF	24756	HM, JR	3594	25													
		32	PS1	51164	HM, JR	3594	25													
		42	CL1	60815	HM, JR	3594	25													
Cobalt SS 4 Dr.	05-10	42	SF	24756	HM, JR	3594	25													
		32	PS1	51164	HM, JR	3594	25													
		42	CL1	60815	HM, JR	3594	25													
Colorado All Models	04-07													41	PR	44593	Ø, GP	6	7.5	25
														21	PS3	51074	Ø, GP	6	7.5	25
														41	MF	75607	Ø, GP	6	7.5	25
														41	CL3	87458	Ø, JP, GP	6	7.5	25
Colorado All Models	08-10													41	PR	44593	Ø, CP, GP	6	7.5	25
														21	PS3	51074	Ø, CP, GP	6	7.5	25
														41	MF	75607	Ø, CP, GP	6	7.5	25
														41	CL3	87458	Ø, JP, CP, GP	6	7.5	25
Corvette	97-04	36	CH1	24658		3592	35													
		36	CH1	60235		3592	35													
Cruze All Models	2011	39	SF	24859	Ø, GP	3594	15													
		39	CL1	60275	Ø, GP	3594	15													
El Camino	78-87							42	CH2	36104		36061	30							
								42	CH2	90187		36061	30							
Equinox	05-06							35	FH	36408	Ø, HM	36051	25	48	PR	44637	Ø, HM	3.5	4	30
								26	PS2	51185	Ø, HM	36051	25	21	PS3	51193	Ø, HM	3.5	4	30
								35	CL2	90145	Ø, HM	36051	25	45	MF	75672	Ø, HM	3.5	4	30
														48	MF	75681	Ø, HM	3.5	4	30
														45	CL3	87136	Ø, JP, HM	3.5	4	30
														48	CL3	87572	Ø, JP, HM	3.5	4	30
Equinox	07-09							35	FH	36408	Ø, HM	36051	25	48	PR	44637	Ø, HM	3.5	4	30
								26	PS2	51185	Ø, HM	36051	25	21	PS3	51193	Ø, HM	3.5	4	30
								35	CL2	90145	Ø, HM	36051	25	45	MF	75672	Ø, HM	3.5	4	30
														48	MF	75681	Ø, HM	3.5	4	30
														45	CL3	87136	Ø, JP, HM	3.5	4	30
														48	CL3	87572	Ø, JP, HM	3.5	4	30
Equinox All Models	10-11							35	FH	36408	Ø, HM	36051	25	48	PR	44637	Ø, HM	3.5	4	30
								26	PS2	51185	Ø, HM	36051	25	21	PS3	51193	Ø, HM	3.5	4	30
								35	CL2	90145	Ø, HM	36051	25	48	MF	75681	Ø, HM	3.5	4	30
														48	CL3	87572	Ø, JP, HM	3.5	4	30

† = Available while supply lasts.
 AI = Additional installation time required.
 CP = Fits All Models without Factory Installed Receiver.
 FM = On vehicles equipped with load leveling device, air pump mounting modification required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
CHEVROLET (Continued)																	
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC1,2	E5	118407		15					119186	20252						
A	PC1,2	E8	118398		10					119186	20252						
A	PC1,2	E5	118407		15					119186	20252						
A	PC1,2	E8	118398		10					119186	20252						
A	PC1,2	E5	118407		15					119186	20252						
A	PC1,2	E8	118398		10					119186	20252						
B	PU3	E9	118301	CG	10	E8	118384	RD	5	119175 118175 119175	119130	20320 20143	20321 20125 20144	20224 20024 20224			
B	PU3	E9	118301	CG	10	E8	118384	RD	5	119175 118175 119175	119130	20320 20143	20321 20125 20144	20224 20024 20224			
A	PC3,4									119186	20252						
B,E	PC3,4	E19	118508	CH	45					119186	119146 & 118151						
A	PU1,2									119186	20252						
B	SUV3	E8	118391	CG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E7	118432	CE	10					119175	119130	20320 20143	20321 20125 20144	20224			
N,E	SUV1,2	E16	118494	CH	45							20320 20143	20321 20125 20144				

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CE=T-One includes fuse(s) & relay(s), converter not required. Standard 2 wire system at factory tow plug.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.

RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN		
		CHEVROLET (Continued)																					
Equinox All, Except V6 Models	10-11													45	MF	75672	Ø,†,HM	3.5	4	30			
															45	CL3	87136	Ø,JP,†,HM	3.5	4	30		
Express Van Full Size	96-99							38	CH2	36206	Ø,HM		36053	15	43	PM	37004	Ø,HM	5	10	20		
								38	CH2	90180	Ø,HM		36053	15	56	RT	37051	HM	5	6	35		
															52	MF	37152	HM	5	6	30		
															43	ML	41521	Ø,HM	6	10	15		
															47	UF	41921	Ⓞ,HM	10	12	35		
															43	PR	44028	Ø,HM	5	10	30		
															73	T5	45007	Ø,Ø,HM,TF	12	14	45		
															29	PS3	51023	Ø,HM	5	10	15		
															41	MF	75189	Ø,HM	5	7.5	15		
															43	CL3	82580	Ø,JP,HM	6	10	15		
															41	CL3	87180	Ø,JP,HM	5	7.5	15		
		Express Van Full Size	00-02							38	CH2	36206	Ø,HM		36053	15	43	PM	37004	Ø,HM	5	10	20
								38	CH2	90180	Ø,HM		36053	15	56	RT	37051	HM	5	6	35		
															52	MF	37152	HM	5	6	30		
															43	ML	41521	Ø,HM	6	10	15		
															47	UF	41921	Ⓞ,HM	10	12	35		
															43	PR	44028	Ø,HM	5	10	30		
															73	T5	45007	Ø,Ø,HM,TF	12	14	45		
															29	PS3	51023	Ø,HM	5	10	15		
															41	MF	75189	Ø,HM	5	7.5	15		
															43	CL3	82580	Ø,JP,HM	6	10	15		
															41	CL3	87180	Ø,JP,HM	5	7.5	15		
Express Van Full Size	2003									38	CH2	36206	Ø,HM		36053	15	43	PM	37004	Ø,HM	5	10	20
								38	CH2	90180	Ø,HM		36053	15	56	RT	37051	HM	5	6	35		
															52	MF	37152	HM	5	6	30		
															43	ML	41521	Ø,HM	6	10	15		
															47	UF	41921	Ⓞ,HM	10	12	35		
															43	PR	44028	Ø,HM	5	10	30		
															73	T5	45007	Ø,Ø,HM,TF	12	14	45		
															29	PS3	51023	Ø,HM	5	10	15		
															41	MF	75189	Ø,HM	5	7.5	15		
															43	CL3	82580	Ø,JP,HM	6	10	15		
															41	CL3	87180	Ø,JP,HM	5	7.5	15		
		HHR	06-11	42	SF	24756	HM,JR	3594	25														
32	PS1			51164	HM,JR	3594	25																
42	CL1			60815	HM,JR	3594	25																
HHR SS	08-10	42	SF	24756	EP,HM,JR	3594	35																
		32	PS1	51164	EP,HM,JR	3594	35																
		42	CL1	60815	EP,HM,JR	3594	35																
Impala	1977							41	FH	36122			36063	30									
								41	CL2	90039	Ø		36063	25									

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 Ⓞ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 EP = Fascia trimming required.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
CHEVROLET (Continued)																	
N,E	SUV1,2	E16	118494	CH	45							20320 20143	20321 20125 20144				
B	SUV3,4	E8	118335	HG	10	E1	118240	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3,4	E8	118377	HG	10	E1	118240	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV3,4	E5	118392		20	E1	118240	RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV3,4	E5	118392		20					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV3,4	E5	118407		15					119186	20252						
A	SUV3,4	E5	118407		15					119186	20252						
A	PC3,4									119186	20252						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 HG=T-One incorporates taillight converter.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS3=Pro Series Class III
 RT=Round Tube

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		CHEVROLET (Continued)																			
Impala	78-85							41	FH	36122		36063	30	53	MF	75146		3.5	8	30	
								41	CL2	90039 ^B		36063	25								
Impala All Models	00-05	29	SF	24681		3590	20	54	FH	36407 ^{B,GP,JR}		36061	30								
		21	PS1	51099		3590	20	40	PS2	51188 ^{B,GP,JR}		36061	30								
								54	CL2	90137 ^{B,GP,JR}		36061	30								
Impala All Models	06-11							54	FH	36407 ^{B,GP,JR}		36061	30								
								40	PS2	51188 ^{B,GP,JR}		36061	30								
								54	CL2	90137 ^{B,GP,JR}		36061	30								
Impala SS	94-96							41	FH	36122		36063	30	53	MF	75146		3.5	8	30	
								41	CL2	90039 ^B		36063	25								
Kodiak C4500, Cab & Chassis w/34" Wide Frames	99-10													68	UF	41940 [Ⓢ]		15	16	35	
Kodiak C5500, Cab & Chassis w/34" Wide Frames	99-10													68	UF	41940 [Ⓢ]		15	16	35	
Kodiak C6500, Cab & Chassis w/34" Wide Frames	99-10													68	UF	41940 [Ⓢ]		15	16	35	
Kodiak C7500, Cab & Chassis w/34" Wide Frames	99-10													68	UF	41940 [Ⓢ]		15	16	35	
Kodiak C8500, Cab & Chassis w/34" Wide Frames	99-10													68	UF	41940 [Ⓢ]		15	16	35	
Lumina All, Except Z-34	90-94	44	CH1	24500	AL,JR,TA	3591	40	48	FH	36124	AL,JR,TA	36053	60								
		42	CH1	60835	AL,JR,TA	3591	40														
Lumina All Models	95-00	27	SF	24628	AI	3592	30	52	CH2	36193 ^{B,JR}		36061	60								
								52	CH2	90040 ^{B,JR}		36061	60								
Lumina APV Van	90-92							50	CH2	36126	AL,JR	36071	40	PR	33068	†AL	3.5	3.5	30		
								50	CH2	90049	AL,JR	36071	40								
Lumina APV Van	1993							50	CH2	36126	AL,JR	36071	40	PR	33068	†AL	3.5	3.5	30		
								50	CH2	90049	AL,JR	36071	40								
Lumina APV Van	94-96							43	CH2	36184	AL,GP	36061	40	PR	33068	†AL	3.5	3.5	30		
								43	CH2	90181	AL,GP	36061	40								
Malibu All Models	78-83							42	CH2	36104		36061	30								
								42	CH2	90187		36061	30								
Malibu 4 Dr.	97-03	38	CH1	24656	B,GP	3592	15	44	FH	36233		36061	20								
		38	CH1	60881	B,GP	3592	15	44	CL2	90131		36061	20								
Malibu 4 Dr. Sedan Only	04-07							51	FH	36317	JR	36071	40								
								51	CL2	90132	JR	36071	40								
Malibu SS 4 Dr. Sedan Only	06-07							51	FH	36317	JR,X	36071	50								
								51	CL2	90132	JR,X	36071	50								
Malibu All, Except LTZ	08-11							40	FH	36479	GP,JR,RB	36065	45								
								40	CL2	90194	GP,JR,RB	36065	45								
Malibu LTZ	08-11							40	FH	36479	GP,JR,RB	36065	45								
								40	CL2	90194	GP,JR,RB	36065	45								
Malibu Classic 4 Dr. Old Body Style	04-05	38	CH1	24656	B,GP	3592	15	44	FH	36233		36061	20								
		38	CH1	60881	B,GP	3592	15	44	CL2	90131		36061	20								
Malibu Classic 4 Dr. Sedan Only (Old Body Style)	2008							51	FH	36317	JR	36071	40								
								51	CL2	90132	JR	36071	40								
Malibu Classic SS 4 Dr. Sedan Only (Old Body Style)	2008							51	FH	36317	JR,X	36071	50								
								51	CL2	90132	JR,X	36071	50								
Malibu Maxx	04-05							42	FH	36379		36071	25								
								42	CL2	90136		36071	25								
Malibu Maxx All, Except SS	06-07							42	FH	36379		36071	25								
								42	CL2	90136		36071	25								
Malibu Wagon	78-83							42	CH2	36104		36061	30								
								42	CH2	90187		36061	30								
Monte Carlo	78-88							42	CH2	36104		36061	30								
								42	CH2	90187		36061	30								
Monte Carlo All, Inc. Z-34	95-99	27	SF	24628	AI	3592	30	52	CH2	36193 ^{B,JR}		36061	60								
								52	CH2	90040 ^{B,JR}		36061	60								

Ⓢ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 AI = Additional installation time required.
 AL = Additional installation time required for vehicles equipped with load leveling compressor.
 GP = Hitch crosstube concealed behind bumper.
 JR = Exhaust must be temporarily lowered for installation.
 Ⓢ = Uses all existing holes, no drilling required.
 RB = Hitch installation can be made easier with a "cutter" type drill bit.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
CHEVROLET (Continued)																
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4	E5	118512						119186	20252						
A	PC2	E5	118417						119186	20252						
A	PC3,4	E3	118347						119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A,F	SUV1,2								119186	119146 & 118151						
A,F	SUV1,2	E7	118337						119186	119146 & 118151						
A	SUV1,2	E7	118337						119186	20252						
A	PC3,4								119186	20252						
B	PC3,4								119175	119130						
A	PC3,4	E7	118439						119186	20252						
A	PC3,4	E7	118439						119186	20252						
A	PC1,2	E7	118450						119186	20252						
SK	PC1,2								119186	119146 & 118151						
B	PC3,4								119175	119130						
A	PC3,4	E7	118439						119186	20252						
A	PC3,4	E7	118439						119186	20252						
A	PC3,4	E7	118439						119186	20252						
A	PC3,4	E7	118439						119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 F=ModuLite® recommended.
 SK=2 wire system, ModuLite® required. Vehicle has LED taillamps.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL2=Class II
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS2=Pro Series Class II
 SF=Sportframe
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		CHEVROLET (Continued)																				
Monte Carlo Inc. SS (Will not fit SS Sport Appearance Pkg.)	00-05	35	CH1	24689 ^{TA}		3590	20	48	FH	36292 ^{B,JR}		36061	30									
		35	CH1	60925 ^{TA}		3590	20	48	CL2	90150 ^{B,JR}		36061	30									
Monte Carlo Inc. SS (Will not fit SS Sport Appearance Pkg.)	06-07							48	FH	36292 ^{B,JR}		36061	30									
Nova	86-88							48	CL2	90150 ^{B,JR}		36061	30									
Pickup, C/K Series w/6 ft. Bed	86-88			CL1	60932 ^{†,BC,EP}		3590	45						40	PR	33065	CO,DX,FP	5	8	30		
	67-72													40	MF	75034	CO,DX	5	8	30		
Pickup, C/K Series w/6 ft. Bed	73-84													40	PR	33065	CO,DX,FP	5	8	40		
														53	PR	44108	CO,FP,GU,HM,HX	6	10	30		
														59	PR	44109	CO,FP,GP,GU,HX	6	10	30		
														40	MF	75034	CO,DX	5	8	40		
Pickup, C/K Series w/6 ft. Bed	85-87													40	PR	33065	CO,DX,FP	5	8	40		
														53	PR	44108	CO,FP,GU,HM,HX	6	10	30		
														59	PR	44109	CO,FP,GP,GU,HX	6	10	30		
														40	MF	75034	CO,DX	5	8	40		
Pickup, C/K Series w/6 ft. Bed 2 Dr. Extended Cab, Inc. Sportside Fenders	88-00													40	PR	33065	CO,DX,FP	5	8	40		
														53	PR	44108	CO,FP,GU,HM,HX	6	10	30		
Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	88-00													40	PR	33065	CO,DX,FP	5	8	40		
														59	PR	44109	CO,FP,GP,GU,HX	6	10	30		
														40	MF	75034	CO,DX	5	8	40		
														40	PR	33065	CO,DX,FP	5	8	40		
														53	PR	44108	CO,FP,GU,HM,HX	6	10	30		
														59	PR	44109	CO,FP,GP,GU,HX	6	10	30		
														40	MF	75034	CO,DX	5	8	40		
														40	CL3	87034		5	8	30		
														75	UF	41909	®E,K,HM,SS	10	13	30		
															56	RT	37034		7	12	40	
															51	RT	37069		5	7.5	40	
															58	BR	40050	HC	6	10	40	
															45	ML	41524	Ø,GP	6	10	20	
															54	ML	41525	Ø,HM,J	6	10	20	
													57	PR	44105	Ø,GP	5	10	25			
													53	PR	44108	CO,FP,GU,HM,HX	6	10	30			
													59	PR	44109	FP,GP,GU,HX	6	10	30			
													25	PS3	51016	HM,FP	5	10	40			
													32	PS3	51017	GP,FP	5	10	40			
													25	PS3	51021	Ø,HM,J	5	10	20			
													23	PS3	51022	Ø,GP	5	10	20			
													43	MF	75033	Ø,HM,J	5	8	20			
													39	MF	75099	Ø,GP	5	8	20			
													58	MF3	82000	JP,HC	6	10	40			
													45	CL3	82584	Ø,GP,J	6	10	20			
													39	CL3	87184	Ø,GP,J	5	8	20			
Pickup, C/K Series w/6 ft. Bed Equipped w/Aftermarket Roll Pan	88-00													45	ML	41522	CO,HK	5	5.5	40		
														45	CL3	82574	Ø,FT,HK	5	8	25		
Pickup, C/K Series w/6 ft. Bed Regular & Extended Cabs, Inc. Sportside Fenders w/10" Deep Drop Bumper	88-00													55	PM	37080	Ø,FS,J	6	10	20		
														55	ML	41528	Ø,FS,J	6	10	20		
Pickup, C/K Series w/8 ft. Bed	63-72													40	PR	33065	FP	5	8	30		
														42	PM	37087	FP	6	10	45		
														58	BR	40050	CO,JT	6	10	40		
														42	ML	41001	FP	6	10	40		
														60	UF	41938	®	12	15	40		
														68	UF	41940	®	15	16	35		
														25	PS3	51016	CO,HM,JT	5	10	40		
														32	PS3	51017	CO,GP,JT	5	10	40		
														40	MF	75034		5	8	30		
														58	MF3	82000	JP,CO,JT	6	10	40		
												40	CL3	87034		5	8	30				

® = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 BC = Hitch rated at 1,500 lbs. GTW, 100 lbs. TW
 CO = Will not fit 8 ft. 2500/3500 Series with heavy-duty suspension or four door Crew Cab.
 CQ = Will not fit with heavy duty suspension.
 DX = Requires six 3/8" spacer blocks (#01077-011) and six 1/2-13 x 2-1/4 GR5 carriage bolts (#01266-009) which are not provided (Sold separately).
 EK = Extended Cab only.
 EP = Fascia trimming required.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 FT = Models with 16" spare tire must be relocated.
 GP = Hitch cross tube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HC = Will not fit with mini or full size tire stowed under vehicle.
 HK = Under vehicle spare tire storage may be retained with installation of an aftermarket spare tire repositioner. Cutting of rollpan in license plate area required for receiver tube access. Does not fit with bumper.
 HM = Hitch cross tube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 J = Under vehicle spare tire storage is retained.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = ZWD models only.
 Ø = Uses all existing holes, no drilling required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
CHEVROLET (Continued)																
B	PC4								119175	119130						
A	PC3,4								119186	20252						
B,F	PC3,4								119186	119146 & 118151						
A	PU3	E1	118311		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118315		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118315		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118315		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118315		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 F=ModuLite® recommended.

BR = Boxed Receiver
 CH1 = Classic Hitch Class I
 CL1 = Class I
 CL2 = Class II
 CL3 = Class III
 FH = Frame Hitch
 MF = Max Frame
 MFS = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
		CHEVROLET (Continued)																		
Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper	63-72																			
Pickup, C/K Series w/8 ft. Bed	73-84																			
Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper	73-84																			
Pickup, C/K Series w/8 ft. Bed	85-87																			
Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper	85-87																			
Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	88-91																			
Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab w/Deep Drop Bumper	88-91																			

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CQ = Will not fit with heavy duty suspension.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.
 JT = 2WD models only.
 M = Will fit with heavy-duty suspension.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
CHEVROLET (Continued)																
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E1	118311		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E1	118311		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.

BR = Boxed Receiver
 CL3 = Class III
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	X 1,000	WC	WD	IN				
		TYPE	PART #				TYPE	PART #				TYPE	PART #									
CHEVROLET (Continued)																						
Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	88-00													45	PM	36007	Ø	5	10	40		
															56	RT	37034		7	12	40	
																51	RT	37069	Ø	5	7.5	40
																58	BR	40050	FS	6	10	40
																45	ML	41524	Ø,GP	6	10	20
																54	ML	41525	Ø,HM,J	6	10	20
																53	UF	41901	Ø,DB,GP,SN	10	13	30
																57	PR	44105	Ø,GP	5	10	25
																53	PR	44108	FP,GU,HM,HX	6	10	30
																59	PR	44109	FP,GP,GU,HX	6	10	30
																74	T5	45006	#,TF	12	14	45
																25	PS3	51016	HM	5	10	40
																32	PS3	51017	GP	5	10	40
																25	PS3	51021	Ø,HM,J	5	10	20
																23	PS3	51022	Ø,GP	5	10	20
																43	MF	75033	Ø,HM,J	5	8	20
																39	MF	75099	Ø,GP	5	8	20
																58	MF3	82000	JP,FS	6	10	40
																45	CL3	82584	Ø,GP,J	6	10	20
																39	CL3	87184	Ø,GP,J	5	8	20
														45	ML	41522	CO,HK	5	5.5	40		
														45	CL3	82574	Ø,HK	5	8	25		
Pickup, C/K Series w/8 ft. Bed Equipped w/Aftermarket Roll Pan	88-00																					
Pickup, C/K Series w/8 ft. Bed Regular & Extended Cabs, w/10" Deep Drop Bumper	88-00													55	PM	37080	Ø,FS,J	6	10	20		
														55	ML	41528	Ø,FS,J	6	10	20		
Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	92-00													45	PM	36007	Ø	5	10	40		
														56	RT	37034		7	12	40		
														51	RT	37069	Ø	5	7.5	40		
														58	BR	40050	FS	6	10	40		
														45	ML	41524	Ø,GP	6	10	20		
														54	ML	41525	Ø,HM,J	6	10	20		
														53	UF	41901	Ø,DB,GP,SN	10	13	30		
														57	PR	44105	Ø,GP	5	10	25		
														74	T5	45006	#,TF	12	14	45		
														25	PS3	51016	HM	5	10	40		
														32	PS3	51017	GP	5	10	40		
														25	PS3	51021	Ø,HM,J	5	10	20		
														23	PS3	51022	Ø,GP	5	10	20		
														43	MF	75033	Ø,HM,J	5	8	20		
														39	MF	75099	Ø,GP	5	8	20		
														58	MF3	82000	JP,FS	6	10	40		
														45	CL3	82584	Ø,GP,J	6	10	20		
														39	CL3	87184	Ø,GP,J	5	8	20		
														55	PM	37080	Ø,FS,J	6	10	20		
														55	ML	41528	Ø,FS,J	6	10	20		
Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab, w/10" Deep Drop Bumper	92-00																					
Pickup, C/K Series, Cab & Chassis w/34" Wide Frames	85-00													60	UF	41938	Ø,CC	12	15	40		
														68	UF	41940	Ø	15	16	35		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CC = Requires minimum of 19" from end of frame rail to spring shackle bracket.
 CO = Will not fit 8 ft. 2500/3500 Series with heavy-duty suspension or four door Crew Cab.
 DB = Will not fit 6 ft. bed pickups.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 GP = Hitch cross tube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HK = Under vehicle spare tire stowage may be retained with installation of an aftermarket spare tire repositioner. Cutting of rollpan in license plate area required for receiver tube access. Does not fit with bumper.
 HM = Hitch cross tube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 J = Under vehicle spare tire stowage is retained.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 SN = Hitches produced before 04/28/08 are rated at 1000/10,000 WC & 1200/12,000 WD.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
CHEVROLET (Continued)																
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.

- BR = Boxed Receiver
- CL3 = Class III
- MF = Max Frame
- MF3 = Multi-Fit Class III
- ML = Max-E-Loader
- PM = Premium Receiver
- PR = Professional Receiver
- PS3 = Pro Series Class III
- RT = Round Tube
- TS = Titan®
- UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5

H=3 wire system with OEM standard 2 wire harness.
RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
CL3 = Class III
ML = Max-E-Loader
PM = Premium Receiver
PS3 = Pro Series Class III
RT = Round Tube
RT3 = Round Tube Class III
UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS		
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER			7-WAY ADAPTER	PC	IN
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
 CL3 = Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 T5 = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		CHEVROLET (Continued)																			
Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	01-02													32	RT	33093	Ø,JL	6	8	15	
															56	PM	37016	Ø	7.5	12	20
															56	RT	37034	Ø	7	12	25
															51	RT	37069	Ø	5	7.5	25
															56	ML	41534	Ø	6	12	20
															65	UF	41932	Ø,Ø,JL	12	14	20
															38	RT	44563	Ø,JL	6	10.5	15
															32	RT	44564	Ø,JL	6	8	15
															45	CH3	44619	Ø,CM	6	7.5	15
															23	PS3	51072	Ø,RT,JL	5	7.5	15
															23	PS3	51081	Ø,RT,JL	6	10.5	15
															45	CH3	75161	Ø,CM	6	7.5	15
															32	RT	75362	Ø,JL	6	8	15
															38	RT	75521	Ø,JL	6	10.5	15
															32	RT3	87186	Ø,JP,JL	6	8	15
															38	RT3	87430	Ø,JP,JL	6	10.5	15
															45	CH3	87541	Ø,JP,CM	6	7.5	15
		Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	01-02												46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	01-02													47	PM	37044	†,HM,SA	6	12	60	
														47	ML	41544	HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
															47	RT	75550	Ø,CS,FS,JL,LT	6	11	20
															47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	01-02													47	PM	37044	Ø,†,HM,SA	6	12	60	
														47	ML	41544	Ø,HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	Ø,HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															74	T5	45293	Ø,Ø,CS,FS,LT,TF	18	18	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
															47	RT	75550	Ø,CS,FS,JL,LT	6	11	20
Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD	01-02													47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
														47	PM	37044	Ø,†,HM,SA	6	12	60	
														47	ML	41544	Ø,HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	Ø,HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															74	T5	45293	Ø,Ø,CS,FS,LT,TF	18	18	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
													47	RT	75550	Ø,CS,FS,JL,LT	6	11	20		
													47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 HM = Hitch cross-tube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube
 SA = Requires drilling on 6 ft. bed models.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3=Classic Hitch Class 3
 CL3=Class III
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 TS=Titan®
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		CHEVROLET (Continued)																				
Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	03-04														32	RT	33093	Ø,JL	6	8	15	
																56	PM	37016	Ø	7.5	12	20
																56	RT	37034	Ø	7	12	25
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø,Ø,JL	12	14	20
																38	RT	44563	Ø,JL	6	10.5	15
																32	RT	44564	Ø,JL	6	8	15
																45	CH3	44619	Ø,CM	6	7.5	15
																71	T5	45009	Ø,TF	12	14	20
																23	PS3	51072	Ø,RT,JL	5	7.5	15
																23	PS3	51081	Ø,RT,JL	6	10.5	15
																45	CH3	75161	Ø,CM	6	7.5	15
																32	RT	75362	Ø,JL	6	8	15
																38	RT	75521	Ø,JL	6	10.5	15
																32	RT3	87186	Ø,JP,JL	6	8	15
																38	RT3	87430	Ø,JP,JL	6	10.5	15
														45	CH3	87541	Ø,JP,CM	6	7.5	15		
														46	CL3	82575	Ø,RI,RL,RN	5	8	25		
Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	03-04																					
Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	03-04														32	RT	33093	Ø,JL	6	8	15	
															56	PM	37016	Ø	7.5	12	20	
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø,Ø,JL	12	14	20	
															38	RT	44563	Ø,JL	6	10.5	15	
															32	RT	44564	Ø,JL	6	8	15	
															45	CH3	44619	Ø,CM	6	7.5	15	
															71	T5	45009	Ø,TF	12	14	20	
															23	PS3	51072	Ø,RT,JL	5	7.5	15	
															23	PS3	51081	Ø,RT,JL	6	10.5	15	
															45	CH3	75161	Ø,CM	6	7.5	15	
															32	RT	75362	Ø,JL	6	8	15	
															38	RT	75521	Ø,JL	6	10.5	15	
															32	RT3	87186	Ø,JP,JL	6	8	15	
															38	RT3	87430	Ø,JP,JL	6	10.5	15	
															45	CH3	87541	Ø,JP,CM	6	7.5	15	
															46	CL3	82575	Ø,RI,RL,RN	5	8	25	

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 Ⓞ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.

RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
CL3 = Class III
ML = Max-E-Loader
PM = Premium Receiver
PS3 = Pro Series Class III
RT = Round Tube
RT3 = Round Tube Class III
T5 = Titan®
UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
CL3 = Class III
ML = Max-E-Loader
PM = Premium Receiver
PS3 = Pro Series Class III
RT = Round Tube
RT3 = Round Tube Class III
UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC HITCH TYPE	PART #	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH TYPE	PART #	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH TYPE	PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		CHEVROLET (Continued)																			
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	03-05													32	RT	33093	Ø,JL	6	8	15	
															56	PM	37016	Ø	7.5	12	20
															56	RT	37034	Ø	7	12	25
															51	RT	37069	Ø	5	7.5	25
															56	ML	41534	Ø	6	12	20
															65	UF	41932	Ø,Ø,JL	12	14	20
															38	RT	44563	Ø,JL	6	10.5	15
															32	RT	44564	Ø,JL	6	8	15
															45	CH3	44619	Ø,CM	6	7.5	15
															23	PS3	51072	Ø,RT,JL	5	7.5	15
															23	PS3	51081	Ø,RT,JL	6	10.5	15
															45	CH3	75161	Ø,CM	6	7.5	15
															32	RT	75362	Ø,JL	6	8	15
															38	RT	75521	Ø,JL	6	10.5	15
															32	RT3	87186	Ø,JP,JL	6	8	15
															38	RT3	87430	Ø,JP,JL	6	10.5	15
													45	CH3	87541	Ø,JP,CM	6	7.5	15		
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	03-05												46	CL3	82575	Ø,RL,RL,RN	5	8	25		
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	03-06													47	PM	37044	†,HM,SA	6	12	60	
														47	ML	41544	HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	HM,SA	6	12	20	
														72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25	
														30	PS3	51050	SA	5	10	20	
														21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
														47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
														47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	03-06													47	PM	37044	Ø,†,HM,SA	6	12	60	
														47	ML	41544	Ø,HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	Ø,HM,SA	6	12	20	
														72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25	
														74	T5	45293	Ø,Ø,CS,FS,LT,TF	18	18	25	
														30	PS3	51050	SA	5	10	20	
														21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
														47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD	03-06													47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
														47	PM	37044	Ø,†,HM,SA	6	12	60	
														47	ML	41544	Ø,HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	Ø,HM,SA	6	12	20	
														72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25	
														74	T5	45293	Ø,Ø,CS,FS,LT,TF	18	18	25	
														30	PS3	51050	SA	5	10	20	
														21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
												47	RT	75550	Ø,CS,FS,JL,LT	6	11	20			
												47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20			

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 HM = Hitch cross-tube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube
 SA = Requires drilling on 6 ft. bed models.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
 CL3 = Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 T5 = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		CHEVROLET (Continued)																				
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	04-05														32	RT	33093	Ø, JL	6	8	15	
																56	PM	37016	Ø	7.5	12	20
																56	RT	37034	Ø	7	12	25
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø, Ø, JL	12	14	20
																38	RT	44563	Ø, JL	6	10.5	15
																32	RT	44564	Ø, JL	6	8	15
																45	CH3	44619	Ø, CM	6	7.5	15
																23	PS3	51072	Ø, RT, JL	5	7.5	15
																23	PS3	51081	Ø, RT, JL	6	10.5	15
																45	CH3	75161	Ø, CM	6	7.5	15
																32	RT	75362	Ø, JL	6	8	15
																38	RT	75521	Ø, JL	6	10.5	15
																32	RT3	87186	Ø, JP, JL	6	8	15
														38	RT3	87430	Ø, JP, JL	6	10.5	15		
														45	CH3	87541	Ø, JP, CM	6	7.5	15		
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	04-05													46	CL3	82575	Ø, RI, RL, RN	5	8	25		
Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	2006														32	RT	33093	Ø, JL	6	8	15	
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø, Ø, JL	12	14	20	
															38	RT	44563	Ø, JL	6	10.5	15	
															32	RT	44564	Ø, JL	6	8	15	
															23	PS3	51072	Ø, RT, JL	5	7.5	15	
															23	PS3	51081	Ø, RT, JL	6	10.5	15	
															32	RT	75362	Ø, JL	6	8	15	
															38	RT	75521	Ø, JL	6	10.5	15	
															32	RT3	87186	Ø, JP, JL	6	8	15	
															38	RT3	87430	Ø, JP, JL	6	10.5	15	
															46	CL3	82575	Ø, RI, RL, RN	5	8	25	
		Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	2006																			
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	2006														32	RT	33093	Ø, JL	6	8	15	
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø, Ø, JL	12	14	20	
															38	RT	44563	Ø, JL	6	10.5	15	
															32	RT	44564	Ø, JL	6	8	15	
															23	PS3	51072	Ø, RT, JL	5	7.5	15	
															23	PS3	51081	Ø, RT, JL	6	10.5	15	
															32	RT	75362	Ø, JL	6	8	15	
															38	RT	75521	Ø, JL	6	10.5	15	
															32	RT3	87186	Ø, JP, JL	6	8	15	
															38	RT3	87430	Ø, JP, JL	6	10.5	15	
															46	CL3	82575	Ø, RI, RL, RN	5	8	25	
		Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	2006																			

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 RT = Round Tube
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
 CL3 = Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		CHEVROLET (Continued)																				
Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	2006													32	RT	33093	Ø,JL,RO	6	8	15		
															56	RT	37034	Ø,RO	7	12	25	
																51	RT	37069	Ø,RO	5	7.5	25
																56	ML	41534	Ø,RO	6	12	20
																65	UF	41932	Ø,Ø,JL,RO	12	14	20
																38	RT	44563	Ø,JL,RO	6	10.5	15
																32	RT	44564	Ø,JL,RO	6	8	15
																23	PS3	51072	Ø,RT,JL,RO	5	7.5	15
																23	PS3	51081	Ø,RT,JL,RO	6	10.5	15
																32	RT	75362	Ø,JL,RO	6	8	15
																38	RT	75521	Ø,JL,RO	6	10.5	15
																32	RT3	87186	Ø,JP,JL,RO	6	8	15
																38	RT3	87430	Ø,JP,JL,RO	6	10.5	15
		Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	2006													46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	2006													32	RT	33093	Ø,JL	6	8	15		
															56	RT	37034	Ø	7	12	25	
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø,Ø,JL	12	14	20
																38	RT	44563	Ø,JL	6	10.5	15
																32	RT	44564	Ø,JL	6	8	15
																23	PS3	51072	Ø,RT,JL	5	7.5	15
																23	PS3	51081	Ø,RT,JL	6	10.5	15
																32	RT	75362	Ø,JL	6	8	15
																38	RT	75521	Ø,JL	6	10.5	15
																32	RT3	87186	Ø,JP,JL	6	8	15
																38	RT3	87430	Ø,JP,JL	6	10.5	15
		Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	2006													46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007													32	RT	33093	Ø,JL	6	8	15		
															56	RT	37034	Ø	7	12	25	
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø,Ø,JL	12	14	20
																38	RT	44563	Ø,JL	6	10.5	15
																32	RT	44564	Ø,JL	6	8	15
																23	PS3	51072	Ø,RT,JL	5	7.5	15
																23	PS3	51081	Ø,RT,JL	6	10.5	15
																32	RT	75362	Ø,JL	6	8	15
																38	RT	75521	Ø,JL	6	10.5	15
																32	RT3	87186	Ø,JP,JL	6	8	15
																38	RT3	87430	Ø,JP,JL	6	10.5	15
		Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	2007													46	CL3	82575	Ø,RL,RL,RN	5	8	25

Ø = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RL = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RO = Will not fit Silverado SS.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL3 = Class III
ML = Max-E-Loader
PS3 = Pro Series Class III
RT = Round Tube
RT3 = Round Tube Class III
UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		CHEVROLET (Continued)																			
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	2007													32	RT	33093	Ø,JL	6	8	15	
															56	RT	37034	Ø	7	12	25
															51	RT	37069	Ø	5	7.5	25
															56	ML	41534	Ø	6	12	20
															65	UF	41932	Ø,Ø,JL	12	14	20
															38	RT	44563	Ø,JL	6	10.5	15
															32	RT	44564	Ø,JL	6	8	15
															23	PS3	51072	Ø,RT,JL	5	7.5	15
															23	PS3	51081	Ø,RT,JL	6	10.5	15
															32	RT	75362	Ø,JL	6	8	15
															38	RT	75521	Ø,JL	6	10.5	15
															32	RT3	87186	Ø,JP,JL	6	8	15
															38	RT3	87430	Ø,JP,JL	6	10.5	15
		Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	2007												46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007													32	RT	33093	Ø,JL,RO	6	8	15	
														56	RT	37034	Ø,RO	7	12	25	
														51	RT	37069	Ø,RO	5	7.5	25	
														56	ML	41534	Ø,RO	6	12	20	
														65	UF	41932	Ø,Ø,JL,RO	12	14	20	
														38	RT	44563	Ø,JL,RO	6	10.5	15	
														32	RT	44564	Ø,JL,RO	6	8	15	
														23	PS3	51072	Ø,RT,JL,RO	5	7.5	15	
														23	PS3	51081	Ø,RT,JL,RO	6	10.5	15	
														32	RT	75362	Ø,JL,RO	6	8	15	
														38	RT	75521	Ø,JL,RO	6	10.5	15	
														32	RT3	87186	Ø,JP,JL,RO	6	8	15	
														38	RT3	87430	Ø,JP,JL,RO	6	10.5	15	
		Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	2007												46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	2007													32	RT	33093	Ø,JL	6	8	15	
														56	RT	37034	Ø	7	12	25	
														51	RT	37069	Ø	5	7.5	25	
														56	ML	41534	Ø	6	12	20	
														65	UF	41932	Ø,Ø,JL	12	14	20	
														38	RT	44563	Ø,JL	6	10.5	15	
														32	RT	44564	Ø,JL	6	8	15	
														23	PS3	51072	Ø,RT,JL	5	7.5	15	
														23	PS3	51081	Ø,RT,JL	6	10.5	15	
														32	RT	75362	Ø,JL	6	8	15	
														38	RT	75521	Ø,JL	6	10.5	15	
														32	RT3	87186	Ø,JP,JL	6	8	15	
														38	RT3	87430	Ø,JP,JL	6	10.5	15	
		Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	2007												46	CL3	82575	Ø,RL,RL,RN	5	8	25

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RL = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RO = Will not fit Silverado SS.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL3=Class III
 ML=Max-E-Loader
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN			
		CHEVROLET (Continued)																					
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007														47	PM	37044	†,HM,SA	6	12	60		
																47	ML	41544	HM,SA	6	12	20	
																64	UF	41939	Ø,@,CS,FS,LT	12	15	25	
																47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
																47	PR	44657	HM,SA	6	12	20	
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																30	PS3	51050	SA	5	10	20	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
																47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	2007														47	PM	37044	Ø,†,HM,SA	6	12	60		
															47	ML	41544	Ø,HM,SA	6	12	20		
																64	UF	41939	Ø,@,CS,FS,LT	12	15	25	
																47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
																47	PR	44657	Ø,HM,SA	6	12	20	
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																74	T5	45293	Ø,#,CS,FS,LT,TF	18	18	25	
																30	PS3	51050	SA	5	10	20	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	2007														47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20		
															47	PM	37044	Ø,†,HM,SA	6	12	60		
																47	ML	41544	Ø,HM,SA	6	12	20	
																64	UF	41939	Ø,@,CS,FS,LT	12	15	25	
																47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
																47	PR	44657	Ø,HM,SA	6	12	20	
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																74	T5	45293	Ø,#,CS,FS,LT,TF	18	18	25	
																30	PS3	51050	SA	5	10	20	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10														47	RT	75550	Ø,CS,FS,JL,LT	6	11	20		
															47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20		
																64	UF	41939	Ø,@,CS,FS,LT	12	15	25	
																47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
																47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
		Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10														64	UF	41939	Ø,@,CS,FS,LT	12	15	25
																	47	RT	44577	Ø,CS,FS,JL,LT	6	11	20
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																74	T5	45293	Ø,#,CS,FS,LT,TF	18	18	25	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
																47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10																64	UF	41939	Ø,@,CS,FS,LT	12	15	25
																	47	RT	44577	Ø,CS,FS,JL,LT	6	11	20
																		72	T5	45022	Ø,#,CS,FS,LT,TF	13	17
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
																47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	

† = Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 ‡ = Available while supply lasts.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 HM = Hitch crosstube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 SA = Requires drilling on 6 ft. bed models.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
CHEVROLET (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 T5 = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		CHEVROLET (Continued)																			
Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10														64	UF	41939	Ø, @, CS, FS, LT	12	15	25
															47	RT	44577	Ø, CS, FS, JL, LT	6	11	20
															72	T5	45022	Ø, #, CS, FS, LT, TF	13	17	25
															74	T5	45293	Ø, #, CS, FS, LT, TF	18	18	25
															21	PS3	51073	Ø, RT, CS, FS, JL, LT	5	7.5	20
															47	RT	75550	Ø, CS, FS, JL, LT	6	11	20
															47	RT3	87442	Ø, JP, CS, FS, JL, LT	6	11	20
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	07-11														32	RT	33093	Ø, JL	6	8	15
															38	RT	44563	Ø, JL	6	10.5	15
															32	RT	44564	Ø, JL	6	8	15
															23	PS3	51072	Ø, RT, JL	5	7.5	15
															23	PS3	51081	Ø, RT, JL	6	10.5	15
															32	RT	75362	Ø, JL	6	8	15
															38	RT	75521	Ø, JL	6	10.5	15
															32	RT3	87186	Ø, JP, JL	6	8	15
Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-11														38	RT3	87430	Ø, JP, JL	6	10.5	15
															32	RT	33093	Ø, JL	6	8	15
															38	RT	44563	Ø, JL	6	10.5	15
															32	RT	44564	Ø, JL	6	8	15
															23	PS3	51072	Ø, RT, JL	5	7.5	15
															23	PS3	51081	Ø, RT, JL	6	10.5	15
															32	RT	75362	Ø, JL	6	8	15
															38	RT	75521	Ø, JL	6	10.5	15
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-11														32	RT3	87186	Ø, JP, JL	6	8	15
															38	RT3	87430	Ø, JP, JL	6	10.5	15
															32	RT	33093	Ø, JL	6	8	15
															38	RT	44563	Ø, JL	6	10.5	15
															32	RT	44564	Ø, JL	6	8	15
															23	PS3	51072	Ø, RT, JL	5	7.5	15
															23	PS3	51081	Ø, RT, JL	6	10.5	15
															32	RT	75362	Ø, JL	6	8	15
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	2011														32	RT	75521	Ø, JL	6	10.5	15
															32	RT3	87186	Ø, JP, JL	6	8	15
															38	RT3	87430	Ø, JP, JL	6	10.5	15
															65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20
															57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
															78	T5	45300	#, CS, FS, HM, JL, KH, LT	18	18	60
															57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20
															57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	2011														65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20
															57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
															78	T5	45300	Ø, #, CS, FS, HM, JL, LT	18	18	30
															57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20
															57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20
															65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20
															57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
															78	T5	45300	#, CS, FS, HM, JL, KH, LT	18	18	60
Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	2011														57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20
															57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20
															65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20
															57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
															78	T5	45300	#, CS, FS, HM, JL, KH, LT	18	18	60
															57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20
															57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20
															65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20
Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	2011														57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
															78	T5	45300	Ø, #, CS, FS, HM, JL, LT	18	18	20
															57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20
															57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20
															65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20
															57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
															78	T5	45300	#, CS, FS, HM, JL, LT	18	18	20
															57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 KH = Minor heat shield modification may be required.
 LT = Requires removal of factory hitch if equipped.

Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	*REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
CHEVROLET (Continued)																
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224		
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224		
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224		
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224		
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224		
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224		
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224		
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.
 H=3 wire system with OEM standard 2 wire harness.

CL3 = Class III
 MF = Max Frame
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		CHEVROLET (Continued)																			
Pickup, Silverado, Cab & Chassis 3500 Series w/34" Wide Frames (Classic)	01-07														39	UF	41936	@	12	30	
															60	UF	41938	@,CC	12	15	40
															68	UF	41940	@	15	16	35
Pickup, Silverado, Cab & Chassis 3500 HD w/34" Wide Frames (New Body Style)	07-11														39	UF	41936	@	12	30	
															60	UF	41938	@,CC	12	15	40
															68	UF	41940	@	15	16	35
Prizm	98-02	29	SF	24579		3593	30														
		29	CL1	60838		3592	30														
S-10 Blazer Downsize, All Models	1983														42	PR	33014	Ø	3.5	6	60
															42	CH3	75123	Ø	3.5	6	60
S-10 Blazer Downsize, 2 Dr.	84-91														42	CH3	87501	Ø,JP	3.5	6	60
															42	PR	33014	Ø	3.5	6	60
S-10 Blazer Downsize, 4 Dr.	84-91														42	CH3	75123	Ø	3.5	6	60
															42	CH3	87501	Ø,JP	3.5	6	60
S-10 Blazer Downsize, All Models	92-94														42	PR	33014	Ø	3.5	6	60
															42	CH3	75123	Ø	3.5	6	60
S-10 Pickup w/Rear Fascia & No Step Bumper	83-84														42	CH3	87501	Ø,JP	3.5	6	60
															45	CL3	82571	JR,RI,RK,RL	3.5	5	15
S-10 Pickup w/Standard Box & Step Bumper	83-84							39	CH2	36248	Ø,GU,HM,RH	36071	35	45	PR	33053	Ø,GU	3.5	6	45	
								39	CH2	90624	Ø,GU,HM,RH	36071	35	52	MF	37152	CN,GU,SB	5	6	30	
														25	PS3	51107	Ø,GP,GU	3.5	6	40	
														45	MF	75051	Ø,GP,GU	3.5	6	40	
S-10 Pickup w/Rear Fascia & No Step Bumper	85-93													45	CL3	87525	Ø,GU	3.5	6	35	
														45	CL3	82571	JR,RI,RK,RL	3.5	5	15	
S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.	85-97							39	CH2	36248	Ø,GU,HM,RH	36071	35	45	PR	33053	Ø,GU	3.5	6	45	
								39	CH2	90624	Ø,GU,HM,RH	36071	35	52	MF	37152	CN,GU,SB	5	6	30	
														25	PS3	51107	Ø,GP,GU	3.5	6	40	
														45	MF	75051	Ø,GP,GU	3.5	6	40	
S-10 Pickup w/Rear Fascia & No Step Bumper	94-97													45	CL3	87525	Ø,GU	3.5	6	35	
														45	PR	33055	Ø,†	3.5	6	40	
														45	ML	41516	Ø,GP	3.5	6	40	
S-10 Pickup w/Sportside Box & Non-Towing Bumper	96-97													21	PS3	51105	Ø,GP	3.5	6	40	
														45	CL3	82571	JR,RI,RK,RL	3.5	5	15	
														45	MF	75085	Ø	3.5	6	40	
S-10 Pickup w/Rear Fascia & No Step Bumper	98-99													45	CL3	87464	Ø,JP	3.5	6	40	
														45	PR	33055	Ø,†	3.5	6	40	
S-10 Pickup w/Rear Fascia & No Step Bumper	98-04													45	ML	41516	Ø,GP	3.5	6	40	
														21	PS3	51105	Ø,GP	3.5	6	40	
S-10 Pickup All, Except Sportside Box w/Non-Towing Bumper & Standard Box w/Rear Fascia	98-04													28	PS3	51063	CN,GP,GU	3.5	5	20	
															45	CL3	82571	JR,RI,RK,RL	3.5	5	15
S-10 Pickup w/Rear Fascia & No Step Bumper	98-04														45	MF	75085	Ø	3.5	6	40
															45	CL3	87464	Ø,JP	3.5	6	40

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CC = Requires minimum of 19" from end of frame rail to spring shackle bracket.
 CN = Requires OEM factory bumper for hitch installation.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.

JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RH = Optional 36051 drawbar required (sold separately), except for models with ZR2 & Highlander package.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RK = Fits vehicles with factory and some aftermarket rollpans.
 RL = Short box models require relocation of spare tire.
 SB = Will not fit models with short bed.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
CHEVROLET (Continued)																
C	PU1,2								119186		20320 20143	20321 20125 20144	20224			
C	PU1,2								119186		20320 20143	20321 20125 20144	20224			
B	PC3,4								119175	119130						
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV6	E3	118318		20				119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5				119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 SF=Sportframe
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		CHEVROLET (Continued)																			
S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab	98-04							39	CH2	36248	Ø,GU,RH		36071	35	45	PR	33054	†,CN,GU	3.5	6	20
								39	CH2	90624	Ø,GU,RH		36071	35	52	MF	37152	AF,CN,GU,ST	5	6	30
															44	PR	44062	CN,GU	3.5	5	20
															45	MF	75085	Ø	3.5	6	40
															45	CL3	87464	Ø,JP	3.5	6	40
Suburban	73-84													45	CL3	87525	Ø,GU,RM	3.5	6	35	
														51	PM	35061	†,CU	6	10	30	
														51	ML	41500	†,CU	6	10	30	
Suburban	85-91													46	CH3	44605		5	7.5	40	
														46	CH3	75500		5	7.5	40	
														51	PM	35061	†,CU	6	10	30	
Suburban Old Body Style	92-99													51	ML	41500	†,CU	6	10	30	
														46	CH3	44605		5	7.5	20	
														46	CH3	75500		5	7.5	20	
														42	PM	37074	HM	6	10	30	
														52	MF	37152		5	6	30	
														42	CH3	41511	HM	6	10	30	
														38	PR	44096	HM	5	7	30	
Suburban New Body Style w/Amber Turn Signals	00-02													38	CH3	44656	HM	5	7.5	30	
														22	PS3	51012	HM	5	7	30	
														38	CH3	75037	HM	5	7.5	30	
														42	CH3	87468	JP,HM	6	10	30	
														38	CH3	87546	JP,HM	5	7.5	30	
														45	PM	37072	Ø,CN,HM	6	10	20	
														52	MF	37152		5	6	30	
														45	ML	41540	Ø,CN,HM	6	10	15	
														64	UF	41930	Ø,CN	10	12	35	
														44	PR	44095	Ø,CN,HM	5	10	20	
Suburban New Body Style w/Amber Turn Signals	03-06													38	CH3	44624	Ø,CN,HM	5	8	15	
														79	T5	45013	#,TF	12	14	50	
														28	PS3	51041	Ø,CN,HM	5	10	15	
														38	CH3	75110	Ø,CN,HM	5	8	15	
														45	CL3	87459	Ø,JP,CN,HM	6	10	15	
														38	CH3	87548	Ø,JP,CN,HM	5	8	15	
														45	PM	37072	Ø,CN,HM	6	10	20	
														52	MF	37152		5	6	30	
														45	ML	41540	Ø,CN,HM	6	10	15	
														64	UF	41930	Ø,CN	10	12	35	
Tahoe Old Body Style	95-00													44	PR	44095	Ø,CN,HM	5	10	20	
														38	CH3	44624	Ø,CN,HM	5	8	15	
														79	T5	45013	#,TF	12	14	50	
														28	PS3	51041	Ø,CN,HM	5	10	15	
														38	CH3	75110	Ø,CN,HM	5	8	15	
														45	CL3	87459	Ø,JP,CN,HM	6	10	15	
														38	CH3	87548	Ø,JP,CN,HM	5	8	15	
														42	PM	37074	HM	6	10	30	

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 AF = Hitch is ONLY rated for Weight Carrying at 3,500 lbs. GTW, 350 lbs. TW and DO NOT use w/Weight Distribution Spring Bars for this Specific Vehicle. Except for long bed pickups.
 CN = Requires OEM factory bumper for hitch installation.
 CU = Includes models with large fuel tank and skid shield.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.

HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RH = Optional 36051 drawbar required (sold separately), except for models with ZR2 & Highrider package.
 RM = Will not fit Extreme package.
 ST = Will not fit 2WD models with short bed.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
CHEVROLET (Continued)																	
A	PU3	E4	118359		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV5	E1	118311		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV5	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV6	E3	118319		5					119186	20252	20320 20143	20321 20125 20144	20224			
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
A	SUV6	E3	118319		5					119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 H=3 wire system with OEM standard 2 wire harness.

CH2 = Classic Hitch Class 2
 CH3 = Classic Hitch Class 3
 CL3 = Class III
 MF = Max Frame
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		CHEVROLET (Continued)																				
Tahoe New Body Style w/Amber Turn Signals	00-02														45	PM	37072	Ø, CN, HM	6	10	20	
															52	MF	37152		5	6	30	
															45	ML	41540	Ø, CN, HM	6	10	15	
															44	PR	44095	Ø, CN, HM	5	10	20	
															38	CH3	44624	Ø, CN, HM	5	8	15	
															28	PS3	51041	Ø, CN, HM	5	10	15	
															38	CH3	75110	Ø, CN, HM	5	8	15	
															45	CL3	87459	Ø, JP, CN, HM	6	10	15	
															38	CH3	87548	Ø, JP, CN, HM	5	8	15	
															45	PM	37072	Ø, CN, HM	6	10	20	
Tahoe New Body Style w/Amber Turn Signals	03-06														52	MF	37152		5	6	30	
															45	ML	41540	Ø, CN, HM	6	10	15	
															44	PR	44095	Ø, CN, HM	5	10	20	
															38	CH3	44624	Ø, CN, HM	5	8	15	
															28	PS3	51041	Ø, CN, HM	5	10	15	
															38	CH3	75110	Ø, CN, HM	5	8	15	
															45	CL3	87459	Ø, JP, CN, HM	6	10	15	
															38	CH3	87548	Ø, JP, CN, HM	5	8	15	
															45	PM	37072	Ø, CN, HM	6	10	20	
															52	MF	37152		5	6	30	
Tracker 2 & 4 Dr.	1998	29	SF	24622	Ø, HM	3593	20															
		29	CL1	60862	Ø, HM	3593	20															
Tracker	99-04	32	SF	24673	Ø, HM	3591	15								36	PR	33038	Ø, HM	3.5		15	
		32	CL1	60942	Ø, HM	3591	15								36	ML	41537	Ø, HM	3.5		15	
TrailBlazer	99-01							35	CH2	36244	Ø, FP, GP, KK	36051	15	40	RT	33015	Ø, FP, KK, SD	4	6	15		
								35	CH2	90183	Ø, FP, GP, KK	36051	15	40	PR	33021	Ø, FP, KK	4	6	20		
															56	RT	37051	FP, JT, KK	5	6	30	
															40	PR	44098	Ø, FP, HM, KK	4	6	20	
															19	PS3	51031	Ø, FP, HM, KK	4	6	15	
															40	RT	75079	Ø, FP, KK, SD	4	6	15	
															40	RT3	87478	Ø, JP, FP, KK, SD	4	6	15	
															32	RT	44569	Ø, GP, JR	5	5	25	
Traverse	09-11													22	PS3	51083	Ø, RT, GP, JR	5	5	25		
														32	RT	75528	Ø, GP, JR	5	5	25		
														32	RT3	87435	Ø, JP, GP, JR	5	5	25		
Uplander All, Inc. AWD	05-08							34	FH	36361	AL, GP, JR	36061	40	39	PR	33094	AL, JR	3.5	5	40		
								24	PS2	51102	AL, GP, JR	36061	40	41	PR	44574	AL, JR	3.5	5	40		
								34	CL2	90148	AL, GP, JR	36061	40	18	PS3	51079	AL, GP, JR	3.5	5	40		
															41	MF	75278	AL, GP, JR	3.5	5	40	
															41	CL3	87410	JP, AL, JR	3.5	5	40	
Uplander All, Inc. AWD (Canada Only)	2009							34	FH	36361	AL, GP, JR	36061	40	39	PR	33094	AL, JR	3.5	5	40		
								24	PS2	51102	AL, GP, JR	36061	40	41	PR	44574	AL, JR	3.5	5	40		
								34	CL2	90148	AL, GP, JR	36061	40	18	PS3	51079	AL, GP, JR	3.5	5	40		
															41	MF	75278	AL, GP, JR	3.5	5	40	
															41	CL3	87410	JP, AL, JR	3.5	5	40	
Van, G-Series Full Size	78-86													54	PM	35365	Ø, BF, CV	5	10	30		
														54	ML	41121	Ø, BF	5	10	30		
														53	PR	44011	Ø, BF, CV	5	7.5	45		
														48	MF	75121	BF	5	7.5	40		
														54	CL3	87481	Ø, JP, BF	5	10	30		

AL = Additional installation time required for vehicles equipped with load leveling compressor.
 BF = Requires standard bumper. Will not fit with step bumper.
 CN = Requires OEM factory bumper for hitch installation.
 CV = Will not fit short wheel base with dual exhaust.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.

JT = 2WD models only.
 KK = When installing on a vehicle originally equipped with an OEM hitch, OEM bumper brackets must be purchased and installed prior to new hitch installation.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
CHEVROLET (Continued)																	
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
B	SUV1,2	E5	118372	HG	5					119175	119130						
B	SUV3	E5	118372	HG	5					119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV7					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224			
A,N	SUV1,2	E7	118450		10	E8	118384	RD	5			20320 20143	20321 20125 20144		E1 E3	20269 22289	5
A	SUV1,2	E10	118396		15					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E10	118396		15					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 H=3 wire system with OEM standard 2 wire harness.
 HG=T-One incorporates taillight converter.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN				
		CHEVROLET (Continued)																							
Van, G-Series Full Size	87-95																	54	PM	35365	Ø,BF,CV	5	10	30	
																			54	ML	41121	Ø,BF	5	10	30
																			53	PR	44011	Ø,BF,CV	5	7.5	45
																			28	PS3	51003	BF	5	7.5	30
																				48	MF	75121	BF	5	7.5
Van, G-Series Classic & Sport Full Size w/Lo-Mount Taillights	1996																		54	CL3	87481	Ø,JP,BF	5	10	30
																			54	PM	35365	Ø,BF,CV	5	10	30
																			54	ML	41121	Ø,BF	5	10	30
																			53	PR	44011	Ø,BF,CV	5	7.5	45
																				28	PS3	51003	BF	5	7.5
Venture All, Inc. AWD	97-05	30	SF	24721	AL,GP,JR	3592	30	34	FH	36361	AL,GP,JR	36061	40	39	PR	33094	AL,JR	3.5	5	40					
		30	CL1	60842	AL,GP,JR	3592	30	24	PS2	51102	AL,GP,JR	36061	40	41	PR	44574	AL,JR	3.5	5	40					
								34	CL2	90148	AL,GP,JR	36061	40	18	PS3	51079	AL,GP,JR	3.5	5	40					
														41	MF	75278	AL,GP,JR	3.5	5	40					
														41	CL3	87410	JP,AL,JR	3.5	5	40					

CHRYSLER

300 All, Except 300C	05-07								39	FH	36325	Ø,HM,JR	36061	30											
									29	PS2	51176	Ø,HM,JR	36061	30											
300 All, Except 300C	08-10								39	CL2	90339	Ø,HM,JR	36061	30											
									29	PS2	51176	Ø,HM,JR	36061	30											
300C	05-10								39	CL2	90339	Ø,HM,JR	36061	30											
									29	PS2	51176	Ø,HM,JR	36061	30											
300M	99-01								41	CH2	36275	HM,JR	36071	30											
									41	CH2	90338	HM,JR	36071	30											
300M All, Except Special	02-04								41	CH2	36275	HM,JR	36071	30											
									41	CH2	90338	HM,JR	36071	30											
Aspen	07-08														43	PR	33082	AI	6	9	50				
															34	PR	44173		5	7.5	30				
															18	PS3	51067		5	7.5	30				
															43	MF	75162	AI	6	9	50				
															43	CL3	87562	JP,AI	6	9	50				
Aspen	2009														43	PR	33082	AI	6	9	50				
															34	PR	44173		5	7.5	30				
															18	PS3	51067		5	7.5	30				
															43	MF	75162	AI	6	9	50				
															43	CL3	87562	JP,AI	6	9	50				
Cirrus	95-00							43	FH	36301	JR	36061	60												
Concorde	93-97								47	CH2	36170	JR,TA	36061	40											
									47	CH2	90172	JR,TA	36061	40											
Concorde	98-01								42	CH2	36270	HM	36071	35											
									42	CH2	90334	HM	36071	35											
Concorde	2002								40	CH2	36274	JR	36061	30											
									40	CH2	90054	JR	36061	30											
Concorde	03-04								40	CH2	36274	JR	36061	30											
									40	CH2	90054	JR	36061	30											
Imperial	90-93								51	CH2	36136		36063	40											
									51	CH2	90047		36063	40											
Intrepid Canada Only	93-97								47	CH2	36170	JR,TA	36061	40											
									47	CH2	90172	JR,TA	36061	40											

AI = Additional installation time required.
 AL = Additional installation time required for vehicles equipped with load leveling compressor.
 BF = Requires standard bumper. Will not fit with step bumper.
 CV = Will not fit short wheel base with dual exhaust.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
CHEVROLET (Continued)																	
A	SUV1,2	E4	118338		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV3	E8	118355	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
CHRYSLER																	
A	PC3,4	E7	118404		10					119186	20252						
B,E	PC3,4	E14	118406	CH	15					119186	119146 & 118151						
B,E	PC3,4	E14	118406	CH	15					119186	119146 & 118151						
B	PC1,2	E12	118364	HG	15					119175	119130						
B	PC1,2	E12	118364	HG	15					119175	119130						
B,E	SUV1,2	E15	118390	CH	45	E3	118381	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
B,E	SUV1,2	E15	118390	CH	45	E8	118384	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC1,2	E12	118364	HG	15					119175	119130						
B	PC1,2	E12	118364	HG	15					119175	119130						
B	PC1,2									119175	119130						
E	PC3,4									119186	119146 & 118151						
B	PC3,4									119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max. Frame
 ML=Max. E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 SF=Sporframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		CHRYSLER (Continued)																				
Intrepid Canada Only	98-04							44	FH	36268	JR		36053	30								
								44	CL2	90333	JR		36053	30								
Le Baron 2 Dr. Coupe, Inc. Convertible	87-95							51	CH2	36136	AO		36061	40								
								51	CH2	90047	AO		36061	40								
Le Baron 4 Dr.	90-94							51	CH2	36136			36061	40								
								51	CH2	90047			36061	40								
LHS	94-97							47	CH2	36170	JR,TA		36063	40								
								47	CH2	90172	JR,TA		36063	40								
LHS	1999							40	CH2	36274	JR		36061	30								
								40	CH2	90054	JR		36061	30								
LHS	00-01							40	CH2	36274	JR		36061	30								
								40	CH2	90054	JR		36061	30								
New Yorker All, Inc. Turbo	86-88							51	CH2	36136			36061	40								
								51	CH2	90047			36061	40								
New Yorker FWD Sedan, Inc. Landau	88-90							51	CH2	36136			36061	40								
								51	CH2	90047			36061	40								
New Yorker Fifth Ave. FWD	90-93							51	CH2	36136			36063	40								
								51	CH2	90047			36063	40								
New Yorker Salon	90-93							51	CH2	36136			36061	40								
								51	CH2	90047			36061	40								
New Yorker	94-96							47	CH2	36170	JR,TA		36063	40								
								47	CH2	90172	JR,TA		36063	40								
Pacifica	04-08														44	RT	44566	Ø,JR		3.5	5	45
															34	PS3	51084	Ø,RT,JR		3.5	5	45
															44	RT	75522	Ø,JR		3.5	5	45
															44	RT3	87432	Ø,JP,JR		3.5	5	45
PT Cruiser All, Inc. GT & Turbo Models	01-04	40	SF	24759	JR		3593	30														
		40	CL1	60818	JR		3593	30														
PT Cruiser All, Inc. GT & Turbo Models	05-10	40	SF	24759	JR		3593	30														
		40	CL1	60818	JR		3593	30														
PT Cruiser Convertible All, Inc. GT & Turbo Models	05-09	40	SF	24759	JR		3593	30														
		40	CL1	60818	JR		3593	30														
Sebring All, Except Convertible	95-00	32	CH1	24700	JR,KH		3592	30														
		32	CH1	60937	JR,KH		3592	30														
Sebring 2 Dr. Except Convertible	01-02	32	CH1	24700	JR,KH		3592	30														
		32	CH1	60937	JR,KH		3592	30														
Sebring 4 Dr. Only	01-06	40	CL1	60947	Ø,JR		3592	20	43	FH	36301	JR		36061	60							
Sebring All, Except Convertible	07-10	36	CH1	24799	Ø,GP,JR		3594	15	39	CH2	36448	GP,JR		36065	30							
		36	CH1	60876	Ø,GP,JR		3594	15	40	CH2	90166	GP,JR		36065	30							
Sebring Convertible All Models	1996	42	CH1	24638	Ø,HM,JR		3591	30														
		42	CH1	60332	Ø,HM,JR		3591	30														
Sebring Convertible All Models	97-00	42	CH1	24638	Ø,HM,JR		3591	30														
		42	CH1	60332	Ø,HM,JR		3591	30														
Sebring Convertible All Models	01-06	32	CH1	24711	GP		3592	15														
		32	CH1	60850	GP		3592	15														
Sebring Convertible All Models	07-10	36	CH1	24799	Ø,GP,JR		3594	15														
		36	CH1	60876	Ø,GP,JR		3594	15														
Town & Country Mini Van, 2 WD Long Wheelbase	1990														47	PR	33046	†,JT		3.5	3.5	30
															52	MF	37152	JT		5	6	40
															47	CH3	75176	JT		3.5	3.5	30
															47	CH3	87553	JP,JT		3.5	3.5	30
Town & Country Mini Van, 2 WD Long Wheelbase	91-95														47	PR	33046	†		3.5	3.5	30
															52	MF	37152			5	6	40
															47	CH3	75176			3.5	3.5	30
															47	CH3	87553	JP		3.5	3.5	30

† = Available while supply lasts.
 AO = Will not fit vehicles with twin tailpipes.
 GP = Hitch cross tube concealed behind bumper.
 HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	*REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
CHRYSLER (Continued)																	
B	PC1,2	E12	118364	HG	15					119175	119130						
A	PC3,4									119186	20252						
A,F	PC3,4									119186	119146 & 118151						
B	PC3,4									119175	119130						
B	PC3,4	E12	118364	HG	15					119175	119130						
B	PC3,4									119175	119130						
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
B	PC3,4									119175	119130						
B,F	SUV1,2	E17	118303	CH	25	E3	118381	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E19	118462	CH	45					119175	119130						
B,E	SUV1,2	E19	118462	CH	45					119186	119146 & 118151						
B,E	SUV1,2									119186	119146 & 118151						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B,E	PC3,4	E19	118444	CH	45					119186	119146 & 118151						
A	PC3,4									119186	20252						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B,E	PC3,4	E19	118444	CH	45					119186	119146 & 118151						
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323		10					119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sporframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
CHRYSLER (Continued)																					
Town & Country All, Inc. 4 WD	96-00	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
		29	CL1	60933	GP, QS	3594	25	32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
Town & Country All, Inc. 4 WD	01-03	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
		29	CL1	60933	Ø, GP, QS	3594	20	32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
Town & Country Except Stow & Go Seats, Inc. 4 WD	04-07	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
		29	CL1	60933	Ø, GP, QS	3594	20	32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
Town & Country w/Stow & Go Seats, Inc. 4 WD	05-07							48	FH	36320	Ø, HM	36071	25	55	PR	44176		3.5	4	25	
								36	PS2	51175	Ø, HM	36071	25	55	MF	75305		3.5	4	25	
Town & Country	08-10							48	CL2	90718	Ø	36071	25	55	CL3	87719		3.5	4	25	
								38	FH	36455	Ø, GP, JR	36061	20	42	PR	44586	Ø, GP, JR	4	5	20	
Voyager All, Inc. 4 WD	01-03	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
		29	CL1	60933	Ø, GP, QS	3594	20	32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
DODGE																					
Avenger	95-00	32	CH1	24700	JR, KH	3592	30														
Avenger	08-10	36	CH1	24799	Ø, GP, JR	3594	15	39	CH2	36448	GP, JR	36065	30								
Caliber All, Except R/T	2007	27	SF	24769	Ø, GP	3591	15	40	CH2	90166	GP, JR	36065	30								
Caliber All, Except R/T & SRT-4	08-11	27	SF	24769	Ø, GP	3591	15														
Caravan	84-90							44	FH	36183	GW, GP	36071	30								
Caravan Short Wheelbase, 2 WD Only	84-90													47	PR	33046	†, JT	3.5	3.5	30	
Caravan Short Wheelbase, 2 & 4 WD	91-95													52	MF	37152	JT	5	6	40	
														47	CH3	75176	JT	3.5	3.5	30	
Caravan Short Wheelbase, 2 WD Only	91-95													47	CH3	87553	JP, JT	3.5	3.5	30	
														51	CH3	44618		3.5	5	30	
Caravan All, Except Sport	96-00	29	CL1	60933	GP, QS	3594	25							51	CH3	75141		3.5	5	30	
														51	CH3	87542	JP	3.5	5	30	

† = Available while supply lasts.
 GP = Hitch crosstube concealed behind bumper.
 GW = Spare tire cannot be stowed under vehicle on short wheelbase models equipped with 15" tires or full size spare.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 QS = Hitch rated at 2,500 lbs. GTW, 200 lbs. TW.
 SE = Will not fit models with short wheelbase and rear stabilizer (anti-roll) bar.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

D

DODGE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
CHRYSLER (Continued)																
B	SUV1,2	E10	118334	HG	20				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E7	118376	HG	15				119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E7	118300		20				119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E7	118300		20				119186	20252	20320 20143	20321 20125 20144	20224			
A,E	SUV1,2	E16	118446	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E7	118376	HG	15				119175	119130	20320 20143	20321 20125 20144	20224			
DODGE																
B	PC3,4								119175	119130						
A,E	PC1,2	E19	118445	CH	45				119186	119146 & 118151						
B,E	PC1,2	E18	118428	CH	45				119186	119146 & 118151						
A,E	PC1,2	E16	118446	CH	45				119186	119146 & 118151						
A	SUV1,2								119186	20252						
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323		10				119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323		10				119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E10	118334	HG	20				119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 HG=T-One incorporates taillight converter.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	W	D	IN
DODGE (Continued)																					
Caravan All, Inc. 2 & 4 WD	96-00	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	25	37	PR	44006	HM	3.5	3.5	30	
Caravan All, Inc. 2 & 4 WD	01-03	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Caravan Except Stow & Go Seats, Inc. 2 & 4 WD	04-07	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Caravan Cargo Van Long Wheelbase, 2 WD Only	91-93	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Caravan Cargo Van Short Wheelbase, 2 & 4 WD	91-95	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Caravan Cargo Van Short Wheelbase, 2 WD Only	91-95	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Caravan Cargo Van Long Wheelbase, 2 WD Only, Except LE	94-95	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Challenger All Models	08-10	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Charger All Models	06-10	29	SF	24702	Ø, HM	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Colt 2 & 4 Dr.	93-94	27	CH1	24652	†, X	3593	30	32	FH	36296	Ø, GP	36071	30	38	RT	33045		3.5	5	30	
								32	CL2	90165	Ø, GP	36071	30	52	MF	37152		5	6	40	
								32	CL2	90717	Ø, GP, SE	36061	20	37	PR	44006	HM	3.5	3.5	30	
Dakota Pickup Inc. Extended Cab	87-94	32	CH2	36235	GU	36051	40	40	PM	36047	GU	36051	40	40	PM	36047		5	7	30	
								40	MF	37152	GU	36051	40	52	MF	37152		5	6	35	
								38	PR	44102	GU	36051	40	38	PR	44102	GU	3.5	5	30	
Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	95-96	32	CH2	36235	GU	36051	40	40	PM	36047	GU	36051	40	40	PM	36047		5	7	30	
								40	MF	37152	GU	36051	40	52	MF	37152	CT, GU	5	6	35	
								38	PR	44102	GU	36051	40	38	PR	44102	GU	3.5	5	30	

† = Available while supply lasts.
 CT = Will not fit long bed models after 1999.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 GW = Spare tire cannot be stowed under vehicle on short wheelbase models equipped with 15" tires or full size spare.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.

Ø = Uses all existing holes, no drilling required.
 QS = Hitch rated at 2,500 lbs. GTW, 200 lbs. TW.
 SE = Will not fit models with short wheelbase and rear stabilizer (anti-roll) bar.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

D

DODGE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
DODGE (Continued)																
B	SUV1,2	E10	118334	HG	20					119175	119130	20320 20143	20321 20125 20144	20224		
B	SUV1,2	E7	118376	HG	15					119175	119130	20320 20143	20321 20125 20144	20224		
A	SUV1,2	E7	118300		20					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1,2	E16	118323		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1,2	E16	118323		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1,2	E16	118323		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1,2	E16	118323		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	PC3,4	E7	118404		10					119186	20252					
A	PC3,4	E7	118404		10					119186	20252					
B	PC3,4									119175	119130					
A	PU3,4	E4	118317		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3,4	E7	118329	HJ	5					119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 HG=T-One incorporates taillight converter.
 HJ=Per Dodge owner's manual: If trailer is equipped with more than standard lighting (1 taillight per side), use of ModuLite® or dealer supplied harness is required.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PM=Premium Receiver
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		DODGE (Continued)																				
Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	97-99							32	CH2	36235	Ø, GU		36051	40	40	PM	36047	Ø, GU		5	7	30
								32	CH2	90202	Ø, GU		36051	40	52	MF	37152	CT, GU		5	6	35
															38	PR	44102	Ø, GU		3.5	5	30
															29	PS3	51025	Ø, GU		3.5	5	30
															35	MF	75038	GU		5	8	30
															40	MF	75073	Ø, GU		5	7.5	15
															35	CL3	87471	JP, GU		5	8	30
															40	CL3	87554	Ø, JP, GU		5	7.5	15
															40	CL3	87554	Ø, JP, GU		5	7.5	15
															40	PM	36047	Ø, GU		5	7	30
Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	00-01							32	CH2	36235	Ø, GU		36051	40	40	PM	36047	Ø, GU		5	7	30
								32	CH2	90202	Ø, GU		36051	40	52	MF	37152	CT, GU		5	6	35
															38	PR	44102	Ø, GU		3.5	5	30
															29	PS3	51025	Ø, GU		3.5	5	30
															35	MF	75038	GU		5	8	30
															40	MF	75073	Ø, GU		5	7.5	15
															35	CL3	87471	JP, GU		5	8	30
															40	CL3	87554	Ø, JP, GU		5	7.5	15
															40	PM	36047	Ø, GU		5	7	30
															35	MF	75038	GU		5	8	30
Dakota Pickup All Models	02-03																					
Dakota Pickup All, Except Quad Cab	02-03							32	CH2	36235	Ø, GU		36051	40	52	MF	37152	CT, GU		5	6	35
								32	CH2	90202	Ø, GU		36051	40	38	PR	44102	Ø, GU		3.5	5	30
															29	PS3	51025	Ø, GU		3.5	5	30
															40	PM	36047	Ø, GU		5	7	30
															35	MF	75038	GU		5	8	30
															40	MF	75073	Ø, GU		5	7.5	15
															35	CL3	87471	JP, GU		5	8	30
															40	CL3	87554	Ø, JP, GU		5	7.5	15
															40	PM	36047	Ø, GU		5	7	30
															35	MF	75038	GU		5	8	30
Dakota Pickup All Models	2004																					
Dakota Pickup All, Except Quad Cab	2004							32	CH2	36235	Ø, GU		36051	40	52	MF	37152	CT, GU		5	6	35
								32	CH2	90202	Ø, GU		36051	40	38	PR	44102	Ø, GU		3.5	5	30
															29	PS3	51025	Ø, GU		3.5	5	30
															40	PM	36047	Ø, GU		5	7	30
															35	MF	75038	GU		5	8	30
															40	MF	75073	Ø, GU		5	7.5	15
															35	CL3	87471	JP, GU		5	8	30
															40	CL3	87554	Ø, JP, GU		5	7.5	15
															40	PM	36047	Ø, GU		5	7	30
															35	MF	75038	GU		5	8	30
Dakota Pickup All Models	05-10																					
Durango	98-99																					
Durango	00-03																					
Durango	04-06																					

AI = Additional installation time required.
 CT = Will not fit long bed models after 1999.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
DODGE (Continued)																	
A	PU3,4	E7	118329	HJ	5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU1,2	E16	118323	HJ	10	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU1,2	E16	118323	HJ	10	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU1,2	E16	118323	HJ	10	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
B	SUV1,2	E10	118334	HG	20					119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
B	SUV1,2	E10	118334	HG	20	E3	118381	RD	5	119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
B,E	SUV1,2	E15	118390	CH	45	E3	118381	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 HG=T-One incorporates taillight converter.
 HJ=Per Dodge owner's manual: If trailer is equipped with more than standard lighting (1 taillight per side), use of ModuLite® or dealer supplied harness is required.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		DODGE (Continued)																				
Durango	07-08																	43 PR 33082	AI	6	9	50
																		34 PR 44173		5	7.5	30
																		18 PS3 51067		5	7.5	30
																		43 MF 75162	AI	6	9	50
																		43 CL3 87562	JP, AI	6	9	50
Durango	2009																	43 PR 33082	AI	6	9	50
																		34 PR 44173		5	7.5	30
																		18 PS3 51067		5	7.5	30
																		43 MF 75162	AI	6	9	50
																		43 CL3 87562	JP, AI	6	9	50
Dynasty	88-93																					
Grand Caravan Long Wheelbase, 2 WD Only	84-90																					
Grand Caravan Long Wheelbase, 2 WD Only	91-93																					
Grand Caravan Long Wheelbase, 2 WD Only, Except LE	94-95																					
Grand Caravan All, Inc. 4 WD	96-00	29 SF 24702	0, HM	3593	30	32 FH 36296	0, GP	36071	30	38 RT 33045		36071	30	38 RT 33045		36071	30	52 MF 37152		5	6	30
		29 CL1 60933	GP, OS	3594	25	32 CL2 90165	0, GP	36071	30	52 MF 37152		36071	30	37 PR 44006	HM	36061	25	37 PR 44006	HM	3.5	3.5	30
																		28 PS3 51062	HM	3.5	3.5	30
																		38 RT 75119		3.5	5	30
																		38 CL3 87717	GP	3.5	5	25
Grand Caravan All, Inc. 4 WD	01-03	29 SF 24702	0, HM	3593	30	32 FH 36296	0, GP	36071	30	38 RT 33045	0	36071	30	38 RT 33045	0	36071	30	52 MF 37152		5	6	40
		29 CL1 60933	0, GP, OS	3594	20	32 CL2 90165	0, GP	36071	30	52 MF 37152		36071	30	37 PR 44006	HM	36061	20	37 PR 44006	HM	3.5	3.5	30
																		28 PS3 51062	HM	3.5	3.5	30
																		38 RT 75119		3.5	5	30
																		38 CL3 87717	0, GP	3.5	5	20
Grand Caravan Except Stow & Go Seats, Inc. 4 WD	04-07	29 SF 24702	0, HM	3593	30	32 FH 36296	0, GP	36071	30	38 RT 33045	0	36071	30	38 RT 33045	0	36071	30	52 MF 37152		5	6	40
		29 CL1 60933	0, GP, OS	3594	20	32 CL2 90165	0, GP	36071	30	52 MF 37152		36071	30	37 PR 44006	HM	36061	20	37 PR 44006	HM	3.5	3.5	30
																		28 PS3 51062	HM	3.5	3.5	30
																		38 RT 75119		3.5	5	30
																		38 CL3 87717	0, GP	3.5	5	20
Grand Caravan w/Stow & Go Seats, Inc. 4 WD	05-07																					
Grand Caravan	08-10																					
Intrepid	93-97																					
Intrepid	98-04																					
Journey	2009																					

† = Available while supply lasts.
 AI = Additional installation time required.
 GP = Hitch crosstube concealed behind bumper.
 GW = Spare tire cannot be stowed under vehicle on short wheelbase models equipped with 15" tires or full size spare.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.
 0 = Uses all existing holes, no drilling required.
 QS = Hitch rated at 2,500 lbs. GTW, 200 lbs. TW.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
DODGE (Continued)																	
B,E	SUV1,2	E15	118390	CH	45	E3	118381	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
B,E	SUV1,2	E15	118390	CH	45	E8	118384	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PC3,4									119186	20252						
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323		10					119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E10	118334	HG	20					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E7	118376	HG	15					119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E7	118300		20					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E7	118300		20					119186	20252	20320 20143	20321 20125 20144	20224			
A,E	SUV1,2	E16	118446	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	PC3,4									119175	119130						
B	PC1,2	E12	118364	HG	15					119175	119130						
B,F	SUV1,2	E18	118474	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
DODGE (Continued)																	
A	SUV1,2	E8	118495		10					119186	20252	20320 20143	20321 20125 20144	20224			
B,E	PC1,2	E19	118402	CH	45					119186	119146 & 118151						
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
B	SUV1,2	E19	118455	CH	30					119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E19	118455	CH	30					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.

BR = Boxed Receiver
 CH1 = Classic Hitch Class 1
 CH3 = Classic Hitch Class 3
 CL2 = Class II
 CL3 = Class III
 FH = Frame Hitch
 MF = Max Frame
 MFS = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS2 = Pro Series Class II

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW				CLASS II 300 lbs. TW 3,500 lbs. GTW				CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	X 1,000	WC	WD	IN		
			TYPE	PART #				TYPE	PART #				TYPE	PART #						
DODGE (Continued)																				
Pickup, D/W Series, Full Size	73-85											60	PM	36025	FP, GU	7.5	12	30		
													56	RT	37034	GU	7	12	25	
													51	RT	37069	GU	5	7.5	25	
													58	BR	40050	FP	6	10	40	
													54	UF	41902	@, DB	10	12	40	
													53	PR	44108	FP, GU, HM, HX	6	10	25	
													59	PR	44109	FP, GP, GU, HX	6	10	25	
													72	T5	45005	#, HX, TF	12	14	45	
													25	PS3	51016	HM	5	10	40	
													32	PS3	51017	GP	5	10	40	
													35	MF	75038		5	8	30	
													58	MF3	82000	JP, FP	6	10	40	
													35	CL3	87471	JP	5	8	30	
		Pickup, D/W Series, Full Size	86-93											60	PM	36025	FP, GU	7.5	12	30
															56	RT	37034	GU	7	12
													51	RT	37069	GU	5	7.5	25	
													58	BR	40050	FP	6	10	40	
													54	UF	41902	@, DB	10	12	40	
													53	PR	44108	FP, GU, HM, HX	6	10	25	
													59	PR	44109	FP, GP, GU, HX	6	10	25	
													72	T5	45005	#, HX, TF	12	14	45	
													25	PS3	51016	HM	5	10	40	
													32	PS3	51017	GP	5	10	40	
													35	MF	75038		5	8	30	
													58	MF3	82000	JP, FP	6	10	40	
													35	CL3	87471	JP	5	8	30	
Pickup, D/W Series, Full Size w/Deep Drop Bumper	86-93													60	PM	37081	CQ	5	10	45
														60	ML	41504	CQ	5	10	40
												51	PS3	51104	CQ	5	10	40		
												60	CL3	87480	JP, CQ	5	10	40		
Pickup, Ram, Full Size	1994											56	RT	37034	GU	7	12	40		
													51	RT	37069	GU	5	7.5	40	
													58	BR	40050	GO, GX	6	10	40	
													58	ML	41536		6	10	15	
													60	UF	41923	@, SA	12	14	35	
													43	PR	44103	GU	5	10	20	
													53	PR	44108	Ø, FP, GU, HM, HX	6	10	25	
													59	PR	44109	Ø, FP, GP, GU, HX	6	10	25	
													72	T5	45005	#, HX, TF	12	14	45	
													25	PS3	51016	HM, FP	5	10	40	
													32	PS3	51017	GP, FP	5	10	40	
													23	PS3	51039		5	10	15	
													42	MF	75101	Ø	5	8	15	
													58	MF3	82000	JP, GO, GX	6	10	40	
													58	CL3	82531	Ø	6	10	30	
Pickup, Ram, Full Size w/Deep Drop Bumper	1994											42	CL3	87131	Ø	5	8	30		
												60	PM	37081	CQ	5	10	45		
												60	ML	41504	CQ	5	10	40		
												51	PS3	51104	CQ	5	10	40		
												60	CL3	87480	JP, CQ	5	10	40		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CQ = Will not fit with heavy duty suspension.
 DB = Will not fit 6 ft. bed pickups.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GO = Requires hitch with packaging date code 2/15/94 or later.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.

GX = Requires fabrication of "L" bracket to reposition exhaust on '95 and later 6 ft. box models.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 SA = Requires drilling on 6 ft. bed models.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
DODGE (Continued)																
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224		
A	PU1,2	E4	118317	HJ	5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU1,2	E4	118317	HJ	5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3,4	E4	118317	HJ	5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3,4	E4	118317		5					119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.
 HJ=Per Dodge owner's manual: If trailer is equipped with more than standard lighting (1 taillight per side), use of ModuLite® or dealer supplied harness is required.

BR = Boxed Receiver
 CL3 = Class III
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW				CLASS II 300 lbs. TW 3,500 lbs. GTW				CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	X 1,000	WC	WD	IN			
		TYPE	PART #				TYPE	PART #				TYPE	PART #								
DODGE (Continued)																					
Pickup, Ram, Full Size	95-98											56	RT	37034	GU		7	12	40		
													51	RT	37069	GU		5	7.5	40	
													58	BR	40050	CO,GO,GX		6	10	40	
													58	ML	41536	Ø		6	10	15	
													60	UF	41923	Ø,SA		12	14	35	
													43	PR	44103	GU		5	10	20	
													53	PR	44108	Ø,FP,GU,HM,HX		6	10	25	
													59	PR	44109	Ø,FP,GP,GU,HX		6	10	25	
													72	T5	45005	#HX,TF		12	14	45	
													25	PS3	51016	HM,FP		5	10	40	
													32	PS3	51017	GP,FP		5	10	40	
													23	PS3	51039			5	10	15	
													42	MF	75101	Ø		5	8	15	
													58	MF3	82000	JP,CO,GO,GX		6	10	40	
		Pickup, Ram, Full Size w/Deep Drop Bumper	95-98											58	CL3	82531	Ø		6	10	30
													42	CL3	87131	Ø		5	8	30	
													60	PM	37081	CO		5	10	45	
Pickup, Ram, Full Size	99-01											60	ML	41504	CO		5	10	40		
													51	PS3	51104	CO		5	10	40	
													60	CL3	87480	JP,CO		5	10	40	
													58	PM	37017	†,GU		7.5	12	30	
													56	RT	37034	GU		7	12	40	
Pickup, Ram, Full Size w/Deep Drop Bumper	99-01											51	RT	37069	GU		5	7.5	40		
													58	BR	40050	CO,GO,GX		6	10	40	
													58	ML	41536	Ø		6	10	15	
													60	UF	41923	Ø,Ø		12	14	35	
													43	PR	44103	GU		5	10	20	
													70	T5	45010	#TF		12	14	30	
													25	PS3	51016	HM,FP		5	10	40	
													32	PS3	51017	GP,FP		5	10	40	
													23	PS3	51039			5	10	15	
													42	MF	75101	Ø		5	8	15	
													58	MF3	82000	JP,CO,GO,GX		6	10	40	
													58	CL3	82531	Ø		6	10	30	
													42	CL3	87131	Ø		5	8	30	
		Pickup, Ram, Full Size 2500 Only	2002											58	PM	37017	†,GU		7.5	12	30
															56	RT	37034	GU		7	12
													51	RT	37069	GU		5	7.5	40	
													58	BR	40050	CO,GO,GX		6	10	40	
													58	ML	41536	Ø		6	10	15	
													60	UF	41923	Ø,Ø		12	14	35	
													43	PR	44103	GU		5	10	20	
													70	T5	45010	#TF		12	14	30	
													25	PS3	51016	HM,FP		5	10	40	
													32	PS3	51017	GP,FP		5	10	40	
													23	PS3	51039			5	10	15	
													42	MF	75101	Ø		5	8	15	
													58	MF3	82000	JP,CO,GO,GX		6	10	40	
													58	CL3	82531	Ø		6	10	30	
													42	CL3	87131	Ø		5	8	30	

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 Ø = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CQ = Will not fit with heavy duty suspension.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GO = Requires hitch with packaging date code 2/15/94 or later.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.

GX = Requires fabrication of "L" bracket to reposition exhaust on '95 and later 6 ft. box models.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 SA = Requires drilling on 6 ft. bed models.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

D

DODGE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
DODGE (Continued)																
A	PU3,4	E7	118329	HJ	5				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 HJ=Per Dodge owner's manual: If trailer is equipped with more than standard lighting (1 taillight per side), use of ModuLite® or dealer supplied harness is required.

BR = Boxed Receiver
 CL3 = Class III
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC WD	IN			
		DODGE (Continued)																				
Pickup, Ram, Full Size 2500 Only, w/Deep Drop Bumper	2002														60	PM	37081	CO	5	10	45	
															60	ML	41504	CO	5	10	40	
															51	PS3	51104	CO	5	10	40	
															60	CL3	87480	JP,CO	5	10	40	
		Pickup, Ram, Full Size 3500 Only	2002													58	PM	37017	†,GU	7.5	12	30
																56	RT	37034	GU	7	12	40
														51	RT	37069	GU	5	7.5	40		
														58	BR	40050	CO,GO,GX	6	10	40		
														58	ML	41536	Ø	6	10	15		
														60	UF	41923	Ø,@	12	14	35		
														43	PR	44103	GU	5	10	20		
														70	T5	45010	#,TF	12	14	30		
														25	PS3	51016	HM,FP	5	10	40		
														32	PS3	51017	GP,FP	5	10	40		
Pickup, Ram, Full Size 3500 Only, w/Deep Drop Bumper	2002													23	PS3	51039	Ø	5	10	15		
														42	MF	75101	Ø	5	8	15		
														58	MF3	82000	JP,CO,GO,GX	6	10	40		
														58	CL3	82531	Ø	6	10	30		
														42	CL3	87131	Ø	5	8	30		
														60	PM	37081	CO	5	10	45		
														60	ML	41504	CO	5	10	40		
														51	PS3	51104	CO	5	10	40		
														60	CL3	87480	JP,CO	5	10	40		
		Pickup, Ram, Full Size 1500 Only Built Before 11/2002	02-03													16	PM	37084	Ø,CP,DS,GU	5	10	20
														16	MF	75135	Ø,CP,DS,GU	5	10	15		
														16	CL3	87532	Ø,JP,CP,DS,GU	5	10	15		
Pickup, Ram, Full Size 1500 Built After 11/2002	2003															16	PR	33072	Ø,CP,DS,GU	5	8	20
																65	UF	41929	@,DY,XL,SG	12	15	35
																47	PR	44536	Ø,CP,DY	6	10	25
														18	PR	44603	Ø,CP,DS	6	10	20		
														74	T5	45288	#,DY,XL,SB	12	14	35		
														11	PS3	51143	Ø,CP,DS,GU	5	8	20		
														16	MF	75151	Ø,CP,DS,GU	5	8	20		
														47	MF	75420	Ø,CP,DY	6	10	25		
														18	MF	75662	Ø,CP,DS	6	10	20		
														47	CL3	82534	Ø,JP,CP,DY	6	10	25		
Pickup, Ram, Full Size 2500 HD	03-05													18	CL3	87530	Ø,JP,CP,DS	6	10	20		
														16	CL3	87533	Ø,CP,DS,GU	5	8	20		
														16	PR	33072	Ø,CP,GU	5	8	20		
														65	UF	41929	@,XL,SG	12	15	35		
														47	PR	44536	Ø,CP	6	10	25		
														18	PR	44603	Ø,CP	6	10	20		
														74	T5	45288	#,XL,SB	12	14	35		
														79	T5	45299	#,AA,CS,FS,GH,HM,LT	18	18	95		
														11	PS3	51143	Ø,CP,GU	5	8	20		
														16	MF	75151	Ø,CP,GU	5	8	20		
												47	MF	75420	Ø,CP,DY	6	10	25				
												18	MF	75662	Ø,CP	6	10	20				
												47	CL3	82534	Ø,JP,CP,DY	6	10	25				
												18	CL3	87530	Ø,JP,CP	6	10	20				
												16	CL3	87533	Ø,CP,GU	5	8	20				

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 AA = Requires temporary removal of bumper during installation.
 CP = Fits All Models without Factory Installed Receiver.
 CQ = Will not fit with heavy duty suspension.
 CS = Will fit with full-size spare tire stowed under vehicle.
 DS = Use DT #75151/HH #87533/RS #33072/PS #51143 On 1500 Models Built After 11/1/02. Use DT #75135/HH #87532/RS #37084 On 1500 Models Built Before 11/1/02.
 DY = Use On 1500 Models Built After 11/1/02.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 GH = Will not fit models with 34" wide frames.
 GO = Requires hitch with packaging date code 2/15/94 or later.
 GP = Hitch cross-tube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 GX = Requires fabrication of "L" bracket to reposition exhaust on '95 and later 6 ft. box models.
 HM = Hitch cross-tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 KL = Hitch is designed to attach beneath the OEM hitch.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.
 SB = Will not fit models with short bed.
 SG = Hitches produced before 09/10/07 are rated at 1000/10,000 WC & 1200/12,000 WD.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS		
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER			7-WAY ADAPTER	PC	IN
DODGE (Continued)																	
A	PU3,4	E7	118329	HJ	5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3,4	E7	118329	HJ	5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 H=3 wire system with OEM standard 2 wire harness.
 HJ=Per Dodge owner's manual: If trailer is equipped with more than standard lighting (1 taillight per side), use of ModuLite® or dealer supplied harness is required.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

BR = Boxed Receiver
 CL3 = Class III
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		DODGE (Continued)																			
Pickup, Ram, Full Size 3500 HD	03-05																				
Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10	04-05																				
Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10	06-08																				
Pickup, Ram, Full Size 1500, Inc. Mega Cab	06-08																				
Pickup, Ram, Full Size 2500 HD, Except Mega Cab	06-09																				

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 AA = Requires temporary removal of bumper during installation.
 CP = Fits All Models without Factory Installed Receiver.
 CS = Will fit with full-size spare tire stowed under vehicle.
 DY = Use On 1500 Models Built After 11/1/02.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 GH = Will not fit models with 34" wide frames.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.

HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 KL = Hitch is designed to attach beneath the OEM hitch.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.
 SB = Will not fit models with short bed.
 SG = Hitches produced before 09/10/07 are rated at 1000/10,000 WC & 1200/12,000 WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

D

DODGE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	*REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS		
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER			7-WAY ADAPTER	PC	IN
DODGE (Continued)																	
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL3 = Class III
 MF = Max Frame
 PR = Professional Receiver
 PS3 = Pro Series Class III
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		DODGE (Continued)																				
Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab	06-09													16	PR	33072	Ø,CP,GU	5	8	20		
															65	UF	41929	Ⓞ,KL,SG	12	15	35	
															47	PR	44536	Ø,CP	6	10	25	
															18	PR	44603	Ø,CP	6	10	20	
															79	T5	45299	#AA,CS,FS,GH,HM,LT,	18	18	95	
															11	PS3	51143	Ø,CP,GU	5	8	20	
															16	MF	75151	Ø,CP,GU	5	8	20	
															47	MF	75420	Ø,CP	6	10	25	
															18	MF	75662	Ø,CP	6	10	20	
															47	CL3	82534	Ø,JP,CP	6	10	25	
															18	CL3	87530	Ø,JP,CP	6	10	20	
															16	CL3	87533	Ø,CP,GU	5	8	20	
		Pickup, Ram, Full Size 3500 HD, Except Mega Cab	06-09													74	T5	45288	#KL,SB	12	14	35
		Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab	06-09													16	PR	33072	Ø,CP,GU	5	8	20
														65	UF	41929	Ⓞ,KL,SG	12	15	35		
														47	PR	44536	Ø,CP	6	10	25		
														18	PR	44603	Ø,CP	6	10	20		
														79	T5	45299	#AA,CS,FS,GH,HM,LT,	18	18	95		
														11	PS3	51143	Ø,CP,GU	5	8	20		
														16	MF	75151	Ø,CP,GU	5	8	20		
														47	MF	75420	Ø,CP	6	10	25		
														18	MF	75662	Ø,CP	6	10	20		
														47	CL3	82534	Ø,JP,CP	6	10	25		
														18	CL3	87530	Ø,JP,CP	6	10	20		
														16	CL3	87533	Ø,CP,GU	5	8	20		
Pickup, Ram, Full Size 3500 HD Chassis Cab	07-10															39	UF	41936	Ⓞ	12	30	
																68	UF	41940	Ⓞ	15	16	35
Pickup, Ram, Full Size 4500 HD Chassis Cab	08-10													39	UF	41936	Ⓞ	12	30			
														68	UF	41940	Ⓞ	15	16	35		
Pickup, Ram, Full Size 5500 HD Chassis Cab	08-10													39	UF	41936	Ⓞ	12	30			
														68	UF	41940	Ⓞ	15	16	35		
Pickup, Ram, Full Size 1500 Only	2009													18	PR	44603	Ø,CP	6	10	20		
														18	MF	75662	Ø,CP	6	10	20		
														18	CL3	87530	Ø,JP,CP	6	10	20		
Pickup, Ram, Full Size 2500 HD, Except Mega Cab	2010													74	T5	45288	#KL,SB	12	14	35		
														65	UF	41929	Ⓞ,KL,SG	12	15	35		
Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab	2010													79	T5	45299	#AA,CS,FS,GH,HM,LT,	18	18	95		
														74	T5	45288	#KL,SB	12	14	35		
Pickup, Ram, Full Size 3500 HD, Except Mega Cab	2010													74	T5	45288	#KL,SB	12	14	35		
														65	UF	41929	Ⓞ,KL,SG	12	15	35		
Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab	2010													79	T5	45299	#AA,CS,FS,GH,HM,LT,	18	18	95		
														18	PR	44603	Ø,CP	6	10	20		
Pickup, Ram, Full Size 1500 Only	10-11													18	MF	75662	Ø,CP	6	10	20		
														18	CL3	87530	Ø,JP,CP	6	10	20		
														18	CL3	87530	Ø,JP,CP	6	10	20		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 Ⓞ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 AA = Requires temporary removal of bumper during installation.
 CP = Fits All Models without Factory Installed Receiver.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 GH = Will not fit models with 34" wide frames.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch crosstube is visible beneath bumper.

JP = J-Pin Ready Receiver.
 KL = Hitch is designed to attach beneath the OEM hitch.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.
 SB = Will not fit models with short bed.
 SG = Hitches produced before 09/10/07 are rated at 1000/10,000 WC & 1200/12,000 WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	*REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS		
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER			7-WAY ADAPTER	PC	IN
DODGE (Continued)																	
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
H	PU3					E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
C	PU1,2									119186		20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
C	PU1,2									119186		20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
C	PU1,2									119186		20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20261 22281	5
A	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20273 22293	5
A	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20273 22293	5
A	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20273 22293	5
A	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20273 22293	5
A	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20273 22293	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL3=Class III
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 TS=Titan®
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW					
		REC HITCH		FOOTNOTES	DRAW BAR		IN	REC HITCH		FOOTNOTES	DRAW BAR		IN	REC HITCH		FOOTNOTES	X 1,000		IN
		PC	TYPE		PART #	PC		TYPE	PART #		PC	TYPE		PART #	PC		TYPE	PART #	
DODGE (Continued)																			
Ramcharger All, Except w/Skid Shield	74-85													58 BR	40050		6	10	40
														58 MF3	82000	JP	6	10	40
Ramcharger w/Deep Drop Bumper, Except w/Skid Shield	74-85													60 PM	37081	M,TH	5	10	45
														60 ML	41504	M	5	10	40
														51 PS3	51104	M	5	10	40
														60 CL3	87480	JP,M	5	10	40
Ramcharger	82-85													52 MF	37152		5	6	30
Ramcharger All, Except w/Skid Shield	86-88													58 BR	40050		6	10	40
														58 MF3	82000	JP	6	10	40
Ramcharger w/Deep Drop Bumper, Except w/Skid Shield	86-88													60 PM	37081	M,TH	5	10	45
														60 ML	41504	M	5	10	40
														51 PS3	51104	M	5	10	40
														60 CL3	87480	JP,M	5	10	40
Ramcharger	86-93													52 MF	37152		5	6	30
Spirit	89-95							51 CH2	36136			36061	40						
								51 CH2	90047			36061	40						
Sprinter All 4T Wide Frames, Except 118" Wheelbase & Factory Metal Step Platform	03-06													55 PR	33089	Ø	5	7.5	20
														55 CH3	75210	Ø	5	7.5	20
														55 CH3	87647	Ø,JP	5	7.5	20
Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	2007													54 CH3	44576	Ø,HM	6	7.5	20
														54 CH3	75549	Ø,HM	6	7.5	20
														54 CH3	87441	Ø,JP,HM	6	7.5	20
Sprinter w/Factory Step Bumper	2007													53 PR	44591	Ø,HM	5	7.5	30
														53 MF	75601	Ø,HM	5	7.5	30
														53 CL3	87456	Ø,JP,HM	5	7.5	30
Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	08-09													54 CH3	44576	Ø,HM	6	7.5	20
														54 CH3	75549	Ø,HM	6	7.5	20
														54 CH3	87441	Ø,JP,HM	6	7.5	20
Sprinter w/Factory Step Bumper	08-09													53 PR	44591	Ø,HM	5	7.5	30
														53 MF	75601	Ø,HM	5	7.5	30
														53 CL3	87456	Ø,JP,HM	5	7.5	30
Stratus 4 Dr. Only	95-00							43 FH	36301	JR		36061	60						
Stratus 2 Dr. Only	01-02	32 CH1		24700	JR,KH		3592	30											
		32 CH1		60937	JR,KH		3592	30											
Stratus 4 Dr. Only	01-06	40 CL1		60947	Ø,JR		3592	20	43 FH	36301	JR		36061	60					
Van, B-Series Full Size	71-77													54 PR	44094	Ø,BF,DG	5	10	30
														28 PS3	51037	Ø,DG	5	10	30
Van, B-Series Full Size	78-85													65 UF	41910	Ø,Ø	10	12	35
														54 PR	44094	Ø,BF,DG	5	10	30
														28 PS3	51037	Ø,DG	5	10	30
														54 CH3	75140	Ø	5	10	30
														54 CH3	87492	Ø,JP	5	10	30

Ø = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 BF = Requires standard bumper. Will not fit with step bumper.
 DG = 1971-77 (Standard) Van: Will not fit with optional large gas tank. 1974-77 (Maxi) Van: Includes models with optional large gas tank.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.
 TH = Will not fit models with skid shield.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
DODGE (Continued)																
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV5,7	E4	118317		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV5,7	E4	118317		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV5,7	E4	118317		5				119186	20252	20320 20143	20321 20125 20144	20224			
B,F	PC3,4								119186	119146 & 118151						
B,F	SUV3,4					E3	118381	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224		
B	SUV1,2					E3	118381	RD	5	119175	119130	20320 20143	20321 20125 20144	20224		
B	SUV1,2					E3	118381	RD	5	119175	119130	20320 20143	20321 20125 20144	20224		
B	SUV1,2					E3	118381	RD	5	119175	119130	20320 20143	20321 20125 20144	20224		
B	SUV1,2					E3	118381	RD	5	119175	119130	20320 20143	20321 20125 20144	20224		
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 F=ModuLite® recommended.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

BR = Boxed Receiver
 CH1 = Classic Hitch Class 1
 CH2 = Classic Hitch Class 2
 CH3 = Classic Hitch Class 3
 CL1 = Class I
 CL3 = Class III
 FH = Frame Hitch
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	X 1,000	WC	WD	IN		
		TYPE	PART #				TYPE	PART #				TYPE	PART #							
DODGE (Continued)																				
Van, B-Series Full Size	86-92													53	PR	33010	Ø,DH	5	7.5	45
														65	UF	41910	Ø,Ø,DH	10	12	35
														54	PR	44094	Ø,BF	5	10	30
														28	PS3	51037	Ø,DG	5	10	30
														54	CH3	75140	Ø,DH	5	10	30
														54	CH3	87492	Ø,JP,DH	5	10	30
														53	CH3	87560	Ø,JP,DH	5	7.5	40
Van, B-Series Full Size	1993													53	PR	33010	Ø,DH	5	7.5	45
														65	UF	41910	Ø,Ø,DH	10	12	35
														54	PR	44094	Ø,BF	5	10	30
														28	PS3	51037	Ø,DH	5	10	30
														54	CH3	75140	Ø,DH	5	10	30
														54	CH3	87492	Ø,JP,DH	5	10	30
														53	CH3	87560	Ø,JP,DH	5	7.5	40
Van, B-Series Full Size	94-97						34	CH2	36263	Ø,DH		36051	15	50	PR	33009	Ø,BF	5	7.5	20
							34	CH2	90201	Ø,DH		36051	15	56	PM	36072	Ø,†,BF,DV	5	10	45
														56	PM	37070	Ø,BF	6	10	25
														56	ML	41533	Ø,DH	6	10	20
														65	UF	41910	Ø,Ø,DH	10	12	35
														54	PR	44094	Ø,BF	5	10	30
														28	PS3	51037	Ø,DH	5	10	30
														50	MF	75090	Ø,DH	5	7.5	20
														54	CH3	75140	Ø,DH	5	10	30
														54	CH3	87492	Ø,JP,DH	5	10	30
														54	CH3	87492	Ø,JP,DH	5	10	30
Van, B-Series Full Size	1998						34	CH2	36263	Ø,BF		36051	15	50	PR	33009	Ø,BF	5	7.5	20
							34	CH2	90201	Ø,BF		36051	15	56	PM	37070	Ø,BF	6	10	25
														56	ML	41533	Ø,BF	6	10	20
														65	UF	41910	Ø,Ø	10	12	35
														54	PR	44094	Ø	5	10	30
														28	PS3	51037	Ø	5	10	30
														50	MF	75090	Ø,BF	5	7.5	20
														54	CH3	75140	Ø	5	10	30
														56	CL3	82547	Ø	5	10	15
														54	CH3	87492	Ø,JP	5	10	30
														54	CH3	87492	Ø,JP	5	10	30
Van, Ram Full Size	99-00						34	CH2	36263	Ø,BF		36051	15	50	PR	33009	Ø,BF	5	7.5	20
							34	CH2	90201	Ø,BF		36051	15	56	PM	37070	Ø,BF	6	10	25
														56	ML	41533	Ø,BF	6	10	20
														65	UF	41910	Ø,Ø	10	12	35
														54	PR	44094	Ø	5	10	30
														28	PS3	51037	Ø	5	10	30
														50	MF	75090	Ø,BF	5	7.5	20
Van, Ram All, Except 109.3" Wheelbase	01-03												54	CH3	75140	Ø	5	10	30	
													56	CL3	82547	Ø	5	10	15	
													54	CH3	87492	Ø,JP	5	10	30	
													65	UF	41910	Ø,Ø	10	12	35	

Ø = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 BF = Requires standard bumper. Will not fit with step bumper.
 DG = 1971-77 (Standard) Van: Will not fit with optional large gas tank.
 1974-77 (Maxi) Van: Includes models with optional large gas tank.
 DH = Cannot be installed on 1987-97 vehicles with factory step bumpers unless step bumper and its mounting brackets are permanently removed and standard factory bumper is installed.
 DV = Will not fit short wheel base models.
 JP = J-Pin Ready Receiver.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
DODGE (Continued)																
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV7	E1	118328							119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV7	E1	118328							119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV7	E1	118328							119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5	E1	118368							119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5	E3	118381							119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.

CH2 = Classic Hitch Class 2
 CH3 = Classic Hitch Class 3
 CL3 = Class III
 MF = Max Frame
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
DODGE (Continued)																					
Van, Ram Full Size	01-03							34	CH2	36263	Ø,BF		36051	15	50	PR	33009	Ø,BF	5	7.5	20
								34	CH2	90201	Ø,BF		36051	15	56	PM	37070	Ø,BF	6	10	25
															56	ML	41533	Ø,BF	6	10	20
															54	PR	44094	Ø	5	10	30
															28	PS3	51037	Ø	5	10	30
															50	MF	75090	Ø,BF	5	7.5	20
															54	CH3	75140	Ø	5	10	30
															56	CL3	82547	Ø	5	10	15
															54	CH3	87492	Ø,JP	5	10	30
EAGLE																					
Summit 2 & 4 Dr.	93-97	27	CH1	24652	†,X																
		27	CH1	60232	†,X																
Vision	93-97							47	CH2	36170	JR,TA		36061	40							
								47	CH2	90172	JR,TA		36061	40							
FORD																					
Aerostar Van Extended Body	86-96							52	FH	36215	‡,GP		36051	30	52	MF	37152		5	6	40
															55	MF	75028	J	3.5	6	40
															55	CL3	87164	†,GP	3.5	6	40
Aerostar Van Standard Body	86-96							52	FH	36215	GP,HC		36051	30	64	CH3	44615	†,J	3.5	6	40
														55	CL3	87164	†,GP,HC	3.5	6	40	
Aerostar Van Extended Body	1997							52	FH	36215	‡,GP		36051	30	64	CH3	87537	JP,†,‡	3.5	6	40
														52	MF	37152	J	5	6	40	
Aerostar Van Standard Body	1997							52	FH	36215	GP,HC		36051	30	55	MF	75028	J	3.5	6	40
														64	CH3	44615	†,J	3.5	6	40	
Bronco Full Size	78-79													55	CL3	87164	†,GP,HC	3.5	6	40	
														64	CH3	87537	JP,†,‡	3.5	6	40	
Bronco Full Size w/Deep Drop Bumper	78-79													60	PM	36025	FP	7.5	12	30	
														58	BR	40050		6	10	40	
														53	PR	44108	FP,GU,HM,HX	6	10	45	
														59	PR	44109	FP,GP,GU,HX	6	10	45	
														35	MF	75038		5	8	30	
														58	MF3	82000	JP	6	10	40	
														35	CL3	87471	JP	5	8	30	
														60	PM	37081	M	5	10	45	
Bronco Full Size	80-81													60	ML	41504	M	5	10	40	
														51	PS3	51104	M	5	10	40	
														60	CL3	87480	JP,M	5	10	40	
														60	PM	36025	FP	7.5	12	30	
														58	BR	40050		6	10	40	
Bronco Full Size w/Deep Drop Bumper	80-86													53	PR	44108	FP,GU,HM,HX	6	10	45	
														59	PR	44109	FP,GP,GU,HX	6	10	45	
														35	MF	75038		5	8	30	
														58	MF3	82000	JP	6	10	40	
														35	CL3	87471	JP	5	8	30	
														60	PM	37081	M	5	10	45	

† = Available while supply lasts.
 BF = Requires standard bumper. Will not fit with step bumper.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HC = Will not fit with mini or full size tire stowed under vehicle.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 J = Under vehicle spare tire stowage is retained.

JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
DODGE (Continued)																	
A	SUV5	E3	118381		5					119186	20252	20320 20143	20321 20125 20144	20224			
EAGLE																	
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
FORD																	
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV6	E1	118313		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV6	E1	118313		5					119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.

BR = Boxed Receiver
 CH1 = Classic Hitch Class 1
 CH2 = Classic Hitch Class 2
 CH3 = Classic Hitch Class 3
 CL3 = Class III
 FH = Frame Hitch
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC HITCH TYPE	PART #	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH TYPE	PART #	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH TYPE	PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		FORD (Continued)																				
Bronco Full Size	82-86													60	PM	36025	FP		7.5	12	30	
															52	MF	37152			5	6	30
															58	BR	40050			6	10	40
															53	PR	44108	FP, GU, HM, HX		6	10	45
															59	PR	44109	FP, GP, GU, HX		6	10	45
															35	MF	75038			5	8	30
															58	MF3	82000	JP		6	10	40
															35	CL3	87471	JP		5	8	30
															60	PM	36025	FP		7.5	12	30
															52	MF	37152			5	6	30
Bronco Full Size	87-91													58	BR	40050			6	10	40	
														53	PR	44108	FP, GU, HM, HX		6	10	45	
														59	PR	44109	FP, GP, GU, HX		6	10	45	
														35	MF	75038			5	8	30	
														58	MF3	82000	JP		6	10	40	
															35	CL3	87471	JP		5	8	30
															60	PM	36025	FP		7.5	12	30
															52	MF	37152			5	6	30
															58	BR	40050			6	10	40
															53	PR	44108	FP, GU, HM, HX		6	10	45
Bronco Full Size	92-93													59	PR	44109	FP, GP, GU, HX		6	10	45	
														35	MF	75038			5	8	30	
														58	MF3	82000	JP		6	10	40	
															35	CL3	87471	JP		5	8	30
															60	PM	36025	FP		7.5	12	30
															52	MF	37152			5	6	30
															58	BR	40050			6	10	40
															53	PR	44108	FP, GU, HM, HX		6	10	45
															59	PR	44109	FP, GP, GU, HX		6	10	45
															35	MF	75038			5	8	30
Bronco Full Size	94-96													58	MF3	82000	JP		6	10	40	
														35	CL3	87471	JP		5	8	30	
															60	PM	36025	FP		7.5	12	30
															52	MF	37152			5	6	30
															58	BR	40050			6	10	40
															53	PR	44108	FP, GU, HM, HX		6	10	45
															59	PR	44109	FP, GP, GU, HX		6	10	45
															35	MF	75038			5	8	30
															58	MF3	82000	JP		6	10	40
															35	CL3	87471	JP		5	8	30
Bronco II	84-90													52	MF	37152			5	6	30	
														62	CH3	75212	DA		3.5	6	30	
Contour All, Except SVT	95-00	37	CH1	24603				3592	30													
		37	CH1	60979				3592	30													
E-100 Econoline Van Full Size, All Models	75-83														42	PR	33059	L, O, P, T		5	7.5	30
															45	PM	36050	†, L, O, P, T		6	10	30
															45	ML	41546	†, HM, L, O, P, T		6	10	30
															44	PR	44027	HX, O, PA, T		5	10	30
															39	RT	44652	CS, HM, HX, O, P		6	10	20
															23	PS3	51007	HM, HX, O, PA, T		5	10	30
															42	MF	75191	HM, O, P, T		5	7.5	30
															39	RT	75703	CS, HM, HX, O, P		6	10	20
															42	CL3	87115	JP, HM, O, P, T		5	7.5	30
															45	CL3	87465	JP, †, HM, O, P, T, L		6	10	30
													39	RT3	87599	JP, CS, HM, HX, O, P		6	10	20		

† = Available while supply lasts.
 CS = Will fit with full-size spare tire stowed under vehicle.
 DA = Will not fit with tube style bumper.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.

L = Exhaust repositioning required.
 O = Will not fit vehicles equipped with dual exhaust exiting below the bumper.
 P = For 124" wheelbase and E-350 models, adapter kit (2626) is required.
 (Sold separately)
 PA = Will not fit 124" wheelbase or E-350 models.
 T = Vans with step bumpers require longer ball mounts.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER			7-WAY ADAPTER	PC
FORD (Continued)																
A	SUV6	E1	118313		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV6	E5	118350		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV6	E5	118350		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280
A,F	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224		
A	PC3,4									119186	20252					
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.
F=ModuLite® recommended.

BR = Boxed Receiver
CH1 = Classic Hitch Class 1
CH3 = Classic Hitch Class 3
CL3 = Class III
MF = Max Frame
MF3 = Multi-Fit Class III
ML = Max-E-Loader
PM = Premium Receiver
PR = Professional Receiver
PS3 = Pro Series: Class III
RT = Round Tube
RT3 = Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		FORD (Continued)																			
E-150 Econoline Van Full Size, All Models	75-91														42	PR	33059	L,O,P,T	5	7.5	30
															45	PM	36050	†,L,O,P,T	6	10	30
															45	ML	41546	†,HM,L,O,P,T	6	10	30
															44	PR	44027	HX,O,PA,T	5	10	30
															39	RT	44652	CS,HM,HX,O,P	6	10	20
															23	PS3	51007	HM,HX,O,PA,T	5	10	30
															42	MF	75191	HM,O,P,T	5	7.5	30
															39	RT	75703	CS,HM,HX,O,P	6	10	20
															42	CL3	87115	JP,HM,O,P,T	5	7.5	30
															45	CL3	87465	JP,†,HM,O,P,T,L	6	10	30
															39	RT3	87599	JP,CS,HM,HX,O,P	6	10	20
E-150 Econoline Van Full Size, All Models	92-94							36	CH2	36148	Ø,EF,HM		36051	20	42	PR	33059	L,O,P,T	5	7.5	30
								36	CH2	90200	Ø,EF,HM		36051	20	45	PM	36050	†,L,O,P,T	6	10	30
															56	RT	37051		5	6	20
															45	ML	41546	†,HM,T	6	10	30
															54	UF	41906	@,HM,HY	10	12	30
															44	PR	44027	HX,O,PA,T	5	10	30
															39	RT	44652	CS,HM	6	10	20
															23	PS3	51007	HM,HX,O,PA,T	5	10	30
															42	MF	75191	HM,T	5	7.5	30
															39	RT	75703	CS,HM	6	10	20
															42	CL3	87115	JP,HM,T	5	7.5	30
															45	CL3	87465	JP,†,HM,T	6	10	30
															39	RT3	87599	JP,CS,HM	6	10	20
		E-150 Econoline Van Full Size, All Models	95-96							36	CH2	36148	Ø,EF,HM		36051	20	42	PR	33059	L,T	5
								36	CH2	90200	Ø,EF,HM		36051	20	45	PM	36050	†,L,T	6	10	30
															56	RT	37051		5	6	20
															45	ML	41546	†,HM,T	6	10	30
															54	UF	41906	@,HM,HY	10	12	30
															44	PR	44027	HX,O,PA,T	5	10	30
															39	RT	44652	CS,HM	6	10	20
															23	PS3	51007	HM,HX,O,PA,T	5	10	30
															42	MF	75191	HM,T	5	7.5	30
															39	RT	75703	CS,HM	6	10	20
															42	CL3	87115	JP,HM,T	5	7.5	30
															45	CL3	87465	JP,†,HM,T	6	10	30
															39	RT3	87599	JP,CS,HM	6	10	20
E-150 Econoline Van Full Size, All Models	97-03									36	CH2	36148	Ø,EF,HM		36051	20	42	PR	33059	L,T	5
								36	CH2	90200	Ø,EF,HM		36051	20	45	PM	36050	†,L,T	6	10	30
															56	RT	37051		5	6	20
															45	ML	41546	†,HM,T	6	10	30
															54	UF	41906	@,HM,HY	10	12	30
															44	PR	44027	HX,O,PA,T	5	10	30
															39	RT	44652	CS,HM	6	10	20
															23	PS3	51007	HM,HX,O,PA,T	5	10	30
															42	MF	75191	HM,T	5	7.5	30
															39	RT	75703	CS,HM	6	10	20
															42	CL3	87115	JP,HM,T	5	7.5	30
															45	CL3	87465	JP,†,HM,T	6	10	30
															39	RT3	87599	JP,CS,HM	6	10	20
		E-150 Econoline Van Full Size, All Models	00-03														54	UF	41926	Ø,@,HM	10
															52	RT	44532	Ø	6	8	15
															28	PS3	51094	Ø,RT	6	8	15
															52	RT3	70755	Ø,JP	6	8	15
															52	RT	75374	Ø	6	8	15

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EF = Fits all models with standard bumpers.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 HY = Ultra Frame ball mount DT #4283/HH #80125 cannot be used in rise position on vehicles with step bumpers.
 JP = J-Pin Ready Receiver.
 L = Exhaust repositioning required.
 O = Will not fit vehicles equipped with dual exhaust exiting below the bumper.
 Ø = Uses all existing holes, no drilling required.
 P = For 124" wheelbase and E-350 models, adapter kit (2626) is required. (Sold separately)
 PA = Will not fit 124" wheelbase or E-350 models.
 RT = Round Tube
 T = Vans with step bumpers require longer ball mounts.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1			OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE					6-WAY ADAPTER
FORD (Continued)																
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E8	118343	HG	10				119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
										118130 119130						
										118130 119130						
A	SUV1,2	E4	118344		10				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E4	118344		10				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E4	118344		10				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 HG=T-One incorporates taillight converter.

CH2=Classic Hitch Class 2
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW												
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC WD	IN					
		FORD (Continued)																						
E-150 Econoline Van Full Size, All Models	04-07													56	RT	37051		5	6	20				
															54	UF	41906	@,HM,HY	10	12	30			
															54	UF	41926	Ø,@,HM	10	12	30			
															52	RT	44532	Ø	6	8	15			
															39	RT	44652	CS,HM	6	10	20			
															28	PS3	51094	Ø,RT	6	8	15			
															52	RT3	70755	Ø,JP	6	8	15			
															52	RT	75374	Ø	6	8	15			
															39	RT	75703	CS,HM	6	10	20			
															39	RT3	87599	JP,CS,HM	6	10	20			
		E-150 Econoline Van Full Size, All Models	2008													56	RT	37051		5	6	20		
																54	UF	41906	@,HM,HY	10	12	30		
														54	UF	41926	Ø,@,HM	10	12	30				
														52	RT	44532	Ø	6	8	15				
														39	RT	44652	CS,HM	6	10	20				
														28	PS3	51094	Ø,RT	6	8	15				
														52	RT3	70755	Ø,JP	6	8	15				
														52	RT	75374	Ø	6	8	15				
														39	RT	75703	CS,HM	6	10	20				
														39	RT3	87599	JP,CS,HM	6	10	20				
E-150 Econoline Van Full Size, All Models	09-11															56	RT	37051		5	6	20		
																54	UF	41906	@,HM,HY	10	12	30		
														54	UF	41926	Ø,@,HM	10	12	30				
														52	RT	44532	Ø	6	8	15				
														39	RT	44652	Ø,CS,HM	6	10	20				
														28	PS3	51094	Ø,RT	6	8	15				
														52	RT3	70755	Ø,JP	6	8	15				
														52	RT	75374	Ø	6	8	15				
														39	RT	75703	Ø,CS,HM	6	10	20				
														39	RT3	87599	Ø,JP,CS,HM	6	10	20				
		E-250 Econoline Van Full Size, All Models	75-91													42	PR	33059	L,O,P,T	5	7.5	30		
																45	PM	36050	†,L,O,P,T	6	10	30		
														45	ML	41546	†,HM,L,O,P,T	6	10	30				
														44	PR	44027	HX,O,PA,T	5	10	30				
														39	RT	44652	CS,HM,HX,O,P	6	10	20				
														23	PS3	51007	HM,HX,O,PA,T	5	10	30				
														42	MF	75191	HM,O,P,T	5	7.5	30				
														39	RT	75703	CS,HM,HX,O,P	6	10	20				
														42	CL3	87115	JP,HM,O,P,T	5	7.5	30				
														45	CL3	87465	JP,†,HM,O,P,T,L	6	10	30				
														39	RT3	87599	JP,CS,HM,HX,O,P	6	10	20				
E-250 Econoline Van Full Size, All Models	92-94											36	CH2	36148	Ø,EF,HM					42	PR	33059	L,O,P,T	5
										36	CH2	90200	Ø,EF,HM	36051	20			45	PM	36050	†,L,O,P,T	6	10	30
															56	RT	37051		5	6	20			
															45	ML	41546	†,HM,T	6	10	30			
															54	UF	41906	@,HM,HY	10	12	30			
															44	PR	44027	HX,O,PA,T	5	10	30			
															39	RT	44652	CS,HM	6	10	20			
															23	PS3	51007	HM,HX,O,PA,T	5	10	30			
															42	MF	75191	HM,T	5	7.5	30			
															39	RT	75703	CS,HM	6	10	20			
															42	CL3	87115	JP,HM,T	5	7.5	30			
															45	CL3	87465	JP,†,HM,T	6	10	30			
													39	RT3	87599	JP,CS,HM	6	10	20					

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EF = Fits all models with standard bumpers.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 HY = Ultra Frame ball mount DT #4283/HH #80125 cannot be used in rise position on vehicles with step bumpers.
 JP = J-Pin Ready Receiver.
 L = Exhaust repositioning required.

Ø = Will not fit vehicles equipped with dual exhaust exiting below the bumper.
 Ø = Uses all existing holes, no drilling required.
 P = For 124" wheelbase and E-350 models, adapter kit (2626) is required. (Sold separately)
 PA = Will not fit 124" wheelbase or E-350 models.
 RT = Round Tube
 T = Vans with step bumpers require longer ball mounts.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A,RW	SUV1,2	E16	118430	CH	45				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A,RW	SUV1,2	E16	118430	CH	45				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E8	118433	HG	10				119175	119130 118130 119130 118130 119130 118130	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 HG=T-One incorporates taillight converter.
 RW=On some models it may require an upgraded flasher or ModuLite®.

CH2=Classic Hitch Class 2
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		FORD (Continued)																			
E-250 Econoline Van Full Size, All Models	95-96							36	CH2	36148	Ø,EF,HM	36051	20	42	PR	33059	L,T	5	7.5	30	
								36	CH2	90200	Ø,EF,HM	36051	20	45	PM	36050	†,L,T	6	10	30	
														56	RT	37051		5	6	20	
														45	ML	41546	†,HM,T	6	10	30	
														54	UF	41906	@,HM,HY	10	12	30	
														44	PR	44027	HX,O,PA,T	5	10	30	
														39	RT	44652	CS,HM	6	10	20	
														23	PS3	51007	HM,HX,O,PA,T	5	10	30	
														42	MF	75191	HM,T	5	7.5	30	
														39	RT	75703	CS,HM	6	10	20	
														42	CL3	87115	JP,HM,T	5	7.5	30	
														45	CL3	87465	JP,†,HM,T	6	10	30	
														39	RT3	87599	JP,CS,HM	6	10	20	
E-250 Econoline Van Full Size, All Models	97-03							36	CH2	36148	Ø,EF,HM	36051	20	42	PR	33059	L,T	5	7.5	30	
								36	CH2	90200	Ø,EF,HM	36051	20	45	PM	36050	†,L,T	6	10	30	
														56	RT	37051		5	6	20	
														45	ML	41546	†,HM,T	6	10	30	
														54	UF	41906	@,HM,HY	10	12	30	
														44	PR	44027	HX,O,PA,T	5	10	30	
														39	RT	44652	CS,HM	6	10	20	
														23	PS3	51007	HM,HX,O,PA,T	5	10	30	
														42	MF	75191	HM,T	5	7.5	30	
														39	RT	75703	CS,HM	6	10	20	
														42	CL3	87115	JP,HM,T	5	7.5	30	
														45	CL3	87465	JP,†,HM,T	6	10	30	
														39	RT3	87599	JP,CS,HM	6	10	20	
E-250 Econoline Van Full Size, Except E-250 Super Wagon Cargo Van Models	00-03												52	RT	44532	Ø	6	8	15		
													28	PS3	51094	Ø,RT	6	8	15		
													52	RT3	70755	Ø,JP	6	8	15		
													52	RT	75374	Ø	6	8	15		
E-250 Econoline Van Full Size, Inc. E-250 Super Wagon Cargo Van	00-03												54	UF	41926	Ø,@,HM	10	12	30		
E-250 Econoline Van Full Size, All Models	04-07												54	UF	41906	@,HM,HY	10	12	30		
													39	RT	44652	CS,HM	6	10	20		
													39	RT	75703	CS,HM	6	10	20		
													39	RT3	87599	JP,CS,HM	6	10	20		
E-250 Econoline Van Full Size, Except E-250 Super Wagon Cargo Van Models	04-07												56	RT	37051		5	6	20		
													52	RT	44532	Ø	6	8	15		
													28	PS3	51094	Ø,RT	6	8	15		
													52	RT3	70755	Ø,JP	6	8	15		
													52	RT	75374	Ø	6	8	15		
E-250 Econoline Van Full Size, Inc. E-250 Super Wagon Cargo Van	04-07												54	UF	41926	Ø,@,HM	10	12	30		
E-250 Econoline Van Full Size, All Models	2008												54	UF	41906	@,HM,HY	10	12	30		
													39	RT	44652	CS,HM	6	10	20		
													39	RT	75703	CS,HM	6	10	20		
													39	RT3	87599	JP,CS,HM	6	10	20		
E-250 Econoline Van Full Size, Except E-250 Super Wagon Cargo Van Models	2008												56	RT	37051		5	6	20		
													52	RT	44532	Ø	6	8	15		
													28	PS3	51094	Ø,RT	6	8	15		
													52	RT3	70755	Ø,JP	6	8	15		
													52	RT	75374	Ø	6	8	15		

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EF = Fits all models with standard bumpers.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 HY = Ultra Frame ball mount DT #4283/HH #80125 cannot be used in rise position on vehicles with step bumpers.
 JP = J-Pin Ready Receiver.
 L = Exhaust repositioning required.
 Ø = Will not fit vehicles equipped with dual exhaust exiting below the bumper.
 Ø = Uses all existing holes, no drilling required.
 PA = Will not fit 124" wheelbase or E-350 models.
 RT = Round Tube
 T = Vans with step bumpers require longer ball mounts.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A,RW	SUV1,2	E16	118430	CH	45					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A,RW	SUV1,2	E16	118430	CH	45					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 RW=On some models it may require an upgraded flasher or ModuLite®.

CH2=Classic Hitch Class 2
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW														
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC WD	IN							
		FORD (Continued)																								
E-250 Econoline Van Full Size, Inc. E-250 Super Wagon Cargo Van	2008													54	UF	41926	Ø, @, HM	10	12	30						
E-250 Econoline Van Full Size, All Models	09-11													54	UF	41906	@, HM, HY	10	12	30						
														39	RT	44652	CS, HM	6	10	20						
															39	RT	75703	CS, HM	6	10	20					
															39	RT3	87599	JP, CS, HM	6	10	20					
E-250 Econoline Van Full Size, Except E-250 Super Wagon Cargo Van Models	09-11													56	RT	37051		5	6	20						
														52	RT	44532	Ø	6	8	15						
															28	PS3	51094	Ø, RT	6	8	15					
															52	RT3	70755	Ø, JP	6	8	15					
															52	RT	75374	Ø	6	8	15					
E-250 Econoline Van Full Size, Inc. E-250 Super Wagon Cargo Van	09-11													54	UF	41926	Ø, @, HM	10	12	30						
E-350 Econoline Van Full Size, All Models	75-91													42	PR	33059	L, O, P, T	5	7.5	30						
														45	PM	36050	†, L, O, P, T	6	10	30						
														45	ML	41546	†, HM, L, O, P, T	6	10	30						
														44	PR	44027	HX, O, PA, T	5	10	30						
														39	RT	44652	CS, HM, HX, O, P	6	10	20						
															23	PS3	51007	HM, HX, O, PA, T	5	10	30					
															42	MF	75191	HM, O, P, T	5	7.5	30					
															39	RT	75703	CS, HM, HX, O, P	6	10	20					
															42	CL3	87115	JP, HM, O, P, T	5	7.5	30					
															45	CL3	87465	JP, †, HM, O, P, T, L	6	10	30					
															39	RT3	87599	JP, CS, HM, HX, O, P	6	10	20					
															42	PR	33059	L, O, P, T	5	7.5	30					
															45	PM	36050	†, L, O, P, T	6	10	30					
															56	RT	37051		5	6	20					
		E-350 Econoline Van Full Size, All Models	92-94													36	CH2	36148	Ø, EF, HM	36051	20	42	PR	33059	L, O, P, T	5
														36	CH2	90200	Ø, EF, HM	36051	20	45	PM	36050	†, L, O, P, T	6	10	30
															56	RT	37051		5	6	20					
															45	ML	41546	†, HM, T	6	10	30					
															54	UF	41906	@, HM, HY	10	12	30					
															44	PR	44027	HX, O, PA, T	5	10	30					
															39	RT	44652	CS, HM	6	10	20					
															23	PS3	51007	HM, HX, O, PA, T	5	10	30					
															42	MF	75191	HM, T	5	7.5	30					
															39	RT	75703	CS, HM	6	10	20					
															42	CL3	87115	JP, HM, T	5	7.5	30					
															45	CL3	87465	JP, †, HM, T	6	10	30					
															39	RT3	87599	JP, CS, HM	6	10	20					
															39	RT	44652	CS, HM	6	10	20					
E-350 Econoline Van Full Size, All Models	95-96															23	PS3	51007	HM, HX, O, PA, T	5	10	30				
														39	RT	75703	CS, HM	6	10	20						
														39	RT3	87599	JP, CS, HM	6	10	20						
														42	PR	33059	L, T	5	7.5	30						
														45	PM	36050	†, L, T	6	10	30						
E-350 Econoline Van Full Size, Inc. Super Wagon	95-96													56	RT	37051		5	6	20						
														45	ML	41546	†, HM, T	6	10	30						
														54	UF	41906	@, HM, HY	10	12	30						
														44	PR	44027	HX, O, PA, T	5	10	30						
														42	MF	75191	HM, T	5	7.5	30						
														42	CL3	87115	JP, HM, T	5	7.5	30						
														45	CL3	87465	JP, †, HM, T	6	10	30						

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EF = Fits all models with standard bumpers.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 HY = Ultra Frame ball mount DT #4283/HH #80125 cannot be used in rise position on vehicles with step bumpers.
 JP = J-Pin Ready Receiver.
 L = Exhaust repositioning required.
 O = Will not fit vehicles equipped with dual exhaust exiting below the bumper.
 Ø = Uses all existing holes, no drilling required.
 P = For 124" wheelbase and E-350 models, adapter kit (2626) is required. (Sold separately)
 PA = Will not fit 124" wheelbase or E-350 models.
 RT = Round Tube
 T = Vans with step bumpers require longer ball mounts.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A,RW	SUV1,2	E16	118430	CH	45				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A,RW	SUV1,2	E16	118430	CH	45				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A,RW	SUV1,2	E16	118430	CH	45				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A,RW	SUV1,2	E16	118430	CH	45				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E8	118343	HG	10				119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
										118130 119130						
										118130 119130						
										118130						
A	SUV1,2	E4	118344		10				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E4	118344		10				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 HG=T-One incorporates taillight converter.
 RW=On some models it may require an upgraded flasher or ModuLite®.

CH2=Classic Hitch Class 2
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		FORD (Continued)																				
E-350 Econoline Van Full Size, All Models	97-03													39	RT	44652	CS, HM	6	10	20		
														23	PS3	51007	HM, HX, O, PA, T	5	10	30		
														39	RT	75703	CS, HM	6	10	20		
														39	RT3	87599	JP, CS, HM	6	10	20		
														42	PR	33059	LT	5	7.5	30		
E-350 Econoline Van Full Size, Inc. Super Wagon	97-03							36	CH2	36148	Ø, EF, HM			36051	20							
								36	CH2	90200	Ø, EF, HM			36051	20							
														45	PM	36050	†, LT	6	10	30		
														56	RT	37051		5	6	20		
														45	ML	41546	†, HM, T	6	10	30		
														54	UF	41906	@, HM, HY	10	12	30		
														44	PR	44027	HX, O, PA, T	5	10	30		
														42	MF	75191	HM, T	5	7.5	30		
														42	CL3	87115	JP, HM, T	5	7.5	30		
														45	CL3	87465	JP, †, HM, T	6	10	30		
E-350 Econoline Van Full Size, All Models	00-03													54	UF	41926	Ø, @, HM	10	12	30		
														52	RT	44532	Ø	6	8	15		
														28	PS3	51094	Ø, RT	6	8	15		
														52	RT3	70755	Ø, JP	6	8	15		
														52	RT	75374	Ø	6	8	15		
E-350 Econoline Van Full Size, All Models	04-07													54	UF	41906	@, HM, HY	10	12	30		
														54	UF	41926	Ø, @, HM	10	12	30		
														52	RT	44532	Ø	6	8	15		
														39	RT	44652	CS, HM	6	10	20		
														28	PS3	51094	Ø, RT	6	8	15		
														52	RT3	70755	Ø, JP	6	8	15		
														52	RT	75374	Ø	6	8	15		
														39	RT	75703	CS, HM	6	10	20		
														39	RT3	87599	JP, CS, HM	6	10	20		
														54	UF	41906	@, HM, HY	10	12	30		
E-350 Econoline Van Full Size, All Models	2008													54	UF	41926	Ø, @, HM	10	12	30		
														52	RT	44532	Ø	6	8	15		
														39	RT	44652	CS, HM	6	10	20		
														28	PS3	51094	Ø, RT	6	8	15		
														52	RT3	70755	Ø, JP	6	8	15		
														52	RT	75374	Ø	6	8	15		
														39	RT	75703	CS, HM	6	10	20		
														39	RT3	87599	JP, CS, HM	6	10	20		
														54	UF	41906	@, HM, HY	10	12	30		
														54	UF	41926	Ø, @, HM	10	12	30		
E-350 Econoline Van Full Size, All Models	09-11													52	RT	44532	Ø	6	8	15		
														39	RT	44652	CS, HM	6	10	20		
														28	PS3	51094	Ø, RT	6	8	15		
														52	RT3	70755	Ø, JP	6	8	15		
														52	RT	75374	Ø	6	8	15		
														39	RT	75703	CS, HM	6	10	20		
														39	RT3	87599	JP, CS, HM	6	10	20		
														54	UF	41906	@, HM, HY	10	12	30		
														54	UF	41926	Ø, @, HM	10	12	30		
														52	RT	44532	Ø	6	8	15		
Edge All, Except Sport Models	07-10							38	FH	36447	Ø, GP, JR, KH			36051	45	47	PR	44567	Ø, CP, GP, JR, KH	3.5	4	45
								38	CL2	90164	Ø, GP, JR, KH			36051	45	22	PS3	51090	Ø, CP, GP, JR, KH	3.5	4	45
														47	MF	75526	Ø, CP, GP, JR, KH	3.5	4	45		
														47	CL3	87433	Ø, JP, CP, GP, JR, KH	3.5	4	45		
														47	CH3	44641	Ø, GP, JR, KH	3.5	4	45		
Edge Sport	09-10													47	CH3	75686	Ø, GP, JR, KH	3.5	4	45		
														47	CH3	87576	Ø, JP, GP, JR, KH	3.5	4	45		
Edge All, Except Sport Models	2011													47	PR	44658	Ø, GP, JR, KH	3.5	4	45		
														47	MF	75709	Ø, GP, JR, KH	3.5	4	45		
														47	CL3	87604	Ø, JP, GP, JR, KH	3.5	4	45		

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CP = Fits All Models without Factory Installed Receiver.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EF = Fits all models with standard bumpers.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 HY = Ultra Frame ball mount DT #4283/HH #80125 cannot be used in rise position on vehicles with step bumpers.

JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 L = Exhaust repositioning required.
 O = Will not fit vehicles equipped with dual exhaust exiting below the bumper.
 Ø = Uses all existing holes, no drilling required.
 PA = Will not fit 124" wheelbase or E-350 models.
 RT = Round Tube
 T = Vans with step bumpers require longer ball mounts.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

F
FORD

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
FORD (Continued)																	
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A,RW	SUV1,2	E16	118430	CH	45					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A,RW	SUV1,2	E16	118430	CH	45					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
E,N	SUV1,2	E16	118430	CH	45							20320 20143	20321 20125 20144				
E,N	SUV1,2	E16	118430	CH	45							20320 20143	20321 20125 20144				
E,N	SUV1,2																

A=2 wire system. No Converter required, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 RW=On some models it may require an upgraded flasher or ModuLite®.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		FORD (Continued)																				
Escape	01-02						42	CL2	90635	Ø,KH		36053	30	43	RT	33039	Ø,KH	3.5	5	35		
														52	MF	37152	KH		5	6	60	
															32	PS3	51142	Ø,RT,KH	3.5	5	35	
															43	RT3	70636	KH	3.5	5	35	
Escape	2003						42	CL2	90635	Ø		36053	30	43	RT	33039	Ø	3.5	5	35		
														52	MF	37152			5	6	60	
															32	PS3	51142	Ø,RT	3.5	5	35	
															43	RT3	70636		3.5	5	35	
Escape	2004						42	CL2	90635	Ø		36053	30	43	RT	33039	Ø	3.5	5	35		
														52	MF	37152			5	6	60	
															32	PS3	51142	Ø,RT	3.5	5	35	
															43	RT3	70636		3.5	5	35	
Escape All, Inc. Hybrid	05-07						38	FH	36420	†,HM		36051	20	44	RT	44647	Ø	3.5	5	25		
							38	FH	36501	HM		36051	20	44	RT3	70758	JP,†	3.5	5	25		
							28	PS2	51191	†,HM		36051	20	44	RT	75693	Ø	3.5	5	25		
							29	PS2	51194	HM		36051	20	44	RT3	87585	Ø,JP	3.5	5	25		
							38	CL2	90108	HM		36051	20									
							38	CL2	90155	†,HM		36051	20									
Escape All, Inc. Hybrid	08-11						38	FH	36420	†,HM		36051	20	44	RT	44647	Ø	3.5	5	25		
							38	FH	36501	HM		36051	20	44	RT3	70758	JP,†	3.5	5	25		
							28	PS2	51191	†,HM		36051	20	44	RT	75693	Ø	3.5	5	25		
							29	PS2	51194	HM		36051	20	44	RT3	87585	Ø,JP	3.5	5	25		
							38	CL2	90108	HM		36051	20									
							38	CL2	90155	†,HM		36051	20									
Escort All Models	91-96	31	SF	24633																		
Escort Sedan	1997	31	SF	24633																		
Escort Sedan	98-99	31	SF	24668																		
Escort ZX2	98-03	31	SF	24668																		
Escort Wagon	1997	31	SF	24633																		
Escort Wagon	98-99	36	CH1	24669	†,GP,JR																	
		36	CH1	60914	†,GP,JR																	
Expedition	97-02													47	PR	33052	Ø,GP	5	8	20		
														51	CH3	41527	Ø,GP	6	10	15		
															48	PR	44032	Ø,HM	5	10	20	
															51	CH3	44622	Ø,GP	6	10	15	
															33	PS3	51024	Ø,HM	5	10	15	
															47	MF	75071	Ø,GP	5	8	15	
Explorer 2 & 4 Dr.	91-94													51	CH3	82560	Ø,JP,GP	6	10	15		
														41	RT	33051		5	6	20		
															56	RT	37051		5	6	25	
															45	RT	44067		5	6	45	
															45	PR	44100		5	6	20	
															29	PS3	51033		5	6	15	
															41	RT3	70647	JP,SX	5	6	15	
															41	RT	75083		5	6	15	
													45	MF	75096		5	7.5	30			

† = Available while supply lasts.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 SX = Hitches produced before 06/20/08 are rated at 600/6000 WC & 750/7500 WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
B	SUV1,2	E8	118343	HG,RW	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E8	118343	HG,RW	10					119175	119130	20320 20143	20321 20125 20144	20224			
B,RW	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E17	118426	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118430	CH	45	E1	118251	QP,RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
B,F	PC1,2									119186	119146 & 118151						
A	PC1,2	E4	118344		10					119186	20252						
A	PC1,2	E4	118344		10					119186	20252						
A	PC1,2	E4	118344		10					119186	20252						
B	PC1,2									119175	119130						
B	PC1,2									119175	119130						
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E3	118324		20					119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 QP=Will not fit vehicles with backup sensors built into rear bumper.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

RW=On some models it may require an upgraded flasher or ModuLite®.

CH1=Classic Hitch Class 1
 CH3=Classic Hitch Class 3
 CL2=Class II
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		FORD (Continued)																			
Explorer 2 & 4 Dr.	95-97						35	FH	36246	Ø			36051	15	41	RT	33051	Ø,JF	5	6	20
		45	PM	37012										45	PM	37012	Ø	5	6	50	
		56	RT	37051											56	RT	37051	JF	5	6	25
		45	RT	44067											45	RT	44067	Ø,JF	5	6	15
		45	PR	44100											45	PR	44100	Ø	5	6	20
		29	PS3	51033											29	PS3	51033	Ø	5	6	15
		41	RT3	70647											41	RT3	70647	Ø,JP,JE,SX	5	6	15
		41	RT	75083											41	RT	75083	Ø,JF	5	6	15
		45	MF	75096											45	MF	75096	Ø	5	7.5	15
		Explorer 2 & 4 Dr.	98-00						35	FH	36246	Ø			36051	15	41	RT	33051	Ø,JF	5
45	PM			37012											45	PM	37012	Ø	5	6	40
56	RT			37051											56	RT	37051	JF	5	6	30
45	RT			44067											45	RT	44067	Ø,JF	5	6	45
45	PR			44100											45	PR	44100	Ø	5	6	20
29	PS3			51033											29	PS3	51033	Ø	5	6	15
41	RT3			70647											41	RT3	70647	Ø,JP,JE,SX	5	6	15
41	RT			75083											41	RT	75083	Ø,JF	5	6	15
45	MF			75096											45	MF	75096	Ø	5	7.5	15
Explorer 2 Dr. Sport	2001								35	FH	36246	Ø			36051	15	41	RT	33051	Ø,JF	5
		45	PM	37012											45	PM	37012	Ø	5	6	40
		56	RT	37051											56	RT	37051	Ø,JF	5	6	30
		45	RT	44067											45	RT	44067	Ø,JF	5	6	45
		45	PR	44100											45	PR	44100	Ø	5	6	20
		29	PS3	51033											29	PS3	51033	Ø	5	6	15
		41	RT3	70647											41	RT3	70647	JP,JF,SX	5	6	15
		41	RT	75083											41	RT	75083	JF	5	6	15
		45	MF	75096											45	MF	75096	Ø	5	7.5	15
		Explorer 4 Dr.	2001						35	FH	36246	Ø			36051	15	41	RT	33051	Ø,JF	5
45	PM			37012											45	PM	37012	Ø	5	6	40
56	RT			37051											56	RT	37051	Ø,JF	5	6	30
45	RT			44067											45	RT	44067	Ø,JF	5	6	45
45	PR			44100											45	PR	44100	Ø	5	6	20
29	PS3			51033											29	PS3	51033	Ø	5	6	15
41	RT3			70647											41	RT3	70647	JP,JF,SX	5	6	15
41	RT			75083											41	RT	75083	JF	5	6	15
45	MF			75096											45	MF	75096	Ø	5	7.5	15
Explorer 2 Dr. Sport	02-03								35	FH	36246	Ø			36051	15	41	RT	33051	Ø,JF	5
		45	PM	37012											45	PM	37012	Ø	5	6	40
		56	RT	37051											56	RT	37051	Ø,JF	5	6	30
		45	RT	44067											45	RT	44067	Ø,JF	5	6	45
		45	PR	44100											45	PR	44100	Ø	5	6	20
		29	PS3	51033											29	PS3	51033	Ø	5	6	15
		41	RT3	70647											41	RT3	70647	JP,JF,SX	5	6	15
		41	RT	75083											41	RT	75083	JF	5	6	15
		45	MF	75096											45	MF	75096	Ø	5	7.5	15
		Explorer 4 Dr.	02-03														52	RT	33031	Ø,KL	5
															52	RT	75132	Ø,KL	5	8	20
															52	RT3	87417	Ø,JP,KL	5	8	20
Explorer 4 Dr.	04-05														52	RT	33031	Ø,KL	5	8	20
															52	RT	75132	Ø,KL	5	8	20
Explorer Models w/1-1/4" Receivers Only	06-10														52	RT3	87417	Ø,JP,KL	5	8	20
															47	RT	44542	Ø,KL	5	8	25
															47	RT3	70648	Ø,JP,KL	5	8	25
														47	RT	75437	Ø,KL	5	8	25	

JF = Will not fit with 16" spare tire.
 JP = J-Pin Ready Receiver.
 KL = Hitch is designed to attach beneath the OEM hitch.
 Ø = Uses all existing holes, no drilling required.
 SX = Hitches produced before 06/20/08 are rated at 600/6000 WC & 750/7500 WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
FORD (Continued)																	
B,E	SUV1,2	E15	118345	GC	45	E1	118241	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E15	118345	GC	45	E1	118241	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E4	118344		10	E1	118241	RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E15	118345	GC	45	E1	118241	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 E=ModuLite® required.
 GC=T-One is equipped with ModuLite® Lite module.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

FH=Frame Hitch
 MF=Max Frame
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E4	118344		10				119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.

BR = Boxed Receiver
 CL3 = Class III
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN			
		FORD (Continued)																					
F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	80-86														60	PM	36025	FP, GU	7.5	12	30		
																56	RT	37034	GU	7	12	35	
																51	RT	37069	GU	5	7.5	35	
																58	BR	40050		6	10	40	
																55	ML	41004		6	10	30	
																60	UF	41904	@, HD, KF	10	12	30	
																54	PR	44026	GU	5	10	30	
																53	PR	44108	FP, GU, HM, HX	6	10	40	
																59	PR	44109	FP, GP, GU, HX	6	10	40	
																74	T5	45002	#, GU, TF	12	14	45	
																22	PS3	51009		5	10	30	
																25	PS3	51016	FT, HM	5	10	40	
																32	PS3	51017	FT, GP	5	10	40	
		F-100, F-150, F-250, F-350 w/Deep Drop Bumper, Inc. SuperCab, Will Not Fit Custom Fascia	80-86														35	MF	75038		5	8	30
																	58	MF3	82000	JP	6	10	40
															55	CL3	82563	GU	6	10	40		
															35	CL3	87471	JP	5	8	30		
															60	PM	37081	FP, X, M	5	10	45		
F-100, F-150, F-250, F-350 Styleside, All Models Inc. SuperCab	87-91														60	ML	41504	FP, X, M	5	10	40		
															51	PS3	51104	FP, X, M	5	10	40		
															60	CL3	87480	JP, FP, X, M	5	10	40		
F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab	87-91														60	UF	41904	@, HD, KF	10	12	30		
															74	T5	45002	#, GU, TF	12	14	45		
															60	PM	36025	FP, GU	7.5	12	30		
															56	RT	37034	GU	7	12	35		
F-100, F-150, F-250, F-350 w/Deep Drop Bumper, Inc. SuperCab	87-91														51	RT	37069	GU	5	7.5	35		
															58	BR	40050		6	10	40		
															55	ML	41004		6	10	30		
															54	PR	44026	GU	5	10	30		
															53	PR	44108	FP, GU, HM, HX	6	10	40		
															59	PR	44109	FP, GP, GU, HX	6	10	40		
															22	PS3	51009		5	10	30		
																25	PS3	51016	FT, HM	5	10	40	
																32	PS3	51017	FT, GP	5	10	40	
																35	MF	75038		5	8	30	
																58	MF3	82000	JP	6	10	40	
																55	CL3	82563	GU	6	10	40	
																35	CL3	87471	JP	5	8	30	
		F-150 Flareside w/Rear Fascia	92-93														60	PM	37081	FP, X, M	5	10	45
																	60	ML	41504	FP, X, M	5	10	40
															51	PS3	51104	FP, X, M	5	10	40		
															60	CL3	87480	JP, FP, X, M	5	10	40		
F-150 Styleside, All Models Inc. SuperCab	92-93														60	PM	36025	FP	7.5	12	30		
															40	PM	36047		5	7	30		
														60	UF	41904	@, HD, KF	10	12	30			

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FT = Models with 16" spare tire must be relocated.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HD = Will not fit 6 ft. bed pickups except 6 ft. Super Cab.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.
 K = Adapter kit (#1685) required with DT #41504/HH #87480/RS #37081 & RS #44143/PS #51104 for 1980 and later F-Series pickups.
 KF = Will not fit Flareside.
 M = Will fit with heavy-duty suspension.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A	PU3	E1	118313		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E1	118313		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.

- BR = Boxed Receiver
- CL3 = Class III
- MF = Max Frame
- MF3 = Multi-Fit Class III
- ML = Max-E-Loader
- PM = Premium Receiver
- PR = Professional Receiver
- PS3 = Pro Series Class III
- RT = Round Tube
- TS = Titan®
- UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW				CLASS II 300 lbs. TW 3,500 lbs. GTW				CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW													
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN			
		FORD (Continued)																					
F-150 Styleside/Flareside, All Models Inc. SuperCab	92-93														60	PM	36025	FP, GU	7.5	12	30		
																56	RT	37034	GU	7	12	35	
																51	RT	37069	GU	5	7.5	35	
																58	BR	40050		6	10	40	
																55	ML	41004		6	10	30	
																54	PR	44026	GU	5	10	30	
																53	PR	44108	FP, GU, HM, HX	6	10	40	
																59	PR	44109	FP, GP, GU, HX	6	10	40	
																22	PS3	51009		5	10	30	
																25	PS3	51016	FT, HM	5	10	40	
																32	PS3	51017	FT, GP	5	10	40	
																35	MF	75038		5	8	30	
																58	MF3	82000	JP	6	10	40	
																55	CL3	82563	GU	6	10	40	
		F-150 w/Deep Drop Bumper, Inc. SuperCab	92-93														35	CL3	87471	JP	5	8	30
															60	PM	37081	FP, K, M	5	10	45		
															60	ML	41504	FP, K, M	5	10	40		
F-150 Lightning Pickup	1993														51	PS3	51104	FP, K, M	5	10	40		
															60	CL3	87480	JP, FP, K, M	5	10	40		
															58	BR	40050		6	10	40		
															55	ML	41004		6	10	30		
															22	PS3	51009		5	10	30		
															25	PS3	51016	FT, HM	5	10	40		
															32	PS3	51017	FT, GP	5	10	40		
															35	MF	75038		5	8	30		
															58	MF3	82000	JP	6	10	40		
															35	CL3	87471	JP	5	8	30		
		F-150 Lightning Pickup	94-95														58	BR	40050		6	10	40
																	55	ML	41004		6	10	30
																	22	PS3	51009		5	10	30
																	35	MF	75038		5	8	30
																	58	MF3	82000	JP	6	10	40
F-150 Flareside w/Rear Fascia	94-96														35	CL3	87471	JP	5	8	30		
															60	PM	36025	FP	7.5	12	30		
															40	PM	36047		5	7	30		
F-150 Lightning Pickup	94-96														25	PS3	51016	FT, HM	5	10	40		
															32	PS3	51017	FT, GP	5	10	40		
F-150 Styleside, All Models Inc. SuperCab	94-96														60	UF	41904	@, HD, KF	10	12	30		

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FT = Models with 16" spare tire must be relocated.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HD = Will not fit 6 ft. bed pickups except 6 ft. Super Cab.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.

JP = J-Pin Ready Receiver.
 K = Adapter kit (#1685) required with DT #41504/HH #87480/RS #37081 & RS #44143/PS #51104 for 1980 and later F-Series pickups.
 KF = Will not fit Flareside.
 M = Will fit with heavy-duty suspension.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.

BR = Boxed Receiver
 CL3 = Class III
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN		
		FORD (Continued)																					
F-150 Styleside/Flareside, All Models Inc. SuperCab	94-96														60	PM	36025	FP, GU	7.5	12	30		
																56	RT	37034	GU	7	12	35	
																51	RT	37069	GU	5	7.5	35	
																58	BR	40050		6	10	40	
																55	ML	41004		6	10	30	
																54	PR	44026	GU	5	10	30	
																53	PR	44108	FP, GU, HM, HX	6	10	40	
																59	PR	44109	FP, GP, GU, HX	6	10	40	
																22	PS3	51009		5	10	30	
																25	PS3	51016	FT, HM	5	10	40	
																32	PS3	51017	FT, GP	5	10	40	
																35	MF	75038		5	8	30	
																58	MF3	82000	JP	6	10	40	
																55	CL3	82563	GU	6	10	40	
		F-150 w/Deep Drop Bumper, Inc. SuperCab	94-96														60	PM	37081	FP, K, M	5	10	45
															60	ML	41504	FP, K, M	5	10	40		
															51	PS3	51104	FP, K, M	5	10	40		
F-150 Flareside (New Body Style)	2004														60	CL3	87480	JP, FP, K, M	5	10	40		
															56	RT	33077	Ø, HM, VB	6	8	30		
															51	RT	37069	VB	5	7.5	45		
															57	RT	37090	Ø, VB	6	10	30		
															57	RT	41549	Ø, VB	6	10	30		
															57	PR	44131	Ø, VB	5	10	30		
															56	RT	44655	Ø, HM, VB	6	8	30		
															34	PS3	51064	Ø, RT, VB	5	10	30		
															56	RT	75156	Ø, HM, VB	6	8	30		
															57	RT3	82595	Ø, VB	6	10	30		
															56	RT3	87195	Ø, JP, HM, VB	6	8	30		
		F-150 Styleside (New Body Style)	2004														56	RT	33077	Ø, HM	6	8	30
																	51	RT	37069	VB	5	7.5	45
																	57	RT	37090	Ø	6	10	30
																	57	RT	41549	Ø	6	10	30
															57	PR	44131	Ø	5	10	30		
															56	RT	44655	Ø, HM	6	8	30		
															34	PS3	51064	Ø, RT	5	10	30		
															56	RT	75156	Ø, HM	6	8	30		
															57	RT3	82595	Ø	6	10	30		
															56	RT3	87195	Ø, JP, HM	6	8	30		
F-150 Flareside (New Body Style)	2005																56	RT	33077	Ø, HM, VB	6	8	30
																	51	RT	37069	VB	5	7.5	45
																	57	RT	37090	Ø, VB	6	10	30
																	57	RT	41549	Ø, VB	6	10	30
																	57	PR	44131	Ø, VB	5	10	30
															56	RT	44655	Ø, HM, VB	6	8	30		
															34	PS3	51064	Ø, RT, VB	5	10	30		
															56	RT	75156	Ø, HM, VB	6	8	30		
															57	RT3	82595	Ø, VB	6	10	30		
															56	RT3	87195	Ø, JP, HM, VB	6	8	30		

FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FT = Models with 16" spare tire must be relocated.
 GP = Hitch cross tube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch cross tube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.
 K = Adapter kit (#1685) required with DT #41504/HH #87480/RS #37081 & RS #44143/PS #51104 for 1980 and later F-Series pickups.

M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 VB = Will not fit vehicles with vibration damper installed at rear of frame on drivers side.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3					E19	118247	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3					E19	118247	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

BR =Boxed Receiver
 CL3 =Class III
 MF =Max Frame
 MF3 =Multi-Fit Class III
 ML =Max-E-Loader
 PM =Premium Receiver
 PR =Professional Receiver
 PS3 =Pro Series Class III
 RT =Round Tube
 RT3 =Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		FORD (Continued)																				
F-150 Styleside (New Body Style)	2005													56	RT	33077	Ø, HM	6	8	30		
															51	RT	37069	VB	5	7.5	45	
															57	RT	37090	Ø	6	10	30	
															57	RT	41549	Ø	6	10	30	
															57	PR	44131	Ø	5	10	30	
															56	RT	44655	Ø, HM	6	8	30	
															34	PS3	51064	Ø, RT	5	10	30	
															56	RT	75156	Ø, HM	6	8	30	
															57	RT3	82595	Ø	6	10	30	
															56	RT3	87195	Ø, JP, HM	6	8	30	
		F-150 Flareside (New Body Style)	06-08													71	UF	41933	Ø, Ø, CP	10	12	20
																39	PR	44552	Ø, CP	6	10	20
																23	PS3	51075	Ø, CP	6	10	20
														20	PS3	51096	Ø, CP, HM	5	8	20		
														39	MF	75506	Ø, CP	6	10	20		
F-150 Styleside (New Body Style)	06-08													39	CL3	87418	Ø, JP, CP	6	10	20		
														71	UF	41933	Ø, Ø, CP	10	12	20		
														39	PR	44552	Ø, CP	6	10	20		
														23	PS3	51075	Ø, CP	6	10	20		
														20	PS3	51096	Ø, CP, HM	5	8	20		
F-150 Flareside (New Body Style)	09-10													39	MF	75506	Ø, CP	6	10	20		
														39	CL3	87418	Ø, JP, CP	6	10	20		
														33	PR	44645	Ø, CP, GP	6	12	20		
														20	PS3	51097	Ø, CP, HM	5	10	15		
														33	MF	75691	Ø, CP, GP	6	12	20		
F-150 Styleside (New Body Style)	09-10													33	CL3	87583	Ø, JP, CP, GP	6	12	20		
														33	PR	44645	Ø, CP, GP	6	12	20		
														20	PS3	51097	Ø, CP, HM	5	10	15		
														33	MF	75691	Ø, CP, GP	6	12	20		
														33	CL3	87583	Ø, JP, CP, GP	6	12	20		
F-150 Light Duty Flareside	97-03													42	PM	36099	Ø	6	10	20		
														56	RT	37034	Ø	7	12	25		
														51	RT	37069	Ø	5	7.5	25		
														42	ML	41520	Ø	6	10	30		
														50	UF	41920	Ø, SU	10	13	30		
														41	PR	44007	Ø	5	10	20		
														23	PS3	51020	Ø	5	10	15		
														19	PS3	51095	Ø, FP, GP	6	10	20		
														39	MF	75065	Ø, GP	5	8	30		
														42	CL3	82583	Ø, GU	6	10	10		
														39	CL3	87183	Ø, JP, GP	5	8	30		
		F-150 Light Duty Styleside	97-03													42	PM	36099	Ø	6	10	20
																56	RT	37034	Ø	7	12	25
														51	RT	37069	Ø	5	7.5	25		
														42	ML	41520	Ø	6	10	30		
														50	UF	41920	Ø, SU	10	13	30		
														41	PR	44007	Ø	5	10	20		
														23	PS3	51020	Ø	5	10	15		
														19	PS3	51095	Ø, FP, GP	6	10	20		
														39	MF	75065	Ø, GP	5	8	30		
														42	CL3	82583	Ø, GU	6	10	10		
														39	CL3	87183	Ø, JP, GP	5	8	30		

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CP = Fits All Models without Factory Installed Receiver.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.

RT = Round Tube
 SU = Hitches produced before 03/11/08 are rated at 1000/10,000 WC & 1200/12,000 WD.
 VB = Will not fit vehicles with vibration damper installed at rear of frame on drivers side.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20272 22292	20
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20272 22292	20
A	PU1,2	E4	118344		10	E19	118242	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2					E19	118242	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL3=Class III
MF=Max Frame
ML=Max-E-Loader
PM=Premium Receiver
PR=Professional Receiver
PS3=Pro Series Class III
RT=Round Tube
RT3=Round Tube Class III
UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		FORD (Continued)																			
F-150 Light Duty Heritage Flareside (Old Body Style)	2004													42	PM	36099	Ø	6	10	20	
															56	RT	37034	Ø	7	12	25
															51	RT	37069	Ø	5	7.5	25
															42	ML	41520	Ø	6	10	30
															50	UF	41920	@,SU	10	13	30
															41	PR	44007	Ø	5	10	20
															23	PS3	51020	Ø	5	10	15
															19	PS3	51095	Ø,FP,GP	6	10	20
															39	MF	75065	Ø,GP	5	8	30
															42	CL3	82583	Ø,GU	6	10	10
															39	CL3	87183	Ø,JP,GP	5	8	30
F-150 Light Duty Heritage Styleside (Old Body Style)	2004													42	PM	36099	Ø	6	10	20	
														56	RT	37034	Ø	7	12	25	
														51	RT	37069	Ø	5	7.5	25	
														42	ML	41520	Ø	6	10	30	
														50	UF	41920	@,SU	10	13	30	
														41	PR	44007	Ø	5	10	20	
														23	PS3	51020	Ø	5	10	15	
														19	PS3	51095	Ø,FP,GP	6	10	20	
														39	MF	75065	Ø,GP	5	8	30	
														42	CL3	82583	Ø,GU	6	10	10	
														39	CL3	87183	Ø,JP,GP	5	8	30	
F-150 SuperCrew	00-03													42	PM	36099	Ø	6	10	20	
														56	RT	37034	Ø	7	12	25	
														51	RT	37069	Ø	5	7.5	25	
														42	ML	41520	Ø	6	10	30	
														50	UF	41920	@,SU	10	13	30	
														41	PR	44007	Ø	5	10	20	
														23	PS3	51020	Ø	5	10	15	
														19	PS3	51095	Ø,FP,GP	6	10	20	
														39	MF	75065	Ø,GP	5	8	30	
														42	CL3	82583	Ø,GU	6	10	10	
														39	CL3	87183	Ø,JP,GP	5	8	30	
F-150 SuperCrew New Body Style, w/5.5 ft. Bed	2004													56	RT	33077	Ø,HM	6	8	30	
														57	RT	37090	Ø	6	10	30	
														57	RT	41549	Ø	6	10	30	
														57	PR	44131	Ø	5	10	30	
														56	RT	44655	Ø,HM	6	8	30	
														34	PS3	51064	Ø,RT	5	10	30	
														56	RT	75156	Ø,HM	6	8	30	
														57	RT3	82595	Ø	6	10	30	
														56	RT3	87195	Ø,JP,HM	6	8	30	
														56	RT	33077	Ø,HM	6	8	30	
														57	RT	37090	Ø	6	10	30	
F-150 SuperCrew New Body Style, w/5.5 ft. Bed	2005													57	RT	41549	Ø	6	10	30	
														57	PR	44131	Ø	5	10	30	
														56	RT	44655	Ø,HM	6	8	30	
														34	PS3	51064	Ø,RT	5	10	30	
														56	RT	75156	Ø,HM	6	8	30	
														57	RT3	82595	Ø	6	10	30	
														56	RT3	87195	Ø,JP,HM	6	8	30	
														56	RT	33077	Ø,HM	6	8	30	
														57	RT	37090	Ø	6	10	30	
														57	PR	44131	Ø	5	10	30	
														56	RT	44655	Ø,HM	6	8	30	

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.

FP = Spare tire repositioning and/or modification of spare tire carrier may be required.

GP = Hitch crosstube concealed behind bumper.

GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.

HM = Hitch crosstube is visible beneath bumper.

JP = J-Pin Ready Receiver.

Ø = Uses all existing holes, no drilling required.

RT = Round Tube

SU = Hitches produced before 03/11/08 are rated at 1000/10,000 WC & 1200/12,000 WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	PU1,2	E4	118344		10	E19	118242	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2					E19	118242	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2	E4	118344		10	E19	118242	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3					E19	118247	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL3 = Class III
 MF = Max Frame
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		FORD (Continued)																				
F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds	06-08													71	UF	41933	Ø,Ø,CP	10	12	20		
															39	PR	44552	Ø,CP	6	10	20	
															23	PS3	51075	Ø,CP	6	10	20	
															20	PS3	51096	Ø,CP,HM	5	8	20	
															39	MF	75506	Ø,CP	6	10	20	
F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds	09-10													39	CL3	87418	Ø,JP,CP	6	10	20		
														33	PR	44645	Ø,CP,GP	6	12	20		
														20	PS3	51097	Ø,CP,HM	5	10	15		
F-250 All Models Inc. SuperCab	92-93													33	MF	75691	Ø,CP,GP	6	12	20		
														33	CL3	87583	Ø,JP,CP,GP	6	12	20		
															60	PM	36025	FP,GU	7.5	12	30	
															56	RT	37034	GU	7	12	35	
															51	RT	37069	GU	5	7.5	35	
															58	BR	40050		6	10	40	
															55	ML	41004		6	10	30	
															60	UF	41904	Ø,HD	10	12	30	
															54	PR	44026	GU	5	10	30	
															53	PR	44108	FP,GU,HM,HX	6	10	40	
F-250 w/Deep Drop Bumper, Inc. SuperCab	92-93													59	PR	44109	FP,GP,GU,HX	6	10	40		
														74	T5	45002	#,GU,TF	12	14	45		
															22	PS3	51009		5	10	30	
															25	PS3	51016	FT,HM	5	10	40	
															32	PS3	51017	FT,GP	5	10	40	
															35	MF	75038		5	8	30	
															58	MF3	82000	JP	6	10	40	
															55	CL3	82563	GU	6	10	40	
															35	CL3	87471	JP	5	8	30	
															60	PM	37081	FP,K,M	5	10	45	
F-250 All Models Inc. SuperCab	94-96													60	ML	41504	FP,K,M	5	10	40		
														51	PS3	51104	FP,K,M	5	10	40		
														60	CL3	87480	JP,FP,K,M	5	10	40		
															60	PM	36025	FP,GU	7.5	12	30	
															56	RT	37034	GU	7	12	35	
															51	RT	37069	GU	5	7.5	35	
															58	BR	40050		6	10	40	
															55	ML	41004		6	10	30	
															60	UF	41904	Ø,HD	10	12	30	
															54	PR	44026	GU	5	10	30	
F-250 w/Deep Drop Bumper, Inc. SuperCab	94-96													53	PR	44108	FP,GU,HM,HX	6	10	40		
														59	PR	44109	FP,GP,GU,HX	6	10	40		
														74	T5	45002	#,GU,TF	12	14	45		
															22	PS3	51009		5	10	30	
															25	PS3	51016	FT,HM	5	10	40	
															32	PS3	51017	FT,GP	5	10	40	
															35	MF	75038		5	8	30	
															58	MF3	82000	JP	6	10	40	
															55	CL3	82563	GU	6	10	40	
															35	CL3	87471	JP	5	8	30	
													60	PM	37081	FP,K,M	5	10	45			
													60	ML	41504	FP,K,M	5	10	40			
													51	PS3	51104	FP,K,M	5	10	40			
													60	CL3	87480	JP,FP,K,M	5	10	40			

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CP = Fits All Models without Factory Installed Receiver.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FT = Models with 16" spare tire must be relocated.
 GP = Hitch cross tube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HD = Will not fit 6 ft. bed pickups except 6 ft. Super Cab.

HM = Hitch cross tube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.
 K = Adapter kit (#1685) required with DT #41504/HH #87480/RS #37081 & RS #44143/PS #51104 for 1980 and later F-Series pickups.
 M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20272 22292	20
A	PU3	E3	118316		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118316		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118316		5				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.

- BR = Boxed Receiver
- CL3 = Class III
- MF = Max Frame
- MF3 = Multi-Fit Class III
- ML = Max-E-Loader
- PM = Premium Receiver
- PR = Professional Receiver
- PS3 = Pro Series Class III
- RT = Round Tube
- TS = Titan®
- UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2					E19	118242	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2					E15	118243	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2					E15	118243	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

BR =Boxed Receiver
CH3 =Classic Hitch Class 3
CL3 =Class III
MF =Max Frame
MF3 =Multi-Fit Class III
ML =Max-E-Loader
PM =Premium Receiver
PR =Professional Receiver
PS3 =Pro Series Class III
RT =Round Tube
TS =Titan®
UF =Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		FORD (Continued)																			
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	02-04													45	PR	33088	Ø	6	8	20	
															56	RT	37034		7	12	30
															51	RT	37069		5	7.5	30
															47	PM	37093	Ø	6	10	30
															47	CH3	41552	Ø	6	10	30
															62	UF	41922	Ø, Ø	10	12	15
															64	UF	41931	Ø, Ø, SH	12	15	30
															47	PR	44141	Ø, HM	6	10	20
															69	T5	45008	Ø, #, TF	12	14	20
															74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50
															28	PS3	51068	Ø, HM	6	10	20
															19	PS3	51095	Ø, FP, GP	6	10	20
															45	CH3	75226	Ø	6	8	20
															47	CH3	82597	Ø	6	10	30
															45	CH3	87597	Ø	6	8	20
F-250 Super Duty w/Deep Drop Bumper	02-04													74	T5	45012	Ø, #, TF	12	14	20	
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	05-07													45	PR	33088	Ø, EB	6	8	20	
														47	PM	37093	Ø, EB	6	10	30	
														47	CH3	41552	Ø, EB	6	10	30	
														64	UF	41931	Ø, Ø, EB, SH	12	15	30	
														47	PR	44141	Ø, EB, HM	6	10	20	
														69	T5	45008	Ø, #, TF	12	14	20	
														74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50	
														28	PS3	51068	Ø, EB, HM	6	10	20	
														19	PS3	51095	Ø, FP, GP	6	10	20	
														45	CH3	75226	Ø, EB	6	8	20	
												47	CH3	82597	Ø, EB	6	10	30			
												45	CH3	87597	Ø, EB	6	8	20			
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	08-10												64	UF	41931	Ø, Ø, EB, SH	12	15	30		
													69	T5	45008	Ø, #, TF	12	14	20		
													74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50		
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	2011												64	UF	41931	Ø, Ø, EB, SH	12	15	30		
													69	T5	45008	Ø, #, TF	12	14	20		
													74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50		
F-350 All Models Inc. SuperCab	92-93													60	PM	36025	FP, GU	7.5	12	30	
														56	RT	37034	GU	7	12	35	
														51	RT	37069	GU	5	7.5	35	
														58	BR	40050		6	10	40	
														55	ML	41004		6	10	30	
														60	UF	41904	Ø, HD	10	12	30	
														54	PR	44026	GU	5	10	30	
														53	PR	44108	FP, GU, HM, HX	6	10	40	
														59	PR	44109	FP, GP, GU, HX	6	10	40	
														74	T5	45002	#, GU, TF	12	14	45	
														22	PS3	51009		5	10	30	
														25	PS3	51016	FT, HM	5	10	40	
														32	PS3	51017	FT, GP	5	10	40	
														35	MF	75038		5	8	30	
														58	MF3	82000	JP	6	10	40	
												55	CL3	82563	GU	6	10	40			
												35	CL3	87471	JP	5	8	30			

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EB = Factory electrical bracket will NOT fit with this hitch. Must use aftermarket electrical box or bracket.
 EF = Fits all models with standard bumpers.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FT = Models with 16" spare tire must be relocated.
 GP = Hitch cross-tube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HD = Will not fit 6 ft. bed pickups except 6 ft. Super Cab.
 HM = Hitch cross-tube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.
 LT = Requires removal of factory hitch if equipped.
 M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.
 SH = Hitches produced before 09/27/07 are rated at 1200/12,000 WC & 1400/14,000 WD.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20267 22287	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	PU3	E3	118316		5				119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.

- BR = Boxed Receiver
- CH3 = Classic Hitch Class 3
- CL3 = Class III
- MF = Max Frame
- MF3 = Multi-Fit Class III
- ML = Max-E-Loader
- PM = Premium Receiver
- PR = Professional Receiver
- PS3 = Pro Series Class III
- RT = Round Tube
- TS = Titan®
- UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW				CLASS II 300 lbs. TW 3,500 lbs. GTW				CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	X 1,000	WC	WD	IN		
		TYPE	PART #				TYPE	PART #				TYPE	PART #							
FORD (Continued)																				
F-350 w/Deep Drop Bumper, Inc. SuperCab	92-93												60	PM	37081	FP,K,M	5	10	45	
														60	ML	41504	FP,K,M	5	10	40
														51	PS3	51104	FP,K,M	5	10	40
														60	CL3	87480	JP,FP,K,M	5	10	40
F-350 All Models Inc. SuperCab	94-96																			
F-350 w/Deep Drop Bumper, Inc. SuperCab	94-96																			
F-350 Heavy Duty All Models Inc. SuperCab	1997																			
F-350 Heavy Duty w/Deep Drop Bumper, Inc. SuperCab	1997																			

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FT = Models with 16" spare tire must be relocated.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HD = Will not fit 6 ft. bed pickups except 6 ft. Super Cab.
 HM = Hitch crosstube is visible beneath bumper.

HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.
 K = Adapter kit (#1685) required with DT #41504/HH #87480/RS #37081 & RS #44143/PS #51104 for 1980 and later F-Series pickups.
 M = Will fit with heavy-duty suspension.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3	E3	118316		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.

- BR = Boxed Receiver
- CL3 = Class III
- MF = Max Frame
- MF3 = Multi-Fit Class III
- ML = Max-E-Loader
- PM = Premium Receiver
- PR = Professional Receiver
- PS3 = Pro Series Class III
- RT = Round Tube
- TS = Titan®
- UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		FORD (Continued)																			
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	99-01													45	PR	33088	Ø	6	8	20	
															56	RT	37034		7	12	30
															51	RT	37069		5	7.5	30
															47	PM	37093	Ø	6	10	30
															47	CH3	41552	Ø	6	10	30
															62	UF	41922	Ø, Ø	10	12	15
															64	UF	41931	Ø, Ø, SH	12	15	30
															47	PR	44141	Ø, HM	6	10	20
															69	T5	45008	Ø, #, TF	12	14	20
															74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50
															28	PS3	51068	Ø, HM	6	10	20
															19	PS3	51095	Ø, FP, GP	6	10	20
															45	CH3	75226	Ø	6	8	20
															47	CH3	82597	Ø	6	10	30
															45	CH3	87597	Ø	6	8	20
F-350 Super Duty w/Deep Drop Bumper	99-01													74	T5	45012	Ø, #, TF	12	14	20	
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	02-04													45	PR	33088	Ø	6	8	20	
														56	RT	37034		7	12	30	
														51	RT	37069		5	7.5	30	
														47	PM	37093	Ø	6	10	30	
														47	CH3	41552	Ø	6	10	30	
															62	UF	41922	Ø, Ø	10	12	15
															64	UF	41931	Ø, Ø, SH	12	15	30
															47	PR	44141	Ø, HM	6	10	20
															69	T5	45008	Ø, #, TF	12	14	20
															74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50
															28	PS3	51068	Ø, HM	6	10	20
															19	PS3	51095	Ø, FP, GP	6	10	20
															45	CH3	75226	Ø	6	8	20
															47	CH3	82597	Ø	6	10	30
															45	CH3	87597	Ø	6	8	20
F-350 Super Duty w/Deep Drop Bumper	02-04													74	T5	45012	Ø, #, TF	12	14	20	
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	05-07													45	PR	33088	Ø, EB	6	8	20	
														47	PM	37093	Ø, EB	6	10	30	
														47	CH3	41552	Ø, EB	6	10	30	
														64	UF	41931	Ø, Ø, EB, SH	12	15	30	
														47	PR	44141	Ø, EB, HM	6	10	20	
														69	T5	45008	Ø, #, TF	12	14	20	
														74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50	
														28	PS3	51068	Ø, EB, HM	6	10	20	
														19	PS3	51095	Ø, FP, GP	6	10	20	
														45	CH3	75226	Ø, EB	6	8	20	
														47	CH3	82597	Ø, EB	6	10	30	
														45	CH3	87597	Ø, EB	6	8	20	
														64	UF	41931	Ø, Ø, EB, SH	12	15	30	
														69	T5	45008	Ø, #, TF	12	14	20	
														74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50	
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	08-10													64	UF	41931	Ø, Ø, EB, SH	12	15	30	
														69	T5	45008	Ø, #, TF	12	14	20	
														74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50	
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	2011													64	UF	41931	Ø, Ø, EB, SH	12	15	30	
														69	T5	45008	Ø, #, TF	12	14	20	
														74	T5	45297	Ø, #, CS, EF, HM, LT, M, TF	18	18	50	

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EB = Factory electrical bracket will NOT fit with this hitch. Must use aftermarket electrical box or bracket.
 EF = Fits all models with standard bumpers.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 LT = Requires removal of factory hitch if equipped.
 M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.
 SH = Hitches produced before 09/27/07 are rated at 1200/12,000 WC & 1400/14,000 WD.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	PU1,2					E15	118243	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2					E15	118243	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20267 22287	5
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20

A=2 wire system. No Converter required, but a ModuLite® can be used.
RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
PM = Premium Receiver
PR = Professional Receiver
PS3 = Pro Series Class III
RT = Round Tube
TS = Titan®
UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH	FOOTNOTES	X 1,000	WC	WD	IN	
		TYPE	PART #				TYPE	PART #				TYPE	PART #						
FORD (Continued)																			
F-350 Super Duty Cab & Chassis w/34" Wide Frames	99-00											42	PM	37087	FP		6	10	45
													63	PM	37088		7.5	12	60
													58	BR	40050		6	10	40
													42	ML	41001	FP	6	10	40
													63	ML	41547		6	12	60
													64	UF	41927	@,SP	12	15	40
													60	UF	41938	@	12	15	40
													68	UF	41940	@	15	16	35
													70	T5	45014	#,TF	12	14	60
													58	MF3	82000	JP	6	10	40
F-350 Super Duty Cab & Chassis w/34" Wide Frames & w/Deep Drop Bumper	99-00											60	PM	37081	FP,M	5	10	45	
												60	ML	41504	FP,M	5	10	40	
												51	PS3	51104	FP,M	5	10	40	
F-350 Super Duty Cab & Chassis w/34" Wide Frames	01-04											60	CL3	87480	JP,FP,M	5	10	40	
												64	UF	41927	@,SP	12	15	40	
												68	UF	41940	@	15	16	35	
F-350 Super Duty Cab & Chassis w/34" Wide Frames	05-07											64	UF	41927	@,SP	12	15	40	
												68	UF	41940	@	15	16	35	
F-350 Super Duty Cab & Chassis w/34" Wide Frames	08-11											64	UF	41927	@,SP	12	15	40	
												68	UF	41940	@	15	16	35	
F-450 Super Duty Pickups Only - Will Not Fit Cab & Chassis	08-10											74	T5	45297	Ø,#,CS,EF,HM,LT,M,TF	18	18	50	
F-450 Super Duty Pickups Only - Will Not Fit Cab & Chassis	2011											74	T5	45297	Ø,#,CS,EF,HM,LT,M,TF	18	18	50	
F-450 Super Duty Cab & Chassis w/34" Wide Frames	99-04											63	PM	37088		7.5	12	60	
												63	ML	41547		6	12	60	
												64	UF	41927	@,SP	12	15	40	
												68	UF	41940	@	15	16	35	
												70	T5	45014	#,TF	12	14	60	
													63	PM	37088		7.5	12	60
F-450 Super Duty Cab & Chassis w/34" Wide Frames	05-07											63	ML	41547		6	12	60	
												64	UF	41927	@,SP	12	15	40	
												68	UF	41940	@	15	16	35	
												70	T5	45014	#,TF	12	14	60	
												63	PM	37088		7.5	12	60	
												63	ML	41547		6	12	60	
F-450 Super Duty Cab & Chassis w/34" Wide Frames	08-11											64	UF	41927	@,SP	12	15	40	
												68	UF	41940	@	15	16	35	
												70	T5	45014	#,TF	12	14	60	
												63	PM	37088		7.5	12	60	
												63	ML	41547		6	12	60	
												64	UF	41927	@,SP	12	15	40	
F-550 Super Duty Cab & Chassis w/34" Wide Frames	99-04											68	UF	41940	@	15	16	35	
												70	T5	45014	#,TF	12	14	60	
												63	PM	37088		7.5	12	60	
												63	ML	41547		6	12	60	
												64	UF	41927	@,SP	12	15	40	
												68	UF	41940	@	15	16	35	
F-550 Super Duty Cab & Chassis w/34" Wide Frames	05-07											70	T5	45014	#,TF	12	14	60	
												63	PM	37088		7.5	12	60	
												63	ML	41547		6	12	60	
												64	UF	41927	@,SP	12	15	40	
												68	UF	41940	@	15	16	35	
												70	T5	45014	#,TF	12	14	60	

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EF = Fits all models with standard bumpers.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 LT = Requires removal of factory hitch if equipped.
 M = Will fit with heavy-duty suspension.

Ø = Uses all existing holes, no drilling required.
 SP = Hitches produced before 04/27/08 are rated at 1200/12,000 WC & 1400/14,000 WD.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20267 22287	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20267 22287	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20267 22287	5

A=2 wire system. No Converter required, but a ModuLite® can be used.

BR = Boxed Receiver
 CL3 = Class III
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PS3 = Pro Series Class III
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		FORD (Continued)																			
F-550 Super Duty Cab & Chassis w/34" Wide Frames	08-11														63	PM	37088		7.5	12	60
															63	ML	41547		6	12	60
															64	UF	41927	@,SP	12	15	40
															68	UF	41940	@	15	16	35
															70	T5	45014	#,TF	12	14	60
Fiesta 4 Dr. Sedan	2011	41	SF	24856	Ø, HM	3593	15														
		41	CL1	60272	Ø, HM	3593	15														
Fiesta 5 Dr. Hatchback	2011	35	SF	24855	Ø, HM, JR, KH	3593	30														
		35	CL1	60271	Ø, HM, JR, KH	3593	30														
Five Hundred	05-07							40	FH	36360	Ø, GP, JR	36071	30	44	PR	44525	Ø, JR	3.5	4	30	
								24	PS2	51179	Ø, GP, JR	36071	30	44	MF	75299	Ø, JR	3.5	4	30	
								40	CL2	90090	Ø, JR	36071	30	44	CL3	87108	Ø, JP, JR	3.5	4	30	
Flex All, Inc. EcoBoost	09-11														48	RT	44636	Ø, HM, JR	4	4	30
															48	RT	75679	Ø, HM, JR	4	4	30
															48	RT3	87571	Ø, JP, HM, JR	4	4	30
Flex Models w/Single Muffler & Dual Tail Pipes On Drivers Side Only	09-11														39	RT	44620	Ø, †, HM, JR	4	4	20
Focus Sedan	2000	28	SF	24692	Ø, HM	3593	20														
		19	PS1	51161	Ø, HM	3593	20														
		28	CL1	60870	Ø	3593	20														
Focus Sedan	01-04	28	SF	24692	Ø, HM	3593	20														
		19	PS1	51161	Ø, HM	3593	20														
		28	CL1	60870	Ø	3593	20														
Focus Sedan, Except w/Street Appearance Pkg.	05-07	28	SF	24692	Ø, HM	3593	20														
		19	PS1	51161	Ø, HM	3593	20														
		28	CL1	60870	Ø	3593	20														
Focus Coupe	08-10	37	SF	24805	Ø, HM, JR, KH	3593	30														
		37	CL1	60886	Ø, HM, JR, KH	3593	30														
Focus Sedan	08-11	37	SF	24805	Ø, HM, JR, KH	3593	30														
		37	CL1	60886	Ø, HM, JR, KH	3593	30														
Focus Wagon Built Before 11/1/02	00-03	36	SF	24682	Ø, JR	3592	20														
		36	CL1	60905	Ø, JR	3592	20														
Focus Wagon Built After 11/1/02	03-07	36	SF	24682	Ø, JR	3592	20														
		36	CL1	60905	Ø, JR	3592	20														
Focus ZX3 3 Dr. Hatchback, Except SVT & w/Street Appearance Pkg.	00-07	28	SF	24692	HM	3593	20														
		19	PS1	51161	HM	3593	20														
		28	CL1	60870		3593	20														
Focus ZX5 5 Dr. Hatchback, Except SVT & w/Street Appearance Pkg.	02-07	28	SF	24692	HM	3593	20														
		19	PS1	51161	HM	3593	20														
		28	CL1	60870		3593	20														
Freestar	04-07							44	FH	36318	Ø, JR	36071	25	46	PR	44129	GP, JR	3.5	5	30	
								44	CL2	90087	Ø, JR	36071	25	46	MF	75158	GP, JR	3.5	5	30	
															46	CL3	87107	JP, GP, JR	3.5	5	30
Freestyle	05-07							40	FH	36360	Ø, GP, JR	36071	30	44	PR	44525	Ø, JR	3.5	4	30	
								24	PS2	51179	Ø, GP, JR	36071	30	44	MF	75299	Ø, JR	3.5	4	30	
								40	CL2	90090	Ø, JR	36071	30	44	CL3	87108	Ø, JP, JR	3.5	4	30	
F-Series Super Duty Cab & Chassis w/34" Wide Frames & 161" Wheelbase	89-97														58	BR	40050		6	10	40
															58	MF3	82000	JP	6	10	40
F-Series Super Duty Cab & Chassis w/34" Wide Frames & 161" Wheelbase & w/Deep Drop Bumper	89-97														60	PM	37081	FP, X, M	5	10	45
															60	ML	41504	FP, X, M	5	10	40
															51	PS3	51104	FP, X, M	5	10	40
															60	CL3	87480	JP, FP, X, M	5	10	40

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.

K = Adapter kit (#1685) required with DT #41504/HH #87480/RS #37081 & RS #44143/PS #51104 for 1980 and later F-Series pickups.
 KH = Minor heat shield modification may be required.
 M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.
 SP = Hitches produced before 04/27/08 are rated at 1200/12,000 WC & 1400/14,000 WD.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20270 22290	20
A,E	PC3,4	E14	118422	CH	30				119186	119146 & 118151						
W	PC3,4	E18	118471	CH	45				119186	119146 & 118151						
A	PC3,4	E5	118395		10				119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E8	118472		15				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2	E8	118472		15				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
B	PC3,4								119175	119130						
C	PC3,4								119186							
A	PC3,4								119186	20252						
A	PC1,2	E5	118457		15				119186	20252						
A	PC1,2	E5	118457		15				119186	20252						
A	PC1,2	E4	118344	FW	10				119186	20252						
A	PC1,2								119186	20252						
A	PC1,2								119186	20252						
A	PC1,2								119186	20252						
E,N	SUV1,2	E17	118385	CH	45						20320 20143	20321 20125 20144				
A	SUV3,4	E5	118395		10				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2								119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 FW=2003 Models w/Build date before 11/1/02.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

BR = Boxed Receiver
 CL1 = Class I
 CL2 = Class II
 CL3 = Class III
 FH = Frame Hitch
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS1 = Pro Series Class I
 PS2 = Pro Series Class II

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		FORD (Continued)																			
Fusion	06-09	42	SF	24775	GP, JR, TA	3592	45														
		42	CL1	60846	GP, JR, TA	3592	45														
Fusion	10-11	24	SF	24837	Ø, †, GP, JR	3594	20														
		29	SF	24865	Ø, GP, JR	3594	20														
		24	CL1	60254	Ø, †, GP, JR	3594	20														
		29	CL1	60282	Ø, GP, JR	3594	20														
LTD Country Squire Wagon Full Size	83-91	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30								
								42	CL2	90139	CA	36063	30								
LTD Crown Victoria	83-91	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA, GP	3.5	6	30	
								42	CL2	90139	CA	36063	30	47	ML	41116	CA, GP	3.5	6	30	
														35	PS3	51103	CA, GP	3.5	6	30	
														47	CL3	87408	JP, CA, GP	3.5	6	30	
LTD Crown Victoria	92-97	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA, GP	3.5	6	30	
								42	CL2	90139	CA	36063	30	47	ML	41116	CA, GP	3.5	6	30	
														35	PS3	51103	CA, GP	3.5	6	30	
														47	CL3	87408	JP, CA, GP	3.5	6	30	
LTD Crown Victoria	98-09	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA, GP	3.5	6	30	
								42	CL2	90139	CA	36063	30	47	ML	41116	CA, GP	3.5	6	30	
														35	PS3	51103	CA, GP	3.5	6	30	
														47	CL3	87408	JP, CA, GP	3.5	6	30	
LTD Crown Victoria Wagon Full Size	83-91	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30								
								42	CL2	90139	CA	36063	30								
LTD, Custom & Galaxie Sedan	79-82	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA, GP	3.5	6	30	
								42	CL2	90139	CA	36063	30	47	ML	41116	CA, GP	3.5	6	30	
														35	PS3	51103	CA, GP	3.5	6	30	
														47	CL3	87408	JP, CA, GP	3.5	6	30	
LTD, Custom & Galaxie Wagon	79-82	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30								
								42	CL2	90139	CA	36063	30								
Mustang All Models	79-86	26	CH1	24524	X	3590	20														
		26	CH1	60240	X	3590	20														
Mustang All, Except GT	87-93	26	CH1	24524	X	3590	20														
		26	CH1	60240	X	3590	20														
Mustang All Models	94-98	32	CH1	24687	RB	3592	20														
		32	CH1	60887	RB	3592	20														
Mustang All, Except Cobra SVT	99-04	32	CH1	24687	RB	3592	20														
		32	CH1	60887	RB	3592	20														
Mustang All, Except GT/CS "California Special", Shelby GT & GT500	05-09	25	SF	24747	GP, JR	3592	45														
		25	CL1	60809	GP, JR	3592	45														
Mustang All, Except GT/CS "California Special", Shelby GT & GT500	2010	23	CH1	24840	GP, JR, X	3592	45														
		23	CH1	60257	GP, JR, X	3592	45														
Mustang All V6 Models	2011	28	SF	24863	Ø, HM, JR	3594	40														
		28	CL1	60280	Ø, HM, JR	3594	40														
Mustang All V8 Models, Including GT/CS "California Special", Shelby GT & GT500	2011	28	SF	24863	Ø, GP, HB, JR	3594	40														
		28	CL1	60280	Ø, GP, HB, JR	3594	40														
Probe All, Except GT	93-97	48	CH1	24578	†	3593	30														
		48	CH1	60253	†	3593	30														
Ranger Pickup All, Except GT	83-85													38	PR	33058	EG, SD, V	4	6	20	
														37	PR	44101	EG	3.5	5	20	
														19	PS3	51032	EG, V	3.5	5	20	
														38	MF	75082	EG, SD, V	4	6	20	
														38	CL3	87161	JP, EG, SL, V	4	6	20	
														52	MF	37152	Ø	5	6	40	
Ranger Pickup All, Except w/Rear Fascia	83-85																				

† = Available while supply lasts.
 CA = Models with dual exhaust require exhaust modification.
 EG = Relocation of spare tire bracket is not required. NOTE: 19mm open end style wrench must be purchased to allow removal of spare tire after hitch installation.
 GP = Hitch crosstube concealed behind bumper.
 HB = Slight fascia deformation may occur on some models.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.

RB = Hitch installation can be made easier with a "cutter" type drill bit.
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.
 SL = Hitches produced before 03/10/08 are rated at 350/3500 WC & 600/6000 WD.
 TA = Trunk access required for hitch installation.
 V = For vehicles with factory installed step bumpers only.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
FORD (Continued)																
A,E	PC3,4	E14	118422	CH	30				119186	119146 & 118151						
A,E	PC3,4	E14	118422	CH	30				119186	119146 & 118151						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A,F	PC3,4	E9	118326		20				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252						
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4	E9	118326		20				119186	20252						
A	PC3,4	E9	118326		20				119186	20252						
A	PC3,4								119186	20252						
SK	PC3,4	E16	118487	CH	45				119186	119146 & 118151						
SK	PC3,4	E16	118487	CH	45				119186	119146 & 118151						
SK	PC3,4	E16	118487	CH	45				119186	119146 & 118151						
B,F	PC1,2								119186	119146 & 118151						
A	PU1,2	E1	118313		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2	E1	118313		5				119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 SK=2 wire system, ModuLite® required. Vehicle has LED taillamps.

CH1=Classic Hitch Class 1
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
A	PU1,2	E3	118314		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2	E3	118314		5					119186	20252	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5	E1	118241	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5	E1	118241	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5	E1	118241	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
A	PU1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224			
C	PC3,4									119186							
A	PC3,4	E4	118327		10					119186	20252						
B	PC3,4	E9	118333	HG	10					119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000							
																		WC	WD	IN					
FORD (Continued)																									
Taurus SHO	96-99						44	FH	36252	β,GP,JR	36063	20													
Taurus Sedan, All Models	00-03	39	SF	24699	β,JR	3592	20	44	CL2	90173	β,JR	36063	20												
								44	FH	36252	β,GP,JR	36063	20												
								51	FH	36313	β,GP,JR	36061	40												
								38	PS2	51101	β,GP,JR	36061	40												
								44	CL2	90173	β,JR	36063	20												
Taurus Sedan, All Models	04-06							51	CL2	90309	β,JR	36061	40												
								51	FH	36313	β,GP,JR	36061	40												
								38	PS2	51101	β,GP,JR	36061	40												
Taurus Sedan, All Models	08-09							40	FH	36360	β,GP,JR	36071	30	44	PR	44525	β,JR	3.5	4	30					
								24	PS2	51179	β,GP,JR	36071	30	44	MF	75299	β,JR	3.5	4	30					
								40	CL2	90090	β,JR	36071	30	44	CL3	87108	β,JP,JR	3.5	4	30					
Taurus Sedan, Inc. SHO	10-11							40	FH	36492	GP,JR	36071	30	46	PR	44632	GP,JR	4	4	30					
								40	CL2	90075	GP,JR	36071	30	46	MF	75670	GP,JR	4	4	30					
								46	CL3	87565	JP,GP,JR						4	4	30						
Taurus Wagon	86-91	39	SF	24699	β,JR,KH	3593	20	44	FH	36252	β,GP,JR,KH	36063	20												
Taurus Wagon	92-95	39	SF	24699	β,JR	3593	20	44	CL2	90173	β,JR,KH	36063	20												
								39	CL1	60883	β,JR	3593	20	44	CL2	90173	β,JR	36063	20						
Taurus Wagon	96-99	39	SF	24699	β,JR	3593	20	44	FH	36252	β,GP,JR	36063	20												
Taurus Wagon	00-03	39	SF	24699	β,JR	3592	20	44	FH	36252	β,GP,JR	36063	20												
								39	CL1	60883	β,JR	3593	20	44	CL2	90173	β,JR	36063	20						
								44	CL2	90173	β,JR	36063	20												
								51	FH	36313	β,GP,JR	36061	40												
								51	CL2	90309	β,JR	36061	40												
Taurus Wagon	04-06							51	FH	36313	β,GP,JR	36061	40												
								38	PS2	51101	β,GP,JR	36061	40												
								51	CL2	90309	β,JR	36061	40												
								40	FH	36360	β,GP,JR	36071	30	44	PR	44525	β,JR	3.5	4	30					
								24	PS2	51179	β,GP,JR	36071	30	44	MF	75299	β,JR	3.5	4	30					
Taurus X	08-09							40	CL2	90090	β,JR	36071	30	44	CL3	87108	β,JP,JR	3.5	4	30					
								44	CH2	36179	β	36061	40												
								44	CH2	36179	β	36063	40												
Thunderbird All, Except SC	89-95							44	CH2	36179	β	36061	40												
Thunderbird	96-97							44	CH2	36179	β	36063	40												
Transit Connect	2010												34	RT	44634	β	3.5	4	20						
													34	RT	75678	β	3.5	4	20						
Windstar	95-98												34	RT3	87570	β,JP	3.5	4	20						
													44	PR	33012		3.5	5	45						
													43	PR	44097		3.5	4	45						
													29	PS3	51027		3.5	4	40						
													44	MF	75055		3.5	5	40						
													44	CL3	87507		3.5	5	25						
													44	PR	33012		3.5	5	45						
Windstar Built Before 11/2002	99-03							34	FH	36189		36061	30	44	PR	33012	β,AF	3.5	5	45					
													34	CL2	90097		36061	30	52	MF	37152	β,AF	5	6	40
													43	PR	44097		36061	30	44	PR	33012		3.5	4	45
													29	PS3	51027		36061	30	44	MF	75055		3.5	4	40
													44	MF	75055		36061	30	44	CL3	87507		3.5	5	40
													44	CL3	87507		36061	30	44	CL3	87507		3.5	5	25

AF = Hitch is ONLY rated for Weight Carrying at 3,500 lbs. GTW, 350 lbs. TW and DO NOT use w/Weight Distribution Spring Bars for this Specific Vehicle. Except for long bed pickups.
 GP = Hitch cross tube concealed behind bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 β = Uses all existing holes, no drilling required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
FORD (Continued)																	
B	PC3,4	E9	118333	HG	10					119175	119130						
A	PC3,4	E4	118375		10					119186	20252						
A	PC3,4									119186	20252						
A	PC3,4	E7	118447		10					119186	20252	20320 20143	20321 20125 20144	20224			
B	PC3,4	E12	118493	CG	10					119175	119130	20320 20143	20321 20125 20144	20224			
C	PC3,4									119186							
A	PC3,4									119186	20252						
B	PC3,4									119175	119130						
C	PC3,4									119186							
A	PC3,4									119186	20252						
A	SUV3,4	E7	118448		15					119186	20252	20320 20143	20321 20125 20144	20224			
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
B,E	SUV1,2					E24	118254	CH	45	119176	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E8	118346	HG	20					119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
G,MX	SUV1,2	E19	118366	FW,LS	45							20320 20143	20321 20125 20144		E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 FW=2003 Models w/Build date before 11/1/02.
 G=Low-side switching system.
 HG=T-One incorporates taillight converter.

LS=T-One incorporates low-side switching taillight converter. Additional installation time required.
 MX=Multiplexed Wiring System.

CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		FORD (Continued)																				
Windstar Built After 11/2002	2003							34	FH	36189				36061	30	44	PR	33012		3.5	5	45
								34	CL2	90097				36061	30	52	MF	37152	Ø,AF	5	6	40
																43	PR	44097		3.5	4	45
																29	PS3	51027		3.5	4	40
																44	MF	75055		3.5	5	40
														44	CL3	87507		3.5	5	25		
FREIGHTLINER																						
Sprinter All 41" Wide Frames, Except 118" Wheelbase & Factory Metal Step Platform	03-06															55	PR	33089	Ø	5	7.5	20
																55	CH3	75210	Ø	5	7.5	20
Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	2007															55	CH3	87647	Ø,JP	5	7.5	20
																54	CH3	44576	Ø,HM	6	7.5	20
Sprinter w/Factory Step Bumper	2007															54	CH3	75549	Ø,HM	6	7.5	20
																54	CH3	87441	Ø,JP,HM	6	7.5	20
Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	08-09															53	PR	44591	Ø,HM	5	7.5	30
																53	MF	75601	Ø,HM	5	7.5	30
Sprinter w/Factory Step Bumper	08-09															53	CL3	87456	Ø,JP,HM	5	7.5	30
																54	CH3	44576	Ø,HM	6	7.5	20
Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	08-09															54	CH3	75549	Ø,HM	6	7.5	20
																54	CH3	87441	Ø,JP,HM	6	7.5	20
Sprinter w/Factory Step Bumper	08-09															53	PR	44591	Ø,HM	5	7.5	30
																53	MF	75601	Ø,HM	5	7.5	30
															53	CL3	87456	Ø,JP,HM	5	7.5	30	
GEO																						
Prizm	89-92		CL1	60932	†,AA,AL,BC,EP,RE																	
Prizm	93-97	29	SF	24579																		
Tracker 2 & 4 Dr.	89-95	29	CL1	60838																		
		29	SF	24622	Ø,HM																	
Tracker 2 & 4 Dr.	96-97	29	CL1	60862	Ø,HM																	
		29	SF	24622	Ø,HM																	
		29	CL1	60862	Ø,HM																	
GMC																						
Acadia	07-11															32	RT	44569	Ø,GP,JR	5	5	25
																22	PS3	51083	Ø,RT,GP,JR	5	5	25
																32	RT	75528	Ø,GP,JR	5	5	25
																32	RT3	87435	Ø,JP,GP,JR	5	5	25
Caballero	78-87							42	CH2	36104				36061	30							
								42	CH2	90187				36061	30							
Canyon All Models	04-07															41	PR	44593	Ø,GP	6	7.5	25
															21	PS3	51074	Ø,GP	6	7.5	25	
															41	MF	75607	Ø,GP	6	7.5	25	
															41	CL3	87458	Ø,JP,GP	6	7.5	25	
Canyon All Models	08-10															41	PR	44593	Ø,CP,GP	6	7.5	25
															21	PS3	51074	Ø,CP,GP	6	7.5	25	
															41	MF	75607	Ø,CP,GP	6	7.5	25	
															41	CL3	87458	Ø,JP,CP,GP	6	7.5	25	
Envoy	1998							35	CH2	36244	Ø,FP,GP,XX			36051	15	40	RT	33015	Ø,FP,XX,SD	4	6	15
								35	CH2	90183	Ø,FP,GP,XX				40	PR	33021	Ø,FP,XX	4	6	20	
															56	RT	37051	FP,JT,XX	5	6	30	
															40	PR	44098	Ø,FP,HM,XX	4	6	20	
															19	PS3	51031	Ø,FP,HM,XX	4	6	15	
															40	RT	75079	Ø,FP,XX,SD	4	6	15	
														40	RT3	87478	Ø,JP,FP,XX,SD	4	6	15		

† = Available while supply lasts.
 AA = Requires temporary removal of bumper during installation.
 AF = Hitch is ONLY rated for Weight Carrying at 3,500 lbs. GTW, 350 lbs. TW and DO NOT use w/Weight Distribution Spring Bars for this Specific Vehicle. Except for long bed pickups.
 AL = Additional installation time required.
 BC = Hitch rated at 1,500 lbs. GTW, 100 lbs. TW
 CP = Fits All Models without Factory Installed Receiver.
 EP = Fascia trimming required.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch cross tube concealed behind bumper.
 HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.
 KK = When installing on a vehicle originally equipped with an OEM hitch, OEM bumper brackets must be purchased and installed prior to new hitch installation.
 Ø = Uses all existing holes, no drilling required.
 RE = Requires 64-8601 tab nut kit. (Sold separately)
 RT = Round Tube
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER					
FORD (Continued)																		
G,MX	SUV1,2	E19	118305	FV,LS	45								20320 20143	20321 20125 20144		E1 E3	20260 22280	5
FREIGHTLINER																		
B,F	SUV3,4					E3	118381	RD	5	119186	119146 & 118151		20320 20143	20321 20125 20144	20224			
B	SUV1,2					E3	118381	RD	5	119175	119130		20320 20143	20321 20125 20144	20224			
B	SUV1,2					E3	118381	RD	5	119175	119130		20320 20143	20321 20125 20144	20224			
B	SUV1,2					E3	118381	RD	5	119175	119130		20320 20143	20321 20125 20144	20224			
B	SUV1,2					E3	118381	RD	5	119175	119130		20320 20143	20321 20125 20144	20224			
GEO																		
B	PC3,4									119175	119130							
B	PC3,4									119175	119130							
B	SUV1,2									119175	119130							
B	SUV1,2	E5	118372	HG	5					119175	119130							
GMC																		
A,N	SUV1,2	E11	118451		15	E8	118384	RD	5				20320 20143	20321 20125 20144		E1 E3	20269 22289	5
A	PU1,2									119186	20252							
B	PU3	E9	118301	CG	10					119175 118175 119175	119130		20320 20143	20321 20125 20144	20224 20024 20224			
B	PU3	E9	118301	CG	10					119175 118175 119175	119130		20320 20143	20321 20125 20144	20224 20024 20224			
A	SUV7									119186	20250		20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 F=ModuLite® recommended.
 FV=2003 Models w/Build date after 11/1/02.
 G=Low-side switching system.
 HG=T-One incorporates taillight converter.
 LS=T-One incorporates low-side switching taillight converter. Additional installation time required.
 MX=Multiplexed Wiring System.

N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PK=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN		
		GMC (Continued)																					
Envoy	99-01							35	CH2	36244	Ø,FP,GP,XX		36051	15	40	RT	33015	Ø,FP,XX,SD	4	6	15		
								35	CH2	90183	Ø,FP,GP,XX		36051	15	40	PR	33021	Ø,FP,XX	4	6	20		
															56	RT	37051	FP,JT,XX	5	6	30		
															40	PR	44098	Ø,FP,HM,XX	4	6	20		
															19	PS3	51031	Ø,FP,HM,XX	4	6	15		
															40	RT	75079	Ø,FP,XX,SD	4	6	15		
Jimmy Full Size	73-75													40	RT3	87478	Ø,JP,FP,XX,SD	4	6	15			
														45	PR	33042		5	7.5	30			
Jimmy Full Size	76-84													45	CH3	75129	JP	5	7.5	30			
														45	CH3	87495	JP	5	7.5	30			
Jimmy Full Size	85-91													45	PR	33042		5	7.5	30			
														45	CH3	75129	JP	5	7.5	30			
Jimmy Full Size	92-94													45	CH3	87495	JP	5	7.5	30			
														42	PM	37074	HM	6	10	30			
Jimmy Downsize, All Models	95-97							35	CH2	36244	Ø,GP		36051	15	40	RT	33015	Ø,SD	4	6	15		
								35	CH2	90183	Ø,GP		36051	15	40	PR	33021	Ø	4	6	20		
															56	RT	37051	JT	5	6	30		
															40	PR	44098	Ø,HM	4	6	20		
															19	PS3	51031	Ø,HM	4	6	15		
															40	RT	75079	Ø,SD	4	6	15		
															40	RT3	87478	Ø,JP,SD	4	6	15		
															40	RT	33015	Ø,FP,XX,SD	4	6	15		
															40	PR	33021	Ø,FP,XX	4	6	20		
															56	RT	37051	FP,JT,XX	5	6	30		
Jimmy Downsize, All Models	1998							35	CH2	36244	Ø,FP,GP,XX		36051	15	40	RT	33015	Ø,FP,XX,SD	4	6	15		
								35	CH2	90183	Ø,FP,GP,XX		36051	15	40	PR	33021	Ø,FP,XX	4	6	20		
															56	RT	37051	FP,JT,XX	5	6	30		
															40	PR	44098	Ø,FP,HM,XX	4	6	20		
															19	PS3	51031	Ø,FP,HM,XX	4	6	15		
															40	RT	75079	Ø,FP,XX,SD	4	6	15		
															40	RT3	87478	Ø,JP,FP,XX,SD	4	6	15		
															40	RT	33015	Ø,FP,XX,SD	4	6	15		
															40	PR	33021	Ø,FP,XX	4	6	20		
															56	RT	37051	FP,JT,XX	5	6	30		
Jimmy Downsize, All Models	2002							35	CH2	36244	Ø,FP,GP,XX		36051	15	40	RT	33015	Ø,FP,XX,SD	4	6	15		
								35	CH2	90183	Ø,FP,GP,XX		36051	15	40	PR	33021	Ø,FP,XX	4	6	20		
															56	RT	37051	FP,JT,XX	5	6	30		
															40	PR	44098	Ø,FP,HM,XX	4	6	20		
															19	PS3	51031	Ø,FP,HM,XX	4	6	15		
															40	RT	75079	Ø,FP,XX,SD	4	6	15		
															40	RT3	87478	Ø,JP,FP,XX,SD	4	6	15		
															40	RT	33015	Ø,FP,XX,SD	4	6	15		
															40	PR	33021	Ø,FP,XX	4	6	20		
															56	RT	37051	FP,JT,XX	5	6	30		

FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JT = 2WD models only.
 KK = When installing on a vehicle originally equipped with an OEM hitch, OEM bumper brackets must be purchased and installed prior to new hitch installation.
 Ø = Uses all existing holes, no drilling required.
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
GMC (Continued)																
A	SUV7					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224		
A	SUV1,2	E1	118311		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1,2	E1	118311		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1,2	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV6	E3	118319		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV7									119186	20250	20320 20143	20321 20125 20144	20224		
A	SUV7									119186	20250	20320 20143	20321 20125 20144	20224		
A	SUV7					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224		
A	SUV7									119186	20250	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 MF=Max Frame
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
		GMC (Continued)																		
Pickup, C/K Series w/6 ft. Bed	67-72													40	PR	33065	CO,DX,FP	5	8	30
															40	MF	75034	CO,DX	5	8
Pickup, C/K Series w/6 ft. Bed	73-84													40	PR	33065	CO,DX,FP	5	8	40
														53	PR	44108	CO,FP,GU,HM,HX	6	10	30
														59	PR	44109	CO,FP,GP,GU,HX	6	10	30
														40	MF	75034	CO,DX	5	8	40
Pickup, C/K Series w/6 ft. Bed	85-87													40	PR	33065	CO,DX,FP	5	8	40
														53	PR	44108	CO,FP,GU,HM,HX	6	10	30
														59	PR	44109	CO,FP,GP,GU,HX	6	10	30
														40	MF	75034	CO,DX	5	8	40
														40	CL3	87034		5	8	30
Pickup, C/K Series w/6 ft. Bed 2 Dr. Extended Cab, Inc. Sportside Fenders	88-00													75	UF	41909	@,EK,HM,SS	10	13	30
Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	88-00													56	RT	37034		7	12	40
														51	RT	37069		5	7.5	40
														58	BR	40050	HC	6	10	40
														45	ML	41524	Ø,GP	6	10	20
														54	ML	41525	Ø,HM,J	6	10	20
														57	PR	44105	Ø,GP	5	10	25
														53	PR	44108	FP,GU,HM,HX	6	10	30
														59	PR	44109	FP,GP,GU,HX	6	10	30
														25	PS3	51016	HM,FP	5	10	40
														32	PS3	51017	GP,FP	5	10	40
														25	PS3	51021	Ø,HM,J	5	10	20
														23	PS3	51022	Ø,GP	5	10	20
														43	MF	75033	Ø,HM,J	5	8	20
														39	MF	75099	Ø,GP	5	8	20
		Pickup, C/K Series w/6 ft. Bed Equipped w/Aftermarket Roll Pan	88-00													58	MF3	82000	JP,HC	6
														45	CL3	82584	Ø,GP,J	6	10	20
														39	CL3	87184	Ø,GP,J	5	8	20
														45	ML	41522	CO,HK	5	5.5	40
Pickup, C/K Series w/6 ft. Bed Regular & Extended Cabs, Inc. Sportside Fenders w/10" Deep Drop Bumper	88-00													45	CL3	82574	Ø,FT,HK	5	8	25
														55	PM	37080	Ø,FS,J	6	10	20
Pickup, C/K Series w/8 ft. Bed	63-72													55	ML	41528	Ø,FS,J	6	10	20
														40	PR	33065	FP	5	8	30
														42	PM	37087	FP	6	10	45
														58	BR	40050	CO,JT	6	10	40
														42	ML	41001	FP	6	10	40
														60	UF	41938	@	12	15	40
														68	UF	41940	@	15	16	35
														25	PS3	51016	CO,HM,JT	5	10	40
														32	PS3	51017	CO,GP,JT	5	10	40
														40	MF	75034		5	8	30
														58	MF3	82000	JP,CO,JT	6	10	40
Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper	63-72													40	CL3	87034		5	8	30
														60	PM	37081	M	5	10	30
														60	ML	41504	M	5	10	40
														51	PS3	51104	M	5	10	40
														60	CL3	87480	JP,M	5	10	40

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CO = Will not fit 8 ft. 2500/3500 Series with heavy-duty suspension or four door Crew Cab.
 CQ = Will not fit with heavy duty suspension.
 DX = Requires six 3/8" spacer blocks (#01077-011) and six 1/2-13 x 2-1/4 GR5 carriage bolts (#01266-009) which are not provided (Sold separately).
 EK = Extended Cab only.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.

FS = Includes 2 & 4 WD models with heavy duty suspension.
 FT = Models with 16" spare tire must be relocated.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HC = Will not fit with mini or full size tire stowed under vehicle.
 HK = Under vehicle spare tire stowage may be retained with installation of an aftermarket spare tire repositioner. Cutting of rollpan in license plate area required for receiver tube access. Does not fit with bumper.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.

J = Under vehicle spare tire stowage is retained.
 JP = J-Pin Ready Receiver.
 JT = 2WD models only.
 M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.
 SS = Hitches produced before 03/31/08 are rated at 1000/10,000 WC & 1200/12,000 WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
GMC (Continued)																
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E1	118311		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118315		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118315		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118315		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118315		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.

BR = Boxed Receiver
 CL3 = Class III
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN		
		GMC (Continued)																					
Pickup, C/K Series w/8 ft. Bed	73-84														40	PR	33065	FP		5	8	30	
																42	PM	37087	FP		6	10	45
																58	BR	40050	CQ, JT		6	10	40
																42	ML	41001	FP		6	10	40
																60	UF	41938	@		12	15	40
																68	UF	41940	@		15	16	35
																53	PR	44108	FP, GU, HM, HX		6	10	30
																59	PR	44109	FP, GP, GU, HX		6	10	30
																25	PS3	51016	CQ, HM, JT		5	10	40
																32	PS3	51017	CQ, GP, JT		5	10	40
																40	MF	75034			5	8	30
																58	MF3	82000	JP, CQ, JT		6	10	40
																40	CL3	87034			5	8	30
		Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper	73-84														60	PM	37081	M		5	10
															60	ML	41504	M		5	10	40	
															51	PS3	51104	M		5	10	40	
															60	CL3	87480	JP, M		5	10	40	
Pickup, C/K Series w/8 ft. Bed	85-87														40	PR	33065	FP		5	8	30	
															42	PM	37087	FP		6	10	45	
															58	BR	40050	CQ, JT		6	10	40	
															42	ML	41001	FP		6	10	40	
															60	UF	41938	@		12	15	40	
															68	UF	41940	@		15	16	35	
															53	PR	44108	FP, GU, HM, HX		6	10	30	
															59	PR	44109	FP, GP, GU, HX		6	10	30	
																25	PS3	51016	CQ, HM, JT		5	10	40
																32	PS3	51017	CQ, GP, JT		5	10	40
																40	MF	75034			5	8	30
																58	MF3	82000	JP, CQ, JT		6	10	40
																40	CL3	87034			5	8	30
		Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper	85-87														60	PM	37081	M		5	10
															60	ML	41504	M		5	10	40	
															51	PS3	51104	M		5	10	40	
															60	CL3	87480	JP, M		5	10	40	
Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	88-91														40	PR	33065	FP		5	8	30	
															42	PM	37087	FP		6	10	45	
															42	ML	41001	FP		6	10	40	
															60	UF	41938	@		12	15	40	
															68	UF	41940	@		15	16	35	
															53	PR	44108	FP, GU, HM, HX		6	10	35	
															59	PR	44109	FP, GP, GU, HX		6	10	35	
																25	PS3	51016	CQ, HM, JT		5	10	40
																32	PS3	51017	CQ, GP, JT		5	10	40
																40	MF	75034			5	8	30
																60	PM	37081	M		5	10	30
																60	ML	41504	M		5	10	40
																51	PS3	51104	M		5	10	40
																60	CL3	87480	JP, M		5	10	40

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CQ = Will not fit with heavy duty suspension.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch crosstube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 JP = J-Pin Ready Receiver.

JT = 2WD models only.
 M = Will fit with heavy-duty suspension.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
GMC (Continued)																	
A	PU3	E1	118311		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E1	118311		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.

BR = Boxed Receiver
 CL3 = Class III
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		GMC (Continued)																			
Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	88-00																				
		45	PM	36007	Ø													5	10	40	
		56	RT	37034															7	12	40
		51	RT	37069	Ø														5	7.5	40
		58	BR	40050	FS														6	10	40
		45	ML	41524	Ø,GP														6	10	20
		54	ML	41525	Ø,HM,J														6	10	20
		53	UF	41901	Ø,DB,GP,SN														10	13	30
		57	PR	44105	Ø,GP														5	10	25
		53	PR	44108	FP,GU,HM,HX														6	10	30
		59	PR	44109	FP,GP,GU,HX														6	10	30
		74	T5	45006	#,TF														12	14	45
		25	PS3	51016	HM														5	10	40
		32	PS3	51017	GP														5	10	40
		25	PS3	51021	Ø,HM,J														5	10	20
		23	PS3	51022	Ø,GP														5	10	20
		43	MF	75033	Ø,HM,J														5	8	20
		39	MF	75099	Ø,GP														5	8	20
		58	MF3	82000	JP,FS														6	10	40
		45	CL3	82584	Ø,GP,J														6	10	20
39	CL3	87184	Ø,GP,J														5	8	20		
Pickup, C/K Series w/8 ft. Bed Equipped w/Aftermarket Roll Pan	88-00																				
		45	ML	41522	CO,HK													5	5.5	40	
45	CL3	82574	Ø,HK														5	8	25		
Pickup, C/K Series w/8 ft. Bed Regular & Extended Cabs, w/10" Deep Drop Bumper	88-00																				
		55	PM	37080	Ø,FS,J													6	10	20	
55	ML	41528	Ø,FS,J														6	10	20		
Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	92-00																				
		45	PM	36007	Ø													5	10	40	
		56	RT	37034														7	12	40	
		51	RT	37069	Ø													5	7.5	40	
		58	BR	40050	FS													6	10	40	
		45	ML	41524	Ø,GP													6	10	20	
		54	ML	41525	Ø,HM,J													6	10	20	
		53	UF	41901	Ø,DB,GP,SN													10	13	30	
		57	PR	44105	Ø,GP													5	10	25	
		74	T5	45006	#,TF													12	14	45	
		25	PS3	51016	HM													5	10	40	
		32	PS3	51017	GP													5	10	40	
		25	PS3	51021	Ø,HM,J													5	10	20	
		23	PS3	51022	Ø,GP													5	10	20	
		43	MF	75033	Ø,HM,J													5	8	20	
		39	MF	75099	Ø,GP													5	8	20	
		58	MF3	82000	JP,FS													6	10	40	
		45	CL3	82584	Ø,GP,J													6	10	20	
		39	CL3	87184	Ø,GP,J													5	8	20	
		Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab, w/10" Deep Drop Bumper	92-00																		
55	PM			37080	Ø,FS,J													6	10	20	
55	ML	41528	Ø,FS,J														6	10	20		
Pickup, C/K Series, Cab & Chassis w/34" Wide Frames	85-00																				
		60	UF	41938	Ø,CC													12	15	40	
68	UF	41940	Ø														15	16	35		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CC = Requires minimum of 19" from end of frame rail to spring shackle bracket.
 CO = Will not fit 8 ft. 2500/3500 Series with heavy-duty suspension or four door Crew Cab.
 DB = Will not fit 6 ft. bed pickups.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 GP = Hitch cross-tube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HK = Under vehicle spare tire stowage may be retained with installation of an aftermarket spare tire repositioner. Cutting of rollpan in license plate area required for receiver tube access. Does not fit with bumper.
 HM = Hitch cross-tube is visible beneath bumper.
 HX = Minor exhaust modification may be required.
 J = Under vehicle spare tire stowage is retained.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 SN = Hitches produced before 04/28/08 are rated at 1000/10,000 WC & 1200/12,000 WD.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
GMC (Continued)																
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118315		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.

- BR = Boxed Receiver
- CL3 = Class III
- MF = Max Frame
- MF3 = Multi-Fit Class III
- ML = Max-E-Loader
- PM = Premium Receiver
- PR = Professional Receiver
- PS3 = Pro Series Class III
- RT = Round Tube
- TS = Titan®
- UF = Ultra Frame

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		GMC (Continued)																				
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	99-02														32	RT	33093	Ø, JL	6	8	15	
																56	PM	37016	Ø	7.5	12	20
																56	RT	37034	Ø	7	12	25
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø, Ø, JL	12	14	20
																38	RT	44563	Ø, JL	6	10.5	15
																32	RT	44564	Ø, JL	6	8	15
																45	CH3	44619	Ø, CM	6	7.5	15
																23	PS3	51072	Ø, RT, JL	5	7.5	15
																23	PS3	51081	Ø, RT, JL	6	10.5	15
																45	CH3	75161	Ø, CM	6	7.5	15
																32	RT	75362	Ø, JL	6	8	15
																38	RT	75521	Ø, JL	6	10.5	15
																32	RT3	87186	Ø, JP, JL	6	8	15
														38	RT3	87430	Ø, JP, JL	6	10.5	15		
														45	CH3	87541	Ø, JP, CM	6	7.5	15		
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	99-02													46	CL3	82575	Ø, RL, RL, RN	5	8	25		
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	99-02														32	RT	33093	Ø, JL	6	8	15	
															56	PM	37016	Ø	7.5	12	20	
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø, Ø, JL	12	14	20	
															38	RT	44563	Ø, JL	6	10.5	15	
															32	RT	44564	Ø, JL	6	8	15	
															45	CH3	44619	Ø, CM	6	7.5	15	
															23	PS3	51072	Ø, RT, JL	5	7.5	15	
															23	PS3	51081	Ø, RT, JL	6	10.5	15	
															45	CH3	75161	Ø, CM	6	7.5	15	
															32	RT	75362	Ø, JL	6	8	15	
															38	RT	75521	Ø, JL	6	10.5	15	
															32	RT3	87186	Ø, JP, JL	6	8	15	
													38	RT3	87430	Ø, JP, JL	6	10.5	15			
													45	CH3	87541	Ø, JP, CM	6	7.5	15			
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	99-02													46	CL3	82575	Ø, RL, RL, RN	5	8	25		

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 RT = Round Tube
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RL = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
 CL3 = Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 UF = Ultra Frame

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN		
		GMC (Continued)																					
Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	99-02														32	RT	33093	Ø,JL	6	8	15		
																56	PM	37016	Ø	7.5	12	20	
																56	RT	37034	Ø	7	12	25	
																51	RT	37069	Ø	5	7.5	25	
																56	ML	41534	Ø	6	12	20	
																65	UF	41932	Ø,Ø,JL	12	14	20	
																38	RT	44563	Ø,JL	6	10.5	15	
																32	RT	44564	Ø,JL	6	8	15	
																45	CH3	44619	Ø,CM	6	7.5	15	
																71	T5	45009	Ø,TF	12	14	20	
																23	PS3	51072	Ø,RT,JL	5	7.5	15	
																23	PS3	51081	Ø,RT,JL	6	10.5	15	
																45	CH3	75161	Ø,CM	6	7.5	15	
																32	RT	75362	Ø,JL	6	8	15	
		Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	99-02														38	RT	75521	Ø,JL	6	10.5	15
																	32	RT3	87186	Ø,JP,JL	6	8	15
															38	RT3	87430	Ø,JP,JL	6	10.5	15		
															45	CH3	87541	Ø,JP,CM	6	7.5	15		
															46	CL3	82575	Ø,RL,RL,RN	5	8	25		
Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	99-02																32	RT	33093	Ø,JL	6	8	15
																	56	PM	37016	Ø	7.5	12	20
																	56	RT	37034	Ø	7	12	25
																	51	RT	37069	Ø	5	7.5	25
																	56	ML	41534	Ø	6	12	20
															65	UF	41932	Ø,Ø,JL	12	14	20		
															38	RT	44563	Ø,JL	6	10.5	15		
															32	RT	44564	Ø,JL	6	8	15		
															45	CH3	44619	Ø,CM	6	7.5	15		
															71	T5	45009	Ø,TF	12	14	20		
															23	PS3	51072	Ø,RT,JL	5	7.5	15		
															23	PS3	51081	Ø,RT,JL	6	10.5	15		
															45	CH3	75161	Ø,CM	6	7.5	15		
															32	RT	75362	Ø,JL	6	8	15		
															38	RT	75521	Ø,JL	6	10.5	15		
		Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	99-02														32	RT3	87186	Ø,JP,JL	6	8	15
															38	RT3	87430	Ø,JP,JL	6	10.5	15		
															45	CH3	87541	Ø,JP,CM	6	7.5	15		
															46	CL3	82575	Ø,RL,RL,RN	5	8	25		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
 CL3 = Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC HITCH TYPE	PART #	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH TYPE	PART #	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH TYPE	PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		GMC (Continued)																			
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	01-02													32	RT	33093	Ø,JL	6	8	15	
															56	PM	37016	Ø	7.5	12	20
															56	RT	37034	Ø	7	12	25
															51	RT	37069	Ø	5	7.5	25
															56	ML	41534	Ø	6	12	20
															65	UF	41932	Ø,Ø,JL	12	14	20
															38	RT	44563	Ø,JL	6	10.5	15
															32	RT	44564	Ø,JL	6	8	15
															45	CH3	44619	Ø,CM	6	7.5	15
															23	PS3	51072	Ø,RT,JL	5	7.5	15
															23	PS3	51081	Ø,RT,JL	6	10.5	15
															45	CH3	75161	Ø,CM	6	7.5	15
															32	RT	75362	Ø,JL	6	8	15
															38	RT	75521	Ø,JL	6	10.5	15
															32	RT3	87186	Ø,JP,JL	6	8	15
															38	RT3	87430	Ø,JP,JL	6	10.5	15
															45	CH3	87541	Ø,JP,CM	6	7.5	15
		Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	01-02													46	CL3	82575	Ø,RL,RLRN	5	8
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD	01-02													47	PM	37044	†,HM,SA	6	12	60	
														47	ML	41544	HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
															47	RT	75550	Ø,CS,FS,JL,LT	6	11	20
															47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD	01-02													47	PM	37044	Ø,†,HM,SA	6	12	60	
														47	ML	41544	Ø,HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	Ø,HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															74	T5	45293	Ø,Ø,CS,FS,LT,TF	18	18	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
															47	RT	75550	Ø,CS,FS,JL,LT	6	11	20
Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD	01-02													47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
														47	PM	37044	Ø,†,HM,SA	6	12	60	
														47	ML	41544	Ø,HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	Ø,HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															74	T5	45293	Ø,Ø,CS,FS,LT,TF	18	18	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
													47	RT	75550	Ø,CS,FS,JL,LT	6	11	20		
													47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 Ø = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 HM = Hitch cross-tube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube
 SA = Requires drilling on 6 ft. bed models.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3=Classic Hitch Class 3
 CL3=Class III
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 TS=Titan®
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		GMC (Continued)																				
Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	03-04														32	RT	33093	Ø,JL	6	8	15	
																56	PM	37016	Ø	7.5	12	20
																56	RT	37034	Ø	7	12	25
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø,Ø,JL	12	14	20
																38	RT	44563	Ø,JL	6	10.5	15
																32	RT	44564	Ø,JL	6	8	15
																45	CH3	44619	Ø,CM	6	7.5	15
																71	T5	45009	Ø,TF	12	14	20
																23	PS3	51072	Ø,RT,JL	5	7.5	15
																23	PS3	51081	Ø,RT,JL	6	10.5	15
																45	CH3	75161	Ø,CM	6	7.5	15
																32	RT	75362	Ø,JL	6	8	15
																38	RT	75521	Ø,JL	6	10.5	15
																32	RT3	87186	Ø,JP,JL	6	8	15
														38	RT3	87430	Ø,JP,JL	6	10.5	15		
														45	CH3	87541	Ø,JP,CM	6	7.5	15		
														46	CL3	82575	Ø,RI,RL,RN	5	8	25		
Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	03-04																					
Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	03-04														32	RT	33093	Ø,JL	6	8	15	
															56	PM	37016	Ø	7.5	12	20	
															56	RT	37034	Ø	7	12	25	
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø,Ø,JL	12	14	20
																38	RT	44563	Ø,JL	6	10.5	15
																32	RT	44564	Ø,JL	6	8	15
																45	CH3	44619	Ø,CM	6	7.5	15
																71	T5	45009	Ø,TF	12	14	20
																23	PS3	51072	Ø,RT,JL	5	7.5	15
																23	PS3	51081	Ø,RT,JL	6	10.5	15
																45	CH3	75161	Ø,CM	6	7.5	15
																32	RT	75362	Ø,JL	6	8	15
																38	RT	75521	Ø,JL	6	10.5	15
																32	RT3	87186	Ø,JP,JL	6	8	15
														38	RT3	87430	Ø,JP,JL	6	10.5	15		
														45	CH3	87541	Ø,JP,CM	6	7.5	15		
														46	CL3	82575	Ø,RI,RL,RN	5	8	25		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
 CL3 = Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 T5 = Titan®
 UF = Ultra Frame

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		GMC (Continued)																				
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	03-05														32	RT	33093	Ø, JL	6	8	15	
																56	PM	37016	Ø	7.5	12	20
																56	RT	37034	Ø	7	12	25
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø, Ø, JL	12	14	20
																38	RT	44563	Ø, JL	6	10.5	15
																32	RT	44564	Ø, JL	6	8	15
																45	CH3	44619	Ø, CM	6	7.5	15
																23	PS3	51072	Ø, RT, JL	5	7.5	15
																23	PS3	51081	Ø, RT, JL	6	10.5	15
																45	CH3	75161	Ø, CM	6	7.5	15
																32	RT	75362	Ø, JL	6	8	15
																38	RT	75521	Ø, JL	6	10.5	15
																32	RT3	87186	Ø, JP, JL	6	8	15
														38	RT3	87430	Ø, JP, JL	6	10.5	15		
														45	CH3	87541	Ø, JP, CM	6	7.5	15		
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	03-05													46	CL3	82575	Ø, RL, RL, RN	5	8	25		
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	03-05														32	RT	33093	Ø, JL	6	8	15	
															56	PM	37016	Ø	7.5	12	20	
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø, Ø, JL	12	14	20	
															38	RT	44563	Ø, JL	6	10.5	15	
															32	RT	44564	Ø, JL	6	8	15	
															45	CH3	44619	Ø, CM	6	7.5	15	
															23	PS3	51072	Ø, RT, JL	5	7.5	15	
															23	PS3	51081	Ø, RT, JL	6	10.5	15	
															45	CH3	75161	Ø, CM	6	7.5	15	
															32	RT	75362	Ø, JL	6	8	15	
															38	RT	75521	Ø, JL	6	10.5	15	
															32	RT3	87186	Ø, JP, JL	6	8	15	
													38	RT3	87430	Ø, JP, JL	6	10.5	15			
													45	CH3	87541	Ø, JP, CM	6	7.5	15			
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	03-05													46	CL3	82575	Ø, RL, RL, RN	5	8	25		

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 RT = Round Tube
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RL = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3 = Classic Hitch Class 3
 CL3 = Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC HITCH TYPE	PART #	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH TYPE	PART #	FOOTNOTES	DRAW BAR	IN	PC	REC HITCH TYPE	PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		GMC (Continued)																			
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	03-05													32	RT	33093	Ø,JL	6	8	15	
															56	PM	37016	Ø	7.5	12	20
															56	RT	37034	Ø	7	12	25
															51	RT	37069	Ø	5	7.5	25
															56	ML	41534	Ø	6	12	20
															65	UF	41932	Ø,Ø,JL	12	14	20
															38	RT	44563	Ø,JL	6	10.5	15
															32	RT	44564	Ø,JL	6	8	15
															45	CH3	44619	Ø,CM	6	7.5	15
															23	PS3	51072	Ø,RT,JL	5	7.5	15
															23	PS3	51081	Ø,RT,JL	6	10.5	15
															45	CH3	75161	Ø,CM	6	7.5	15
															32	RT	75362	Ø,JL	6	8	15
															38	RT	75521	Ø,JL	6	10.5	15
															32	RT3	87186	Ø,JP,JL	6	8	15
													38	RT3	87430	Ø,JP,JL	6	10.5	15		
													45	CH3	87541	Ø,JP,CM	6	7.5	15		
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	03-05													46	CL3	82575	Ø,RL,RL,RN	5	8	25	
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD	03-06													47	PM	37044	†,HM,SA	6	12	60	
														47	ML	41544	HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
															47	RT	75550	Ø,CS,FS,JL,LT	6	11	20
															47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD	03-06													47	PM	37044	Ø,†,HM,SA	6	12	60	
														47	ML	41544	Ø,HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	Ø,HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															74	T5	45293	Ø,Ø,CS,FS,LT,TF	18	18	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
															47	RT	75550	Ø,CS,FS,JL,LT	6	11	20
Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD	03-06													47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
														47	PM	37044	Ø,†,HM,SA	6	12	60	
														47	ML	41544	Ø,HM,SA	6	12	20	
														64	UF	41939	Ø,Ø,CS,FS,LT	12	15	25	
														47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
														47	PR	44657	Ø,HM,SA	6	12	20	
															72	T5	45022	Ø,Ø,CS,FS,LT,TF	13	17	25
															74	T5	45293	Ø,Ø,CS,FS,LT,TF	18	18	25
															30	PS3	51050	SA	5	10	20
															21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20
													47	RT	75550	Ø,CS,FS,JL,LT	6	11	20		
													47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 HM = Hitch cross-tube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube
 SA = Requires drilling on 6 ft. bed models.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3=Classic Hitch Class 3
 CL3=Class III
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 TS=Titan®
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		GMC (Continued)																				
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	04-05														32	RT	33093	Ø, JL	6	8	15	
																56	PM	37016	Ø	7.5	12	20
																56	RT	37034	Ø	7	12	25
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø, Ø, JL	12	14	20
																38	RT	44563	Ø, JL	6	10.5	15
																32	RT	44564	Ø, JL	6	8	15
																45	CH3	44619	Ø, CM	6	7.5	15
																23	PS3	51072	Ø, RT, JL	5	7.5	15
																23	PS3	51081	Ø, RT, JL	6	10.5	15
																45	CH3	75161	Ø, CM	6	7.5	15
																32	RT	75362	Ø, JL	6	8	15
																38	RT	75521	Ø, JL	6	10.5	15
																32	RT3	87186	Ø, JP, JL	6	8	15
														38	RT3	87430	Ø, JP, JL	6	10.5	15		
														45	CH3	87541	Ø, JP, CM	6	7.5	15		
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	04-05													46	CL3	82575	Ø, RI, RL, RN	5	8	25		
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	2006														32	RT	33093	Ø, JL	6	8	15	
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø, Ø, JL	12	14	20	
															38	RT	44563	Ø, JL	6	10.5	15	
															32	RT	44564	Ø, JL	6	8	15	
															23	PS3	51072	Ø, RT, JL	5	7.5	15	
															23	PS3	51081	Ø, RT, JL	6	10.5	15	
															32	RT	75362	Ø, JL	6	8	15	
															38	RT	75521	Ø, JL	6	10.5	15	
															32	RT3	87186	Ø, JP, JL	6	8	15	
															38	RT3	87430	Ø, JP, JL	6	10.5	15	
															46	CL3	82575	Ø, RI, RL, RN	5	8	25	
		Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	2006														32	RT	33093	Ø, JL	6	8
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø, Ø, JL	12	14	20	
															38	RT	44563	Ø, JL	6	10.5	15	
															32	RT	44564	Ø, JL	6	8	15	
															23	PS3	51072	Ø, RT, JL	5	7.5	15	
															23	PS3	51081	Ø, RT, JL	6	10.5	15	
															32	RT	75362	Ø, JL	6	8	15	
															38	RT	75521	Ø, JL	6	10.5	15	
															32	RT3	87186	Ø, JP, JL	6	8	15	
															38	RT3	87430	Ø, JP, JL	6	10.5	15	
															46	CL3	82575	Ø, RI, RL, RN	5	8	25	
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	2006																32	RT	33093	Ø, JL	6	8
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø, Ø, JL	12	14	20	
															38	RT	44563	Ø, JL	6	10.5	15	
															32	RT	44564	Ø, JL	6	8	15	
															23	PS3	51072	Ø, RT, JL	5	7.5	15	
															23	PS3	51081	Ø, RT, JL	6	10.5	15	
															32	RT	75362	Ø, JL	6	8	15	
															38	RT	75521	Ø, JL	6	10.5	15	
															32	RT3	87186	Ø, JP, JL	6	8	15	
															38	RT3	87430	Ø, JP, JL	6	10.5	15	
															46	CL3	82575	Ø, RI, RL, RN	5	8	25	

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 RT = Round Tube
 CM = OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH3=Classic Hitch Class 3
 CL3=Class III
 ML=Max-E-Loader
 PM=Premium Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		GMC (Continued)																				
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	2006														32	RT	33093	Ø,JL	6	8	15	
																56	RT	37034	Ø	7	12	25
																51	RT	37069	Ø	5	7.5	25
																56	ML	41534	Ø	6	12	20
																65	UF	41932	Ø,Ø,JL	12	14	20
																38	RT	44563	Ø,JL	6	10.5	15
																32	RT	44564	Ø,JL	6	8	15
																23	PS3	51072	Ø,RT,JL	5	7.5	15
																23	PS3	51081	Ø,RT,JL	6	10.5	15
																32	RT	75362	Ø,JL	6	8	15
																38	RT	75521	Ø,JL	6	10.5	15
																32	RT3	87186	Ø,JP,JL	6	8	15
																38	RT3	87430	Ø,JP,JL	6	10.5	15
		Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	2006													46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	2006														32	RT	33093	Ø,JL	6	8	15	
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø,Ø,JL	12	14	20	
															38	RT	44563	Ø,JL	6	10.5	15	
															32	RT	44564	Ø,JL	6	8	15	
															23	PS3	51072	Ø,RT,JL	5	7.5	15	
															23	PS3	51081	Ø,RT,JL	6	10.5	15	
															32	RT	75362	Ø,JL	6	8	15	
															38	RT	75521	Ø,JL	6	10.5	15	
															32	RT3	87186	Ø,JP,JL	6	8	15	
															38	RT3	87430	Ø,JP,JL	6	10.5	15	
		Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	2006													46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007														32	RT	33093	Ø,JL	6	8	15	
															56	RT	37034	Ø	7	12	25	
															51	RT	37069	Ø	5	7.5	25	
															56	ML	41534	Ø	6	12	20	
															65	UF	41932	Ø,Ø,JL	12	14	20	
															38	RT	44563	Ø,JL	6	10.5	15	
															32	RT	44564	Ø,JL	6	8	15	
															23	PS3	51072	Ø,RT,JL	5	7.5	15	
															23	PS3	51081	Ø,RT,JL	6	10.5	15	
															32	RT	75362	Ø,JL	6	8	15	
															38	RT	75521	Ø,JL	6	10.5	15	
															32	RT3	87186	Ø,JP,JL	6	8	15	
															38	RT3	87430	Ø,JP,JL	6	10.5	15	
		Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	2007													46	CL3	82575	Ø,RL,RL,RN	5	8	25

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RL = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS		
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER			7-WAY ADAPTER	PC	IN
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL3=Class III
 ML=Max. E-Loader
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		GMC (Continued)																			
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	2007													32	RT	33093	Ø,JL	6	8	15	
															56	RT	37034	Ø	7	12	25
															51	RT	37069	Ø	5	7.5	25
															56	ML	41534	Ø	6	12	20
															65	UF	41932	Ø,Ø,JL	12	14	20
															38	RT	44563	Ø,JL	6	10.5	15
															32	RT	44564	Ø,JL	6	8	15
															23	PS3	51072	Ø,RT,JL	5	7.5	15
															23	PS3	51081	Ø,RT,JL	6	10.5	15
															32	RT	75362	Ø,JL	6	8	15
															38	RT	75521	Ø,JL	6	10.5	15
															32	RT3	87186	Ø,JP,JL	6	8	15
															38	RT3	87430	Ø,JP,JL	6	10.5	15
		Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	2007												46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007													32	RT	33093	Ø,JL	6	8	15	
														56	RT	37034	Ø	7	12	25	
														51	RT	37069	Ø	5	7.5	25	
														56	ML	41534	Ø	6	12	20	
														65	UF	41932	Ø,Ø,JL	12	14	20	
														38	RT	44563	Ø,JL	6	10.5	15	
														32	RT	44564	Ø,JL	6	8	15	
														23	PS3	51072	Ø,RT,JL	5	7.5	15	
														23	PS3	51081	Ø,RT,JL	6	10.5	15	
														32	RT	75362	Ø,JL	6	8	15	
														38	RT	75521	Ø,JL	6	10.5	15	
														32	RT3	87186	Ø,JP,JL	6	8	15	
														38	RT3	87430	Ø,JP,JL	6	10.5	15	
		Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	2007												46	CL3	82575	Ø,RL,RL,RN	5	8	25
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	2007													32	RT	33093	Ø,JL	6	8	15	
														56	RT	37034	Ø	7	12	25	
														51	RT	37069	Ø	5	7.5	25	
														56	ML	41534	Ø	6	12	20	
														65	UF	41932	Ø,Ø,JL	12	14	20	
														38	RT	44563	Ø,JL	6	10.5	15	
														32	RT	44564	Ø,JL	6	8	15	
														23	PS3	51072	Ø,RT,JL	5	7.5	15	
														23	PS3	51081	Ø,RT,JL	6	10.5	15	
														32	RT	75362	Ø,JL	6	8	15	
														38	RT	75521	Ø,JL	6	10.5	15	
														32	RT3	87186	Ø,JP,JL	6	8	15	
														38	RT3	87430	Ø,JP,JL	6	10.5	15	
		Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	2007												46	CL3	82575	Ø,RL,RL,RN	5	8	25

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RL = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RL = Short box models require relocation of spare tire.
 RN = Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.
 RT = Round Tube

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS		
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER			7-WAY ADAPTER	PC	IN
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5

H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CL3=Class III
 ML=Max. E-Loader
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW											
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN			
		GMC (Continued)																					
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007														47	PM	37044	†,HM,SA	6	12	60		
																47	ML	41544	HM,SA	6	12	20	
																64	UF	41939	Ø,@,CS,FS,LT	12	15	25	
																47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
																47	PR	44657	HM,SA	6	12	20	
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																30	PS3	51050	SA	5	10	20	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
																47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	2007														47	PM	37044	Ø,†,HM,SA	6	12	60		
															47	ML	41544	Ø,HM,SA	6	12	20		
																64	UF	41939	Ø,@,CS,FS,LT	12	15	25	
																47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
																47	PR	44657	Ø,HM,SA	6	12	20	
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																74	T5	45293	Ø,#,CS,FS,LT,TF	18	18	25	
																30	PS3	51050	SA	5	10	20	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	2007														47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20		
															47	PM	37044	Ø,†,HM,SA	6	12	60		
																47	ML	41544	Ø,HM,SA	6	12	20	
																64	UF	41939	Ø,@,CS,FS,LT	12	15	25	
																47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
																47	PR	44657	Ø,HM,SA	6	12	20	
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																74	T5	45293	Ø,#,CS,FS,LT,TF	18	18	25	
																30	PS3	51050	SA	5	10	20	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10														47	RT	75550	Ø,CS,FS,JL,LT	6	11	20		
															47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20		
																64	UF	41939	Ø,@,CS,FS,LT	12	15	25	
																47	RT	44577	Ø,CS,FS,JL,LT	6	11	20	
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
																47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
		Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10														64	UF	41939	Ø,@,CS,FS,LT	12	15	25
																	47	RT	44577	Ø,CS,FS,JL,LT	6	11	20
																72	T5	45022	Ø,#,CS,FS,LT,TF	13	17	25	
																74	T5	45293	Ø,#,CS,FS,LT,TF	18	18	25	
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
																47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	
Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10																64	UF	41939	Ø,@,CS,FS,LT	12	15	25
																	47	RT	44577	Ø,CS,FS,JL,LT	6	11	20
																		72	T5	45022	Ø,#,CS,FS,LT,TF	13	17
																21	PS3	51073	Ø,RT,CS,FS,JL,LT	5	7.5	20	
																47	RT	75550	Ø,CS,FS,JL,LT	6	11	20	
																47	RT3	87442	Ø,JP,CS,FS,JL,LT	6	11	20	

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 HM = Hitch crosstube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.

RT = Round Tube
 SA = Requires drilling on 6 ft. bed models.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	PU3					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 H=3 wire system with OEM standard 2 wire harness.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

ML =Max-E-Loader
 PM =Premium Receiver
 PR =Professional Receiver
 PS3 =Pro Series Class III
 RT =Round Tube
 RT3 =Round Tube Class III
 TS =Titan®
 UF =Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN		
		GMC (Continued)																				
Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10														64	UF	41939	Ø, @, CS, FS, LT	12	15	25	
																47	RT	44577	Ø, CS, FS, JL, LT	6	11	20
																72	T5	45022	Ø, #, CS, FS, LT, TF	13	17	25
																74	T5	45293	Ø, #, CS, FS, LT, TF	18	18	25
																21	PS3	51073	Ø, RT, CS, FS, JL, LT	5	7.5	20
																47	RT	75550	Ø, CS, FS, JL, LT	6	11	20
																47	RT3	87442	Ø, JP, CS, FS, JL, LT	6	11	20
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	07-11														32	RT	33093	Ø, JL	6	8	15	
															38	RT	44563	Ø, JL	6	10.5	15	
																32	RT	44564	Ø, JL	6	8	15
																23	PS3	51072	Ø, RT, JL	5	7.5	15
																23	PS3	51081	Ø, RT, JL	6	10.5	15
																32	RT	75362	Ø, JL	6	8	15
																38	RT	75521	Ø, JL	6	10.5	15
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-11														32	RT3	87186	Ø, JP, JL	6	8	15	
															38	RT3	87430	Ø, JP, JL	6	10.5	15	
																32	RT	33093	Ø, JL	6	8	15
																38	RT	44563	Ø, JL	6	10.5	15
																32	RT	44564	Ø, JL	6	8	15
																23	PS3	51072	Ø, RT, JL	5	7.5	15
																23	PS3	51081	Ø, RT, JL	6	10.5	15
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-11														32	RT	75362	Ø, JL	6	8	15	
															38	RT	75521	Ø, JL	6	10.5	15	
																32	RT3	87186	Ø, JP, JL	6	8	15
																38	RT3	87430	Ø, JP, JL	6	10.5	15
																32	RT	33093	Ø, JL	6	8	15
																38	RT	44563	Ø, JL	6	10.5	15
																32	RT	44564	Ø, JL	6	8	15
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	2011														23	PS3	51072	Ø, RT, JL	5	7.5	15	
															23	PS3	51081	Ø, RT, JL	6	10.5	15	
																32	RT	75362	Ø, JL	6	8	15
																38	RT	75521	Ø, JL	6	10.5	15
																32	RT3	87186	Ø, JP, JL	6	8	15
																38	RT3	87430	Ø, JP, JL	6	10.5	15
																38	RT3	87430	Ø, JP, JL	6	10.5	15
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	2011														65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20	
															57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20	
																78	T5	45300	#, CS, FS, HM, JL, KH, LT	18	18	60
																57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20
																57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20
																65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20
																57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	2011														78	T5	45300	#, CS, FS, HM, JL, KH, LT	18	18	60	
															57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20	
																57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20
																65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20
																57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
																78	T5	45300	#, CS, FS, HM, JL, KH, LT	18	18	60
																57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20
Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	2011														57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20	
															65	UF	41942	Ø, @, CS, FS, GP, JL, LT	15	16	20	
																57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20
																78	T5	45300	#, CS, FS, HM, JL, KH, LT	18	18	60
																57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20
																57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20
																57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 CS = Will fit with full-size spare tire stowed under vehicle.
 FS = Includes 2 & 4 WD models with heavy duty suspension.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 KH = Minor heat shield modification may be required.
 LT = Requires removal of factory hitch if equipped.

Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
GMC (Continued)																	
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
A	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 H=3 wire system with OEM standard 2 wire harness.

CL3 = Class III
 MF = Max Frame
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III
 TS = Titan®
 UF = Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		GMC (Continued)																				
Pickup, Sierra Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	2011													65	UF	41942	Ø, Ø, CS, FS, GP, JL, LT	15	16	20		
															57	PR	44653	Ø, CS, FS, GP, JL, LT	8	12	20	
															78	T5	45300	#, CS, FS, HM, JL, KH, LT	18	18	60	
															57	MF	75707	Ø, CS, FS, GP, JL, LT	8	12	20	
															57	CL3	87602	Ø, JP, CS, FS, GP, JL, LT	8	12	20	
Pickup, Sierra, Cab & Chassis 3500 Series w/34" Wide Frames (Classic)	01-07													39	UF	41936	Ø	12	15	30		
														60	UF	41938	Ø, CC	12	15	40		
														68	UF	41940	Ø	15	16	35		
Pickup, Sierra, Cab & Chassis 3500 HD w/34" Wide Frames (New Body Style)	07-11													39	UF	41936	Ø	12	15	30		
														60	UF	41938	Ø, CC	12	15	40		
														68	UF	41940	Ø	15	16	35		
S-15 & Sonoma Pickup w/Rear Fascia & No Step Bumper	83-84													45	CL3	82571	JR, RI, RK, RL	3.5	5	15		
S-15 & Sonoma Pickup w/Standard Box & Step Bumper	83-84							39	CH2	36248	Ø, GU, HM, RH	36071	35	45	PR	33053	Ø, GU	3.5	6	45		
								39	CH2	90624	Ø, GU, HM, RH	36071	35	52	MF	37152	CN, GU, SB	5	6	40		
														25	PS3	51107	Ø, GP, GU	3.5	6	40		
														45	MF	75051	Ø, GP, GU	3.5	6	40		
S-15 & Sonoma Pickup w/Rear Fascia & No Step Bumper	85-93													45	CL3	87525	Ø, GU	3.5	6	35		
														45	CL3	82571	JR, RI, RK, RL	3.5	5	15		
S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.	85-97							39	CH2	36248	Ø, GU, HM, RH	36071	35	45	PR	33053	Ø, GU	3.5	6	45		
								39	CH2	90624	Ø, GU, HM, RH	36071	35	52	MF	37152	CN, GU, SB	5	6	40		
														25	PS3	51107	Ø, GP, GU	3.5	6	40		
														45	MF	75051	Ø, GP, GU	3.5	6	40		
S-15 & Sonoma Pickup w/Rear Fascia & No Step Bumper	94-97													45	CL3	87525	Ø, GU	3.5	6	35		
														45	PR	33055	Ø, †	3.5	6	40		
														45	ML	41516	Ø, GP	3.5	6	40		
														21	PS3	51105	Ø, GP	3.5	6	40		
														45	CL3	82571	JR, RI, RK, RL	3.5	5	15		
S-15 & Sonoma Pickup w/Sportside Box & Non-Towing Bumper	96-97													45	MF	75085	Ø	3.5	6	40		
														45	CL3	87464	Ø, JP	3.5	6	40		
S-15 & Sonoma Pickup w/Rear Fascia & No Step Bumper	98-99													45	PR	33055	Ø, †	3.5	6	40		
														45	ML	41516	Ø, GP	3.5	6	40		
														21	PS3	51105	Ø, GP	3.5	6	40		
S-15 & Sonoma Pickup All, Except Sportside Box w/Non-Towing Bumper & Standard Box w/Rear Fascia	98-04													28	PS3	51063	CN, GP, GU	3.5	5	20		
S-15 & Sonoma Pickup w/Rear Fascia & No Step Bumper	98-04													45	CL3	82571	JR, RI, RK, RL	3.5	5	15		
S-15 & Sonoma Pickup w/Sportside Box & Non-Towing Bumper	98-04													45	MF	75085	Ø	3.5	6	40		
														45	CL3	87464	Ø, JP	3.5	6	40		
S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab	98-04							39	CH2	36248	Ø, GU, RH	36071	35	45	PR	33054	†, CN, GU	3.5	6	20		
								39	CH2	90624	Ø, GU, RH	36071	35	52	MF	37152	AF, CN, GU, ST	5	6	40		
														44	PR	44062	CN, GU	3.5	5	20		
														45	MF	75085	Ø	3.5	6	40		
														45	CL3	87464	Ø, JP	3.5	6	40		
S-15 Jimmy Downsize, All Models	1983													45	CL3	87525	Ø, GU, RM	3.5	6	35		
														42	PR	33014	Ø	3.5	6	60		
														42	CH3	75123	Ø	3.5	6	60		
														42	CH3	87501	Ø, JP	3.5	6	60		

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 AF = Hitch is ONLY rated for Weight Carrying at 3,500 lbs. GTW, 350 lbs. TW and DO NOT use w/Weight Distribution Spring Bars for this Specific Vehicle. Except for long bed pickups.
 CC = Requires minimum of 19" from end of frame rail to spring shackle bracket.
 CN = Requires OEM factory bumper for hitch installation.
 CS = Will fit with full-size spare tire stowed under vehicle.

FS = Includes 2 & 4 WD models with heavy duty suspension.
 GP = Hitch cross-tube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch cross-tube is visible beneath bumper.
 JL = Installation requires OEM bumper and brackets.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.

RH = Optional 36051 drawbar required (sold separately), except for models with ZR2 & Highrider package.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RK = Fits vehicles with factory and some aftermarket rollpans.
 RL = Short box models require relocation of spare tire.
 RM = Will not fit Extreme package.
 SB = Will not fit models with short bed.
 ST = Will not fit 2WD models with short bed.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
GMC (Continued)																	
H	PU3	E8	118384		5					119186	20250	20320 20143	20321 20125 20144	20224			
C	PU1,2									119186		20320 20143	20321 20125 20144	20224			
C	PU1,2									119186		20320 20143	20321 20125 20144	20224			
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3									119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 H=3 wire system with OEM standard 2 wire harness.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 TS=Titan®
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
		GMC (Continued)																		
S-15 Jimmy Downsize, 2 Dr.	84-91													42	PR	33014	Ø	3.5	6	60
															42	CH3	75123	Ø	3.5	6
S-15 Jimmy Downsize, 4 Dr.	84-91													42	CH3	87501	Ø,JP	3.5	6	60
															42	PR	33014	Ø	3.5	6
S-15 Jimmy Downsize, All Models	92-94													42	CH3	75123	Ø	3.5	6	60
															42	CH3	87501	Ø,JP	3.5	6
Safari Standard Body	85-94													42	PR	33014	Ø	3.5	6	60
														42	CH3	75123	Ø	3.5	6	60
															42	CH3	87501	Ø,JP	3.5	6
Safari Extended Body	90-05													51	PR	33057	Ø,CR,HM	3.5	6	45
														51	MF	75022	CR,HM	3.5	6	40
														51	CL3	87516	Ø,GP,HC	5	7.5	30
Savana Van Full Size	96-99													36	CH2	36197	Ø,CR,HM	36051	30	
														37	CH2	36198	Ø,GP,HC	36053	30	
														36	CH2	90216	Ø,CR,HM	36051	30	
														37	CH2	90231	Ø,GP,HC	36053	30	
														36	CH2	36197	Ø,CS,HM	36051	30	
Savana Van Full Size	00-02													37	CH2	36198	Ø,CS,GP	36053	30	
														36	CH2	90216	Ø,CS,HM	36051	30	
														37	CH2	90231	Ø,CS,GP	36053	30	
														51	PS3	51029	Ø,CS,GP	3.5	6	30
														51	MF	75122	Ø,CS,GP	3.5	6	30
Savana Van Full Size	2003													51	CL3	87516	Ø,CS,GP	5	7.5	30
														38	CH2	36206	Ø,HM	36053	15	
														38	CH2	90180	Ø,HM	36053	15	
														43	PM	37004	Ø,HM	5	10	20
														56	RT	37051	HM	5	6	35
														52	MF	37152	HM	5	6	30
														43	ML	41521	Ø,HM	6	10	15
														47	UF	41921	Ø,HM	10	12	35
														43	PR	44028	Ø,HM	5	10	30
														73	T5	45007	Ø,Ø,HM,TF	12	14	45
Savana Van Full Size	2003													29	PS3	51023	Ø,HM	5	10	15
														41	MF	75189	Ø,HM	5	7.5	15
														43	CL3	82580	Ø,JP,HM	6	10	15
														41	CL3	87180	Ø,JP,HM	5	7.5	15
														43	PM	37004	Ø,HM	5	10	20
														56	RT	37051	HM	5	6	35
														52	MF	37152	HM	5	6	30
														43	ML	41521	Ø,HM	6	10	15
														47	UF	41921	Ø,HM	10	12	35
														43	PR	44028	Ø,HM	5	10	30

= Titan hitches require use of a 2-1/2" shank Titan ball mount.
 @ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 AF = Hitch is ONLY rated for Weight Carrying at 3,500 lbs. GTW, 350 lbs. TW and DO NOT use w/Weight Distribution Spring Bars for this Specific Vehicle. Except for long bed pickups.
 CR = Fits with mini spare tire stowed under vehicle. Will not fit with full size spare.
 CS = Will fit with full-size spare tire stowed under vehicle.
 GP = Hitch crosstube concealed behind bumper.
 HC = Will not fit with mini or full size tire stowed under vehicle.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 TF = For 3/4 and 1 ton vehicles only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
GMC (Continued)																	
A	SUV6	E3	118318		20					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV4									119186	20250	20320 20143	20321 20125 20144	20224			
A	SUV4									119186	20250	20320 20143	20321 20125 20144	20224			
B	SUV3,4	E8	118335	HG	10	E1	118240	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3,4	E8	118377	HG	10	E1	118240	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV3,4	E5	118392		20	E1	118240	RD	5	119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 TS=Titan®
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
GMC (Continued)																
A	SUV3,4	E5	118392		20					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	PU3	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5	E1	118311		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5	E3	118312		5					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV6	E3	118319		5					119186	20252	20320 20143	20321 20125 20144	20224		
N,E	SUV1,2	E16	118494	CH	45							20320 20143	20321 20125 20144			
N,E	SUV1,2	E16	118494	CH	45							20320 20143	20321 20125 20144			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
		GMC (Continued)																		
Van, G-Series Full Size	87-95																			
Van, G-Series Vandura & Rally Full Size w/Lo-Mount Taillights	1996																			
Yukon Old Body Style	92-00																			
Yukon New Body Style w/Amber Turn Signals	00-02																			
Yukon New Body Style w/Amber Turn Signals	03-06																			
Yukon Denali Old Body Style	99-00																			

BF = Requires standard bumper. Will not fit with step bumper.
 CN = Requires OEM factory bumper for hitch installation.
 CV = Will not fit short wheel base with dual exhaust.
 HM = Hitch cras tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS		IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER			7-WAY ADAPTER	PC	
GMC (Continued)																	
A	SUV1,2	E4	118338		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV6	E3	118319		5					119186	20252	20320 20143	20321 20125 20144	20224			
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
A	SUV6	E3	118319		5					119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 H=3 wire system with OEM standard 2 wire harness.

CH3 = Classic Hitch Class 3
 CL3 = Class III
 MF = Max Frame
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver
 PS3 = Pro Series Class III

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
GMC (Continued)																	
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20264 22284	5
H	SUV6	E8	118384		5					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20263 22283	5
HONDA																	
B,F	PC3,4									119186	119146 & 118151						
B,F	PC3	E5	118336	HG	5					119186	119146 & 118151						
B	PC3	E5	118336	HG	5					119175	119130						
B	PC3	E11	118441	CG	10					119186	119130						
B	PC3	E11	118302	HG	10					119186	119130						

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 F=ModuLite® recommended.
 H=3 wire system with OEM standard 2 wire harness.
 HG=T-One incorporates taillight converter.

CH1=Classic Hitch Class 1
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS3=Pro Series Class III
 SF=Sportframe
 TS=Titan®

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		HONDA (Continued)																				
Accord 2 Dr.	06-07	34	SF	24787	Ø,HR,JR	3592	25															
		24	PS1	51167	Ø,HR,JR	3592	25															
		34	CL1	60953	Ø,HR,JR	3592	25															
Accord 4 Dr., Including Hybrid	06-07	34	SF	24787	Ø,HR,JR	3592	25															
		24	PS1	51167	Ø,HR,JR	3592	25															
		34	CL1	60953	Ø,HR,JR	3592	25															
Accord 2 Dr., 2.4L I4 Engine	08-10	25	SF	24806	Ø,HM,JR,KH	3593	30															
		21	SF	24834	Ø,HM,JR,KH	3593	30															
		21	CL1	60236	Ø,HM,JR,KH	3593	30															
		25	CL1	60892	Ø,HM,JR,KH	3593	30															
Accord 2 Dr., 3.5L V6 Engine	08-10	25	SF	24806	Ø,HM,JR,KH	3593	45															
		21	SF	24834	Ø,HM,JR,KH	3593	45															
		21	CL1	60236	Ø,HM,JR,KH	3593	45															
		25	CL1	60892	Ø,HM,JR,KH	3593	45															
Accord 4 Dr., 2.4L I4 Engine	08-10	25	SF	24806	Ø,HM,JR,KH	3593	30															
		21	SF	24834	Ø,HM,JR,KH	3593	30															
		21	CL1	60236	Ø,HM,JR,KH	3593	30															
		25	CL1	60892	Ø,HM,JR,KH	3593	30															
Accord 4 Dr., 3.5L V6 Engine	08-10	25	SF	24806	Ø,HM,JR,KH	3593	45															
		21	SF	24834	Ø,HM,JR,KH	3593	45															
		21	CL1	60236	Ø,HM,JR,KH	3593	45															
		25	CL1	60892	Ø,HM,JR,KH	3593	45															
Accord Crosstour All Models	2010	38	SF	24852	Ø,HM,JR,KH	3590	40															
		38	CL1	60268	Ø,HM,JR,KH	3590	40															
Civic 4 Dr.	92-98	32	SF	24677	Ø,EP	3593	15															
		32	CL1	60834	Ø,EP	3593	15															
Civic 2 Dr. Coupe	93-98	32	SF	24677	Ø	3593	15															
		32	CL1	60834	Ø	3593	15															
Civic 3 Dr. Hatchback	96-00	13	CH1	24822	X	3590	20															
		13	CH1	60935	X	3590	20															
Civic 2 & 4 Dr.	99-00	32	SF	24677	Ø	3593	15															
		32	CL1	60834	Ø	3593	15															
Civic 2 & 4 Dr.	01-05	35	SF	24706		3593	15															
		35	CL1	60867		3593	15															
Civic Si Models Only	02-05	23	SF	24719	TA	3593	30															
		23	CL1	60853	TA	3593	30															
Civic 2 Dr., Except Si Models	06-10	30	SF	24763	Ø,HM,JR	3593	30															
		21	PS1	51165	Ø,HM,JR	3593	30															
		30	CL1	60822	Ø,HM,JR	3593	30															
Civic 2 Dr., Si Models	06-10	30	SF	24763	Ø,HM,JR	3593	30															
		21	PS1	51165	Ø,HM,JR	3593	30															
		30	CL1	60822	Ø,HM,JR	3593	30															
Civic 4 Dr., Except Hybrid & Si Models	06-11	30	SF	24763	Ø,HM,JR	3593	30															
		21	PS1	51165	Ø,HM,JR	3593	30															
		30	CL1	60822	Ø,HM,JR	3593	30															
Civic 4 Dr., Si Models	06-11	30	SF	24763	Ø,HM,JR	3593	30															
		21	PS1	51165	Ø,HM,JR	3593	30															
		30	CL1	60822	Ø,HM,JR	3593	30															
Civic Hybrid	06-11	30	SF	24763	Ø,HM,JR	3593	30															
		21	PS1	51165	Ø,HM,JR	3593	30															
		30	CL1	60822	Ø,HM,JR	3593	30															
CR-V	97-01	20	SF	24790	Ø,RC	3591	20															
		20	CL1	60907	Ø,RC	3591	20															

EP = Fascia trimming required.
 HM = Hitch crosstube is visible beneath bumper.
 HR = Requires drilling of heat shields on V6 models.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 RC = Will not fit with rear sport bars.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
HONDA (Continued)																
N	PC3	E8	118436	HG	10											
B,LD	PC3	E11	118302	HG	10				119186	119130						
B	PC3,4	E14	118420	CG	15				119186	119130						
B	PC3,4	E14	118420	CG	15				119186	119130						
B,F	PC3,4	E14	118420	CG	15				119186	119146 & 118151						
B,F	PC3,4	E14	118420	CG	15				119186	119146 & 118151						
B,E	SUV3	E11	118500	CH	15				119186	119146 & 118151						
B,F	PC3,4								119186	119146 & 118151						
B,F	PC3,4								119186	119146 & 118151						
B	PC3,4								119175	119130						
B,F	PC3,4								119186	119146 & 118151						
B,F	PC3,4								119186	119146 & 118151						
B	PC3,4								119175	119130						
B	PC3,4	E12	118437	CG	10				119175	119130						
B	PC3,4								119175	119130						
B	PC3,4	E14	118420	CG	15				119175	119130						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	SUV3	E5	118336	HG	5				119175	119130						

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 LD=Vehicle has LED taillamps.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.

CH1=Classic Hitch Class 1
 CL1=Class 1
 PS1=Pro Series Class 1
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		HONDA (Continued)																			
CR-V	02-06	30	SF	24772	Ø, BY, JR	3593	20							35	PR	44643	Ø, BY, HM, JR	3.5			30
		16	PS1	51166	Ø, BY, JR	3593	20							35	MF	75690	Ø, BY, HM, JR	3.5			30
		30	CL1	60952	Ø, BY, JR	3593	20							35	CL3	87578	Ø, JP, BY, HM, JR	3.5			30
CR-V	07-11	26	SF	24792	Ø, JR	3592	20						44	RT	44575	Ø, HM, JR	3.5			25	
		12	PS1	51168	Ø, JR	3592	20						44	RT	75547	Ø, HM, JR	3.5			25	
		26	CL1	60869	Ø, JR	3592	20						44	RT3	87440	Ø, JP, HM, JR	3.5			25	
Element	03-04	22	SF	24720		3592	25						41	RT	44612	Ø	3.5			30	
		22	CL1	60278		3592	25						41	RT	75659	Ø	3.5			30	
		22	CL1	60985	Ø	3590	20						41	RT3	87506	Ø, JP	3.5			30	
Element All, Except SC	05-06	22	SF	24720		3592	25						41	RT	44612	Ø	3.5			30	
		22	CL1	60278		3592	25						41	RT	75659	Ø	3.5			30	
		22	CL1	60985	Ø	3590	20						41	RT3	87506	Ø, JP	3.5			30	
Element SC Models Only	05-06												41	RT	44612	Ø, EP	3.5			35	
													41	RT	75659	Ø, EP	3.5			35	
													41	RT3	87506	Ø, JP, EP	3.5			35	
Element All, Except SC	07-08	22	SF	24720		3592	25						41	RT	44612	Ø	3.5			30	
		22	CL1	60278		3592	25						41	RT	75659	Ø	3.5			30	
		22	CL1	60985	Ø	3590	20						41	RT3	87506	Ø, JP	3.5			30	
Element SC Models Only	07-10												41	RT	44612	Ø, EP	3.5			35	
													41	RT	75659	Ø, EP	3.5			35	
													41	RT3	87506	Ø, JP, EP	3.5			35	
Element All, Except SC	09-10	22	SF	24720		3592	25						41	RT	44612	Ø	3.5			30	
		22	CL1	60278		3592	25						41	RT	75659	Ø	3.5			30	
Fit All, Inc. Sport	07-08	21	SF	24776	Ø	3593	25														
		21	CL1	60847	Ø	3593	25														
Fit	09-10	27	SF	24826	Ø, HM	3593	25														
		27	CL1	60218	Ø, HM	3593	25														
Odyssey	95-98							39	CH2	36204	HM, JR	36051	30								
Odyssey	99-04							39	CH2	90184	HM, JR	36051	30								
								39	FH	36417	Ø, HM, JR	36071	20	41	RT	44174	Ø, HM, JR	3.5	5	15	
								39	CL2	90153	Ø, HM, JR	36071	20	31	PS3	51156	Ø, RT, HM, JR	3.5	5	15	
Odyssey	05-10													41	RT	75270	Ø, HM, JR	3.5	5	15	
														41	RT3	87479	Ø, JP, HM, JR	3.5	5	15	
								39	FH	36417	Ø, HM, JR	36071	20	41	RT	44174	Ø, HM, JR	3.5	5	15	
								39	CL2	90153	Ø, HM, JR	36071	20	31	PS3	51156	Ø, RT, HM, JR	3.5	5	15	
														41	RT	75270	Ø, HM, JR	3.5	5	15	
Odyssey	2011													41	RT3	87479	Ø, JP, HM, JR	3.5	5	15	
								39	FH	36417	Ø, HM, JR	36071	20	41	RT	44174	Ø, HM, JR	3.5	5	15	
								39	CL2	90153	Ø, HM, JR	36071	20	31	PS3	51156	Ø, RT, HM, JR	3.5	5	15	
														41	RT	75270	Ø, HM, JR	3.5	5	15	
														41	RT3	87479	Ø, JP, HM, JR	3.5	5	15	
Passport	94-97							35	CH2	36133	Ø	36051	30	40	PR	33040	Ø	5			45
								35	CH2	90500	Ø	36051	30	40	MF	75049	Ø	5			40
														40	CL3	87500	Ø	3.5	5	40	
Passport w/Door Mounted Spare	98-01							32	CH2	36247	Ø	36053	15	40	CH3	44621	Ø	3.5	5	15	
								32	CH2	90069	Ø	36053	15	40	CH3	75092	Ø	3.5	5	15	
														40	CH3	87473	Ø, JP	3.5	5	15	
Passport w/Under Vehicle Spare	98-02							38	CH2	36269	Ø, HM	36051	15	40	RT	33041	Ø	3.5	5	15	
								38	CH2	90498	Ø, HM	36051	15	40	RT3	70498	Ø	3.5	5	15	
														40	RT	75093	Ø	3.5	5	15	
Pilot	03-08													46	PR	44589	Ø, CS, GP, JR	3.5	5	30	
														29	PS3	51159	Ø, CS, GP, JR	3.5	5	30	
														46	MF	75599	Ø, CS, GP, JR	3.5	5	30	
														46	CL3	87454	Ø, JP, CS, GP, JR	3.5	5	30	

BY = Minor repositioning of muffler required.
 CS = Will fit with full-size spare tire stowed under vehicle.
 EP = Fascia trimming required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
HONDA (Continued)																
B	SUV3	E5	118336	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3	E8	118427	CG	45				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV2	E5	118336	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4	E14	118465	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4	E14	118465	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4	E14	118465	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	PC3,4	E14	118420	CG	15				119175	119130						
B	PC3,4	E14	118420	CG	15				119175	119130						
B	SUV3	E5	118336	HG	5				119175	119130						
B	SUV3	E5	118336	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3,4	E12	118438	CH	20				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E5	118331	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E17	118360	HG	15				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E17	118360	HG	15				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3	E5	118336	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 HG=T-One incorporates taillight converter.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		HONDA (Continued)																			
Prelude All Models	92-96	23	CH1	60234	Ø,†	3593	20														
Prelude All Models	97-00	23	CH1	60234	†	3593	20														
Prelude All Models	2001	23	CH1	60234	†	3593	20														
Ridgeline	06-11													49	RT	44528	Ø,JR		5	6	20
														34	PS3	51139	Ø,RT,JR		5	6	20
														49	RT3	70754	Ø,JR		5	6	20
														49	RT	75280	Ø,JR		5	6	20
HUMMER																					
H3	06-10													44	PR	44177	Ø		5	5	25
														44	MF	75382	Ø		5	5	25
														44	CL3	87406	Ø,JP		5	5	25
HYUNDAI																					
Accent All Models	95-99	21	CH1	24612	†	3593	30														
		21	CH1	60251	†	3593	30														
Accent All Models	00-05	43	CH1	24736	Ø	3593	20														
		43	CH1	60992	Ø	3593	20														
Accent 4 Dr. Sedan	06-11	40	CH1	24760	Ø	3590	20														
		40	CH1	60819	Ø	3590	20														
Accent 3 Dr. Hatchback Only	07-11	31	SF	24795	Ø,JR	3594	25														
		31	CL1	60872	Ø,JR	3594	25														
Azera All Models	06-11	42	CH1	24771	Ø,JR	3593	20														
		42	CH1	60837	Ø,JR	3593	20														
Elantra All Models	96-00	30	CH1	24646	TA	3593	30														
		30	CH1	60246	TA	3593	30														
Elantra All Models, Inc. GT	01-06	37	SF	24703	Ø,HM	3593	15														
		27	PS1	51162	Ø,HM	3593	15														
		37	CL1	60868	Ø,HM	3593	15														
Elantra 4 Dr. Sedan	07-10	31	SF	24795	Ø,JR,X	3594	25														
		31	CL1	60872	Ø,JR,X	3594	25														
Elantra Touring 5 Dr.	09-11	17	CH1	24844	Ø,GP,JR	3594	25														
		17	CH1	60260	Ø,GP,JR	3594	25														
Elantra 4 Dr. Sedan	2011	31	SF	24862	Ø,HM,JR	3593	15														
		31	CL1	60279	Ø,HM,JR	3593	15														
Entourage	07-09													46	RT	44537	Ø,JR		3.5	4	20
														46	RT3	70761	Ø,JP,JR		3.5	4	20
														46	RT	75421	Ø,JR		3.5	4	20
Genesis 4 Dr. Sedan	09-11							34	CH2	36486	HM,JR,KH	36065	60								
								34	CH2	90196	HM,JR,KH	36065	60								
Santa Fe	01-06													51	RT	33037	Ø,GP,JR		3.5		35
														51	RT	41543	Ø,GP,JR		3.5		35
														21	PS3	51088	Ø,RT,GP,JR		3.5		35
														51	RT3	87419	Ø,JP,GP,JR		3.5		35
Santa Fe	07-09													46	PR	44549	Ø		3.5		20
														34	PS3	51076	Ø		3.5		20
														46	MF	75471	Ø		3.5		20
														46	CL3	87414	Ø,JP		3.5		20
Santa Fe	2010													45	RT	44639	Ø,HM		3.5	5	15
														45	MF	75684	Ø,HM		3.5	5	15
														45	CL3	87574	Ø,JP,HM		3.5	5	15
Sonata	99-01		CH1	24707	Ø,†,JR	3593	15														
			CH1	60250	Ø,†,JR	3593	15														
Sonata	02-05	34	CH1	24713	Ø,HM	3593	15														
		34	CH1	60861	Ø,HM	3593	15														
Sonata	06-10	28	SF	24757	Ø,HM	3592	20														
		28	CL1	60816	Ø,HM	3592	20														

† = Available while supply lasts.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
HONDA (Continued)																	
B,F	PC3,4									119186	119146 & 118151						
B	PC3,4									119175	119130						
B	PC3,4	E5	118336	HG	5					119175	119130						
B	PU1,2	E15	118400	CG	10					119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20268 22288	5
HUMMER																	
A	SUV6					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224			
HYUNDAI																	
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC1,2									119175	119130						
B	PC1,2									119175	119130						
B,LD	PC3,4	E10	118413	HG	20					119186	119130						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC3,4	E12	118433	CG	10					119175	119130						
B	PC3,4	E11	118473	CG	15					119175	119130						
B	PC3,4									119175	119130						
B,E	SUV1,2	E19	118410	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
W	PC3,4	E15	118476	CH	15					119186	119146 & 118151						
B	SUV3,4	E11	118473	CG	15					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3,4	E12	118415	CG	20	E14	118258	CH	25	119175	119130	20320 20143	20321 20125 20144	20224			
B,F	SUV5	E12	118415	CG	20	E14	118258	CH	25	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC3,4	E12	118433	CG	10					119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 LD=Vehicle has LED taillamps.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL3=Class III
 MF=Max Frame
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		HYUNDAI (Continued)																			
Sonata All, Incl. GLS, SE & Limited	2011	38	SF	24853	Ø, HM, JR, KH	3593	30														
		38	CL1	60269	Ø, HM, JR, KH	3593	30														
Tiburon	03-08	29	SF	24726	TA	3592	45														
		29	CL1	60825	TA	3592	45														
Tucson	05-09							35	FH	36363	Ø, GP, JR	36051	25	35	PR	44582	Ø, GP, JR	3.5		25	
								26	PS2	51180	Ø, GP, JR	36051	25	35	MF	75561	Ø, GP, JR	3.5		25	
								35	CL2	90621	Ø, GP, JR	36051	25	35	CL3	87447	Ø, JP, GP, JR	3.5		25	
Tucson	10-11							31	FH	36495	Ø, GP	36051	15	29	PR	44642	Ø, GP	3.5	4	15	
								33	FH	36506	Ø, GP	36051	15	35	PR	44660	Ø, GP	3.5	4	15	
								31	CL2	90077	Ø, GP	36051	15	29	MF	75687	Ø, GP	3.5	4	15	
								33	CL2	90129	Ø, GP	36051	15	35	MF	75711	Ø, GP	3.5	4	15	
														29	CL3	87577	Ø, JP, GP	3.5	4	15	
														35	CL3	87605	Ø, GP, JR	3.5	4	15	
Veracruz	07-10													54	PR	44573	Ø, HM, JR	5	5	30	
														54	MF	75532	Ø, HM, JR	5	5	30	
														54	CL3	87439	Ø, JP, HM, JR	5	5	30	
INFINITI																					
FX35	03-08							57	CL2	90074	Ø, JR, X	36071	45								
FX35	09-10													42	CH3	44610	Ø	3.5		40	
														42	CH3	75657	Ø	3.5		40	
														42	CH3	87498	Ø, JP	3.5		40	
FX45	03-08							57	CL2	90074	Ø, JR, X	36071	45								
FX50	09-10													42	CH3	44610	Ø	3.5		40	
														42	CH3	75657	Ø	3.5		40	
														42	CH3	87498	Ø, JP	3.5		40	
G35 4 Dr. Sedan	07-08	12	SF	24831	EP, GP	3593	45														
		12	CL1	60221	EP, GP	3593	45														
G37 4 Dr. Sedan	09-10	12	SF	24831	EP, GP	3593	45														
		12	CL1	60221	EP, GP	3593	45														
I30	95-99	38	SF	24686	TA	3593	30														
I30	00-01	38	SF	24686	TA	3592	30														
I35	02-04	38	SF	24686	TA	3592	30														
QX4	97-03							42	FH	36222	Ø, HM	36071	20	46	RT	33050	Ø	5	5.5	20	
								42	CL2	90177	Ø, HM	36071	20	46	PR	44132	Ø	5	5.5	20	
														32	PS3	51046	Ø, HM	5	5.5	20	
														46	RT3	70609	Ø, JP	5	5.5	20	
														46	RT	75077	Ø	5	5.5	20	
QX56	04-07													45	RT	37091	Ø	6	10	15	
														45	RT	41550	Ø	6	10	15	
														45	RT3	70611	Ø	6	10	15	
INTERNATIONAL																					
Pickup, Full Size	69-75													40	PR	33065	FP	5	8	30	
														42	PM	37087	FP	6	10	45	
														42	ML	41001	FP	6	10	40	
														40	MF	75034		5	8	30	
														40	CL3	87034		5	8	30	
Pickup, Full Size w/Deep Drop Bumper	69-75													60	PM	37081	M	5	10	45	
														60	ML	41504	M	5	10	40	
														51	PS3	51104	M	5	10	40	
														60	CL3	87480	JP, M	5	10	40	
ISUZU																					
Amigo w/Door Mounted Spare	98-00							32	CH2	36247	Ø	36053	15								
								32	CH2	90069	Ø	36053	15								

† = Available while supply lasts.
 EP = Fascia trimming required.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 M = Will fit with heavy-duty suspension.
 Ø = Uses all existing holes, no drilling required.

TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
HYUNDAI (Continued)																	
B	PC3,4	E12	118433	CG	10					119175	119130						
B	PC3,4									119175	119130						
B	SUV1,2	E16	118397	CG	30					119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E18	118501	CH	30					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV7	E13	118429	CH	20	E12	118250		5	119175	119130	20320 20143	20321 20125 20144	20224			
INFINITI																	
D B,E	SUV3,4	E17	118477	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
D B,E	SUV3,4	E17	118477	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
W	PC3,4	E15	118480	CH	45					119186	119146 & 118151						
W	PC3,4	E15	118480	CH	45					119186	119146 & 118151						
E B B B	PC3,4 PC3,4 PC3,4 SUV1,2	E8	118361	HG	20					119186 119175 119175 119175	119146 & 118151 119130 119130 119130						
H	SUV6					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
INTERNATIONAL																	
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224			
ISUZU																	
B	SUV1,2	E17	118360	HG	15					119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 D=See auto dealer for trailer tow wiring kit.
 E=ModuLite® required.
 H=3 wire system with OEM standard 2 wire harness.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III

RECEIVER HITCH APPLICATION GUIDE

ISUZU

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		ISUZU (Continued)																			
Axiom w/Under Vehicle Spare	02-03													40	RT	33041		3.5	5	20	
														40	RT3	70498	Ø	3.5	5	15	
														40	RT	75093		3.5	5	20	
Hombre w/Rear Fascia & No Step Bumper	96-97													45	PR	33055	Ø,†	3.5	6	40	
														45	ML	41516	Ø,GP	3.5	6	40	
														21	PS3	51105	Ø,GP	3.5	6	40	
														45	CL3	82571	JR,RI,RK,RL	3.5	5	15	
Hombre w/Step Bumper	96-97						39	CH2	36248	Ø,GU,HM,RH		36071	35	45	PR	33053	Ø,GU	3.5	6	45	
							39	CH2	90624	Ø,GU,HM,RH		36071	35	25	PS3	51107	Ø,GP,GU	3.5	6	40	
														45	MF	75051	Ø,GP,GU	3.5	6	40	
														45	CL3	87525	Ø,GU	3.5	6	35	
Hombre w/Rear Fascia & No Step Bumper	98-00													45	PR	33055	Ø,†	3.5	6	40	
														45	ML	41516	Ø,GP	3.5	6	40	
														21	PS3	51105	Ø,GP	3.5	6	40	
														45	CL3	82571	JR,RI,RK,RL	3.5	5	15	
Hombre w/Step Bumper	98-00						39	CH2	36248	Ø,GU,RH		36071	35	45	PR	33054	†,CN,GU	3.5	6	20	
							39	CH2	90624	Ø,GU,RH		36071	35	52	MF	37152	AF,CN,GU,ST	5	6	40	
														44	PR	44062	CN,GU	3.5	5	20	
														28	PS3	51063	CN,GP,GU	3.5	5	20	
														45	MF	75085	Ø	3.5	6	40	
														45	CL3	87464	Ø,JP	3.5	6	40	
														45	CL3	87525	Ø,GU	3.5	6	35	
Oasis	96-99						39	CH2	36204	HM,JR		36051	30								
							39	CH2	90184	HM,JR		36051	30								
Pickup I-Series All Models	06-07													41	PR	44593	Ø,GP	6	7.5	25	
														21	PS3	51074	Ø,GP	6	7.5	25	
														41	MF	75607	Ø,GP	6	7.5	25	
														41	CL3	87458	Ø,JP,GP	6	7.5	25	
Pickup I-Series All Models	2008													41	PR	44593	Ø,GP	6	7.5	25	
														21	PS3	51074	Ø,GP	6	7.5	25	
														41	MF	75607	Ø,GP	6	7.5	25	
														41	CL3	87458	Ø,JP,GP	6	7.5	25	
Rodeo	1991						35	CH2	36133	Ø		36051	30	40	PR	33040	Ø	5	45		
							35	CH2	90500	Ø		36051	30	40	MF	75049	Ø	5	40		
														40	CL3	87500	Ø	3.5	5	40	
Rodeo	92-97						35	CH2	36133	Ø		36051	30	40	PR	33040	Ø	5	45		
							35	CH2	90500	Ø		36051	30	40	MF	75049	Ø	5	40		
														40	CL3	87500	Ø	3.5	5	40	
Rodeo w/Door Mounted Spare	98-01						32	CH2	36247	Ø		36053	15	40	CH3	44621	Ø	3.5	5	15	
							32	CH2	90069	Ø		36053	15	40	CH3	75092	Ø	3.5	5	15	
														40	CH3	87473	Ø,JP	3.5	5	15	
Rodeo w/Under Vehicle Spare & Except Models Equipped w/3.5L	98-04						38	CH2	36269	Ø,HM		36051	15	40	RT	33041	Ø	3.5	5	15	
							38	CH2	90498	Ø,HM		36051	15	40	RT3	70498	Ø	3.5	5	15	
														40	RT	75093	Ø	3.5	5	15	
Rodeo Sport 2 Dr., w/Door Mounted Spare	01-03						32	CH2	36247	Ø		36053	15								
							32	CH2	90069	Ø		36053	15								
Trooper All Models	92-02						35	CH2	36166	Ø		36071	30	51	PR	33043	HM	5	7.5	45	
							35	CH2	90064	Ø		36071	30	51	CH3	75043	JP,HM	5	7.5	40	
														51	CH3	87544		5	7.5	40	

† = Available while supply lasts.
 AF = Hitch is ONLY rated for Weight Carrying at 3,500 lbs. GTW, 350 lbs. TW and DO NOT use w/Weight Distribution Spring Bars for this Specific Vehicle. Except for long bed pickups.
 CN = Requires OEM factory bumper for hitch installation.
 GP = Hitch crosstube concealed behind bumper.
 GU = Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.

Ø = Uses all existing holes, no drilling required.
 RH = Optional 36051 drawbar required (sold separately), except for models with ZR2 & Highrider package.
 RI = Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
 RK = Fits vehicles with factory and some aftermarket rollpans.
 RL = Short box models require relocation of spare tire.
 ST = Will not fit 2WD models with short bed.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
ISUZU (Continued)																
B	SUV1,2	E17	118360	HG	15				119175	119130	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E3	118312		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5				119186	20252	20320 20143	20321 20125 20144	20224			
A	PU3	E4	118359		5				119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV3	E5	118336	HG	5				119175	119130						
B	PU3	E9	118301	CG	10				119175 118175 119175	119130	20320 20143	20321 20125 20144	20224 20024 20224			
B	PU3	E9	118301	CG	10				119175 118175 119175	119130	20320 20143	20321 20125 20144	20224 20024 20224			
B	SUV1,2								119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E5	118331	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E17	118360	HG	15				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E17	118360	HG	15				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E17	118360	HG	15				119175	119130						
B	SUV5	E5	118339	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 HG=T-One incorporates taillight converter.

CH2 = Classic Hitch Class 2
 CH3 = Classic Hitch Class 3
 CL3 = Class III
 MF = Max Frame
 ML = Max-E-Loader
 PR = Professional Receiver
 PS3 = Pro Series Class III
 RT = Round Tube
 RT3 = Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		JEEP																			
Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	84-90						38	CH2	36260	Ø,GP	36071	30	44	PR	33002		3.5	5.5	45		
							38	CH2	90182	Ø,GP	36071	30	52	MF	37152		5	6	35		
														44	PR	44088		3.5	5	40	
														28	PS3	51001		3.5	5	40	
														44	MF	75054	GP	3.5	5.5	40	
Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	91-96						38	CH2	36260	Ø,GP	36071	30	44	PR	33002		3.5	5.5	45		
							38	CH2	90182	Ø,GP	36071	30	52	MF	37152		5	6	35		
														44	PR	44088		3.5	5	40	
														28	PS3	51001		3.5	5	40	
														44	MF	75054	GP	3.5	5.5	40	
Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	97-01						38	CH2	36260	Ø,GP	36071	30	44	PR	33002		3.5	5.5	45		
							38	CH2	90182	Ø,GP	36071	30	52	MF	37152		5	6	45		
														44	PR	44088		3.5	5	40	
														28	PS3	51001		3.5	5	40	
														44	MF	75054	GP	3.5	5.5	40	
CJ-5 Except w/Optional 20 Gallon Gas Tank	76-86												44	CL3	87591	JP,GP	3.5	5.5	40		
CJ-7 Except w/Optional 20 Gallon Gas Tank	76-86											34	CL3	87001		3.5		15			
Commander	06-10						21	CH2	36362	Ø	36051	20	28	PR	33095	Ø	5	7.5	20		
							21	CH2	90114	Ø	36051	20	17	PS3	51149	Ø	5	7.5	20		
													28	MF	75338	Ø	5	7.5	20		
Compass	07-10						29	FH	36423	Ø,GP	36061	15	28	CL3	87752	Ø,JP	5	7.5	20		
							29	FH	36423	Ø,GP	36061	15	34	PR	44555	Ø,GP	3.5		15		
							29	CL2	90156	Ø,GP	36061	15	21	PS3	51085	Ø,GP	3.5		15		
													34	MF	75513	Ø,GP	3.5		15		
Compass Rallye Edition	07-10						29	FH	36423	Ø,EP,GP	36061	30	34	PR	44555	Ø,EP,GP	3.5		30		
							29	CL2	90156	Ø,EP,GP	36061	30	21	PS3	51085	Ø,EP,GP	3.5		30		
													34	MF	75513	Ø,EP,GP	3.5		30		
Grand Cherokee	1993						40	FH	36163	Ø	36071	30	34	CL3	87422	Ø,JP,EP,GP	3.5		30		
													44	PR	33006	Ø	3.5	5	45		
													52	MF	37152		5	6	35		
													44	PR	44093	Ø	3.5	5	20		
													29	PS3	51010	Ø	3.5	5	20		
Grand Cherokee	94-98						40	FH	36163	Ø	36071	30	44	MF	75041	Ø	5	7.5	40		
													44	CL3	87567	Ø	5	7.5	35		
													44	PR	33006	Ø	3.5	5	45		
													52	MF	37152		5	6	35		
													44	PR	44093	Ø	3.5	5	20		
Grand Cherokee	1999						41	CH2	36276	Ø	36051	15	44	PR	44092	Ø	3.5	5	20		
							41	CH2	90062	Ø	36051	15	29	PS3	51059	Ø	3.5	5	15		
													45	RT3	70594	Ø	5	7.5	20		
													45	MF	75139	Ø	5	7.5	15		
													45	CL3	87601	Ø,JP	5	7.5	15		

EP = Fascia trimming required.
 GP = Hitch crosstube concealed behind bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
JEEP																	
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3	E9	118330	HG	20					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3	E7	118354	HG	20					119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV5,7									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV5,7									119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E16	118408	CG	15	E3	118381	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E18	118428	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E18	118428	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4	E16	118348	GC	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4	E16	118349	GC,JM	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4	E10	118369	GC	10					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 GC=T-One is equipped with ModuLite® Lite module.
 HG=T-One incorporates taillight converter.
 JM=Some early production 1994 models may require #118348.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC WD	IN	
		JEEP (Continued)																		
Grand Cherokee	00-04						41	CH2	36276	Ø		36051	15	45	PR	33018	Ø,EP	5	7.5	75
							41	CH2	90062	Ø		36051	15	44	PR	44092	Ø	3.5	5	20
														29	PS3	51059	Ø	3.5	5	15
														45	RT3	70594	Ø	5	7.5	20
														45	MF	75139	Ø	5	7.5	15
Grand Cherokee All, Except SRT-8 & Models w/OEM Tow Hook	05-06						21	CH2	36362	Ø		36051	20	28	PR	33095	Ø	5	7.5	20
							21	CH2	90114	Ø		36051	20	17	PS3	51149	Ø	5	7.5	20
													28	MF	75338	Ø	5	7.5	20	
Grand Cherokee Models w/OEM Tow Hook	05-06						21	CH2	36362	Ø,AI		36051	90	28	PR	33095	Ø,AI	5	7.5	90
							21	CH2	90114	Ø,AI		36051	90	17	PS3	51149	Ø,AI	5	7.5	90
													28	MF	75338	Ø,AI	5	7.5	90	
Grand Cherokee All, Except SRT-8 & Models w/OEM Tow Hook	07-10						21	CH2	36362	Ø		36051	20	28	PR	33095	Ø	5	7.5	20
							21	CH2	90114	Ø		36051	20	17	PS3	51149	Ø	5	7.5	20
													28	MF	75338	Ø	5	7.5	20	
Grand Cherokee Models w/OEM Tow Hook	07-10						21	CH2	36362	Ø,AI		36051	90	28	PR	33095	Ø,AI	5	7.5	90
							21	CH2	90114	Ø,AI		36051	90	17	PS3	51149	Ø,AI	5	7.5	90
													28	MF	75338	Ø,AI	5	7.5	90	
Grand Cherokee All, Except Models w/OEM Tow Hook	2011												28	CL3	87752	Ø,JP,AI	5	7.5	90	
													29	PR	44650	Ø,GP	5	7.5	20	
													19	PS3	51195	Ø,GP	5	7.5	20	
Grand Cherokee Models w/OEM Tow Hook	2011												29	MF	75699	Ø,GP	5	7.5	20	
													29	CL3	87595	Ø,JP,GP	5	7.5	20	
													29	PR	44650	Ø,AI,GP	5	7.5	40	
Grand Wagoneer	1993						40	FH	36163	Ø		36071	30	44	PR	33006	Ø	3.5	5	45
													44	PR	44093	Ø	3.5	5	20	
													29	PS3	51010	Ø	3.5	5	20	
Liberty	02-07												44	MF	75041	Ø	5	7.5	40	
													44	CL3	87567	Ø	5	7.5	35	
							41	FH	36303	Ø,GP		36071	15	45	PM	37053	Ø,GP	4	5	20
													52	MF	37152	Ø	5	6	35	
													45	PR	44082	Ø,GP	5	7.5	20	
Liberty	08-11												21	PS3	51054	Ø,GP	5	7.5	20	
													45	MF	75128	Ø,GP	5	7.5	15	
													45	CL3	87006	Ø,JP,GP	5	7.5	15	
							37	CH2	36451	Ø,HM		36071	15	45	RT	44585	Ø,HM	5	7.5	20
							37	CH2	90168	Ø,HM		36071	15	45	RT	75578	Ø,HM	5	7.5	20
Patriot	2007						29	FH	36423	Ø,GP		36061	15	34	PR	44555	Ø,GP	3.5	15	
							29	CL2	90156	Ø,GP		36061	15	21	PS3	51085	Ø,GP	3.5	15	
													34	MF	75513	Ø,GP	3.5	15		
Patriot	08-11												34	CL3	87422	Ø,JP,GP	3.5	15		
							29	FH	36423	Ø,GP		36061	15	34	PR	44555	Ø,GP	3.5	15	
							29	CL2	90156	Ø,GP		36061	15	21	PS3	51085	Ø,GP	3.5	15	
Scrambler Except w/Optional 20 Gallon Gas Tank	81-86												34	MF	75513	Ø,GP	3.5	15		
													34	CL3	87422	Ø,JP,GP	3.5	15		
													34	CL3	87001	Ø	3.5	15		

AI = Additional installation time required.
 EP = Fascia trimming required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.

Draw-Title Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
JEEP (Continued)																	
B,E	SUV3,4	E10	118369	GC	10	E3	118381	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E17	118394	CG	20	E3	118381	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E17	118394	CG	20	E3	118381	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E7	118425		20	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E7	118425		20	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E7	118425		20					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E7	118425		20					119186	20252	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4	E16	118348	GC	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E10	118382	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E19	118455	CH	30					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	SUV1,2	E18	118428	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A,F	SUV1,2	E16	118446	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	PU1,2									119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 GC=T-One is equipped with ModuLite® Lite module.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH2=Classic Hitch Class 2
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PM=Premium Receiver
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW						
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000		
																		WC	WD	IN
JEEP (Continued)																				
TJ Canada	1997	30	CH1	24631	Ø,DA	3590	15	32	FH	36238	Ø	36071	15	35	RT	33036	Ø,HM,TD	4	15	
		30	CH1	60860	Ø,DA	3590	15							43	ML	41531	Ø	3.5	15	
														35	RT	44565	Ø,HM	4	15	
														25	PS3	51145	Ø,RT,HM	4	15	
														35	RT	75193	Ø,HM,TD	4	15	
														43	CL3	87002	Ø	3.5	20	
														35	RT3	87431	Ø,JP,HM	4	15	
TJ Canada	98-06	30	CH1	24631	Ø,DA	3590	15	32	FH	36238	Ø	36071	15	35	RT	33036	Ø,HM,TD	4	15	
		30	CH1	60860	Ø,DA	3590	15							43	ML	41531	Ø	3.5	15	
														35	RT	44565	Ø,HM	4	15	
														25	PS3	51145	Ø,RT,HM	4	15	
														35	RT	75193	Ø,HM,TD	4	15	
														43	CL3	87002	Ø	3.5	20	
														35	RT3	87431	Ø,JP,HM	4	15	
Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)	84-90							38	CH2	36260	Ø,GP	36071	30	44	PR	33002		3.5	5.5	45
								38	CH2	90182	Ø,GP	36071	30	44	PR	44088		3.5	5	40
														28	PS3	51001		3.5	5	40
														44	MF	75054	GP	3.5	5.5	40
														44	CL3	87591	JP,GP	3.5	5.5	40
Wrangler	87-90	41	SF	24557		3590	30							43	CL3	87002		3.5	20	
Wrangler All, Except Renegade	91-95													43	CL3	87002		3.5	20	
Wrangler All, Inc. Renegade	91-95	41	SF	24557		3590	30													
Wrangler	1997	30	CH1	24631	Ø,DA	3590	15	32	FH	36238	Ø	36071	15	35	RT	33036	Ø,HM,TD	4	15	
		30	CH1	60860	Ø,DA	3590	15							43	ML	41531	Ø	3.5	15	
														35	RT	44565	Ø,HM	4	15	
														25	PS3	51145	Ø,RT,HM	4	15	
														35	RT	75193	Ø,HM,TD	4	15	
														43	CL3	87002	Ø	3.5	20	
														35	RT3	87431	Ø,JP,HM	4	15	
Wrangler All, Inc. Unlimited	98-06	30	CH1	24631	Ø,DA	3590	15	32	FH	36238	Ø	36071	15	35	RT	33036	Ø,HM,TD	4	15	
		30	CH1	60860	Ø,DA	3590	15							43	ML	41531	Ø	3.5	15	
														35	RT	44565	Ø,HM	4	15	
														25	PS3	51145	Ø,RT,HM	4	15	
														35	RT	75193	Ø,HM,TD	4	15	
														35	RT3	87431	Ø,JP,HM	4	15	
Wrangler Except Unlimited	98-06													43	CL3	87002	Ø	3.5	20	
Wrangler Unlimited, 4 Dr.	07-10							30	FH	36424	Ø	36071	20	34	PR	44557	Ø	3.5	4	20
								30	CL2	90157	Ø	36071	20	19	PS3	51077	Ø	3.5	4	20
														34	MF	75515	Ø	3.5	4	20
														34	CL3	87424	Ø,JP	3.5	4	20
Wrangler	07-11							30	FH	36424	Ø	36071	20	34	PR	44557	Ø	3.5	4	20
								30	CL2	90157	Ø	36071	20	19	PS3	51077	Ø	3.5	4	20
														34	MF	75515	Ø	3.5	4	20
														34	CL3	87424	Ø,JP	3.5	4	20
YJ Canada	87-90	41	SF	24557		3590	30							43	CL3	87002		3.5	20	

DA = Will not fit with tube style bumper.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TD = Hitches without electrical bracket are rated at 350/3500 WC & No WD.
 Hitch with electrical bracket rated at 400/4000 WC & No WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
JEEP (Continued)																
A	SUV5,7	E5	118356		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5,7	E7	118409		15					119186	20252	20320 20143	20321 20125 20144	20224		
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224		
A	SUV5,7									119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5,7	E5	118356		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5,7	E5	118356		10					119186	20252					
A	SUV5,7	E5	118356		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5,7	E7	118409		15					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5,7	E7	118409		15					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1	E5	118416		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV1	E5	118416		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	SUV5,7									119186	20252	20320 20143	20321 20125 20144	20224		

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN		
		JEEP (Continued)																					
YJ Canada	91-95	41	SF	24557		3590	30											43	CL3	87002		3.5	20
KIA																							
Amanti	04-06							51	CH2	36415	Ø, HM, JR, SC	36071	40										
Amanti	07-09							51	CH2	90151	Ø, HM, JR, SC	36071	40										
Amanti	07-09							24	CH2	36465	Ø, HM, JR	36061	20										
Amanti	07-09							24	CH2	90170	Ø, HM, JR	36061	20										
Forte 4 Dr. Sedan, All Models	2010	30	SF	24846	Ø, HM, JR	3594	20																
Forte 4 Dr. Sedan, All Models	2010	30	CL1	60262	Ø, HM, JR	3594	20																
Magentis Canada Only	01-04	44	CH1	24709	Ø	3593	15																
Magentis Canada Only	01-04	44	CH1	60244	Ø	3593	15																
Magentis Canada Only	06-10	35	CH1	24778	Ø, HM, JR	3594	20																
Magentis Canada Only	06-10	35	CH1	60848	Ø, HM, JR	3594	20																
Optima	01-06	44	CH1	24709	Ø	3593	15																
Optima	01-06	44	CH1	60244	Ø	3593	15																
Optima New Body Style (App. starts with 2006-1/2)	06-08	35	CH1	24778	Ø, HM, JR	3594	20																
Optima New Body Style (App. starts with 2006-1/2)	06-08	35	CH1	60848	Ø, HM, JR	3594	20																
Optima	09-10	35	CH1	24778	Ø, HM, JR	3594	20																
Optima	09-10	35	CH1	60848	Ø, HM, JR	3594	20																
Rio All, Inc. Cinco	02-05	36	SF	24727	TA	3594	20																
Rio 4 Dr. Sedan	06-11	40	CH1	24760	Ø	3590	20																
Rio 4 Dr. Sedan	06-11	40	CH1	60819	Ø	3590	20																
Rio 5 5 Dr. Hatchback Only	06-11	31	SF	24795	Ø, JR, X	3594	25																
Rio 5 5 Dr. Hatchback Only	06-11	31	CL1	60872	Ø, JR, X	3594	25																
Rondo	07-10	30	SF	24797	Ø, GP, JR	3594	30																
Rondo	07-10	30	CL1	60874	Ø, GP, JR	3594	30																
Sedona	02-05							48	FH	36305		36071	20	51	RT	33062		5	5.5	30			
Sedona	02-05													51	CH3	75131		5	5.5	30			
Sedona	02-05													51	CH3	87550	JP	5	5.5	30			
Sedona 118.9" Long Wheelbase Only	06-11													46	RT	44537	Ø, JR	3.5	4	20			
Sedona 118.9" Long Wheelbase Only	06-11													46	RT3	70761	Ø, JP, JR	3.5	4	20			
Sedona 118.9" Long Wheelbase Only	06-11													46	RT	75421	Ø, JR	3.5	4	20			
Sedona 113.8" Short Wheelbase Only	07-10													46	CH3	44578	HM, JR	3.5	4	25			
Sedona 113.8" Short Wheelbase Only	07-10													46	CH3	75551	HM, JR	3.5	4	25			
Sedona 113.8" Short Wheelbase Only	07-10													46	CH3	87443	JP, HM, JR	3.5	4	25			
Sorento	03-06													37	RT	44558	Ø, HM	5	5	15			
Sorento	03-06													26	PS3	51082	Ø, RT, HM	5	5	15			
Sorento	03-06													37	RT	75516	Ø, HM	5	5	15			
Sorento	03-06													37	RT3	87425	Ø, JP, HM	5	5	15			
Sorento	07-09													37	RT	44558	Ø, HM	5	5	15			
Sorento	07-09													26	PS3	51082	Ø, RT, HM	5	5	15			
Sorento	07-09													37	RT	75516	Ø, HM	5	5	15			
Sorento	07-09													37	RT3	87425	Ø, JP, HM	5	5	15			
Sorento All, Except SX V6	2011													45	RT	44639	Ø, HM	3.5	5	15			
Sorento All, Except SX V6	2011													45	MF	75684	Ø, HM	3.5	5	15			
Sorento All, Except SX V6	2011													45	CL3	87574	Ø, JP, HM	3.5	5	15			
Sorento SX V6	2011													45	RT	44639	Ø, HM	3.5	5	15			
Sorento SX V6	2011													45	MF	75684	Ø, HM	3.5	5	15			
Sorento SX V6	2011													45	CL3	87574	Ø, JP, HM	3.5	5	15			
Soul	10-11	18	SF	24839	Ø, GP, JR	3593	40																
Soul	10-11	18	CL1	60256	Ø, GP, JR	3593	40																
Spectra Except SpectraS	05-09	35	CH1	24743	Ø, JR	3593	20																
Spectra Except SpectraS	05-09	35	CH1	60996	Ø, JR	3593	20																

GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 SC = Minor trimming of plastic trunk pan required.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

K

KIA

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
JEEP (Continued)																
A	SUV,7	E5	118356		10					119186	20252	20320 20143	20321 20125 20144	20224		
KIA																
B	PC3,4									119175	119130					
B	PC3,4	E10	118453	HG	10					119175	119130					
B	PC3,4	E12	118415	CG	20					119175	119130					
B	PC3,4									119175	119130					
B	PC3,4									119175	119130					
B	PC3,4									119175	119130					
A	PC3,4	E7	118452		10					119186	20252					
B	PC3,4	E12	118433	CG	10					119186	20252					
B	PC3,4									119175	119130					
B	PC1,2									119175	119130					
B	PC3,4									119175	119130					
B	SUV1,2	E14	118431	CG	15					119175	119130					
B	SUV1,2	E8	118309	HG	25					119175	119130	20320 20143	20321 20125 20144	20224		
B,E	SUV1,2	E19	118410	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224		
B,E	SUV1,2	E19	118410	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224		
B	SUV7	E7	118307	HG	5					119175	119130	20320 20143	20321 20125 20144	20224		
B,F	SUV7					E12	118250	CH,RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224		
B,E	SUV1,2	E23	118506	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224		
W	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224		
B	SUV1,2	E14	118431	CG	15					119175	119130					
B	PC3,4									119175	119130					

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW					
		REC HITCH		FOOTNOTES	DRAW BAR		IN	REC HITCH		FOOTNOTES	DRAW BAR		IN	REC HITCH		FOOTNOTES	X 1,000		IN
		PC	TYPE		PART #	PC		TYPE	PART #		PC	TYPE		PART #	WC		WD		
KIA (Continued)																			
Sportage 2 & 4 Dr.	95-97							36	FH	36266	HM	36051	20						
								36	CL2	90186	HM	36051	20						
Sportage 2 & 4 Dr.	98-02							36	FH	36266	HM	36051	20						
								36	CL2	90186	HM	36051	20						
Sportage 4 Cyl. Models	05-10							35	FH	36363	Ø,GP,JR	36051	25	35	PR	44582	Ø,GP,JR	3.5	25
								26	PS2	51180	Ø,GP,JR	36051	25	35	MF	75561	Ø,GP,JR	3.5	25
								35	CL2	90621	Ø,GP,JR	36051	25	35	CL3	87447	Ø,GP,JR	3.5	25
Sportage 6 Cyl. Models	05-10							35	FH	36363	Ø,GP,JR	36051	25	35	PR	44582	Ø,GP,JR	3.5	25
								26	PS2	51180	Ø,GP,JR	36051	25	35	MF	75561	Ø,GP,JR	3.5	25
								35	CL2	90621	Ø,GP,JR	36051	25	35	CL3	87447	Ø,GP,JR	3.5	25
Sportage	2011							33	FH	36506	Ø,GP	36051	15	35	PR	44660	Ø,GP	3.5	4 15
								33	CL2	90129	Ø,GP	36051	15	35	MF	75711	Ø,GP	3.5	4 15
														35	CL3	87605	Ø,GP	3.5	4 15
LAND ROVER																			
Freelander	02-03													52	PR	33064		3.5	20
														52	CH3	75137		3.5	20
Freelander	04-05													52	CH3	87551	JP	3.5	20
														52	PR	33064	FE	3.5	20
														52	CH3	75137	FE	3.5	20
LR2	08-10													52	CH3	87551	JP,FE	3.5	20
														36	RT	44640	Ø,HM	4	4 20
														36	RT	75688	Ø,HM	4	4 20
														36	CL3	87575	Ø,JP,HM	4	4 20
LEXUS																			
ES 250	90-91		CL1	60932	†,BC,EP	3590	45												
ES 250 FWD	90-91	17	SF	24534	EP	3593	40												
ES 300 4 Dr.	92-96	41	CH1	24563	Ø,JR	3593	30												
		41	CH1	60845	Ø,JR	3593	30												
ES 300 4 Dr.	97-01	41	CH1	24563	Ø,JR	3593	30	45	FH	36336	HM	36061	15						
		41	CH1	60845	Ø,JR	3593	30	33	PS2	51178	HM	36061	15						
								45	CL2	90174	HM	36061	15						
ES 300 4 Dr.	02-03							45	FH	36336	HM	36061	15						
								33	PS2	51178	HM	36061	15						
								45	CL2	90174	HM	36061	15						
ES 330 4 Dr.	04-06							45	FH	36336	HM	36061	15						
								33	PS2	51178	HM	36061	15						
								45	CL2	90174	HM	36061	15						
GX 460	2010													24	PR	44644	Ø	5	5 15
														24	MF	75685	Ø	5	5 15
														24	CL3	87580	Ø,JP	5	5 15
GX 470	03-09													52	RT	44548	Ø,LT,SI	6	7.3 35
														52	RT3	70779	Ø,JP,LT,SI	6	7.3 35
														52	RT	75155	Ø,LT,SI	6	7.3 35
HS 250h Hybrid	2010	27	SF	24860	Ø,HM,JR,KH	3594	25												
		27	CL1	60276	Ø,HM,JR,KH	3594	25												
LX 450	96-97													55	CH3	41015	Ø	5	6 30
														55	CH3	87549	Ø,JP	5	6 30
LX 470	98-99													46	PR	44546	Ø	5	6 20
														46	MF	75095	Ø	5	6 20
														46	CL3	87409	Ø,JP	5	6 20
LX 470	2000													46	PR	44546	Ø	5	6 20
														46	MF	75095	Ø	5	6 20
														46	CL3	87409	Ø,JP	5	6 20

† = Available while supply lasts.
 BC = Hitch rated at 1,500 lbs. GTW, 100 lbs. TW
 EP = Fascia trimming required.
 FE = Fascia trimming required. Allow additional installation time.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 LT = Requires removal of factory hitch if equipped.
 Ø = Uses all existing holes, no drilling required.

SI = Hitches produced before 07/31/07 are rated at 350/3500 WC & 500/5000 WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
KIA (Continued)																
B,F	SUV3,4								119186	119146 & 118151						
B,F	SUV3,4	E12	118371	HG	20				119186	119146 & 118151						
B	SUV1,2								119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV5	E8	118401	CG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV1,5								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
LAND ROVER																
B,E	SUV1,2								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
LEXUS																
B,F	PC3,4								119186	119146 & 118151						
B,F	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
						E12	118262	RD	10							
E	SUV1,2								119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
B,E	PC3,4	E17	118510	CH	20				119186	119146 & 118151						
B	SUV5	E5	118357	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV6	E5	118365	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV6								119175	119130	20320 20143	20321 20125 20144	20224			

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW						
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
		LEXUS (Continued)																		
LX 470	01-02													46	PR	44546	Ø	5	6	20
														46	MF	75095	Ø	5	6	20
														46	CL3	87409	Ø,JP	5	6	20
LX 470	03-07													46	PR	44546	Ø	5	6	20
														46	MF	75095	Ø	5	6	20
														46	CL3	87409	Ø,JP	5	6	20
RX 300	99-00							42	CH2	36271	Ø		36051	15	44	ML	41541	Ø,HM	3.5	15
								42	CH2	90647	Ø,†		36051	15	44	PR	44076	Ø	3.5	15
														33	PS3	51153	Ø,HM	3.5	15	
														47	RT3	70777	Ø	5	5	45
RX 300	01-03							42	CH2	36271	Ø		36051	15	44	ML	41541	Ø,HM	3.5	15
								42	CH2	90647	Ø,†		36051	15	44	PR	44076	Ø	3.5	15
														33	PS3	51153	Ø,HM	3.5	15	
														47	RT3	70777	Ø	5	5	45
RX 330 All, Inc. Models w/18" Spare Tire	04-06													49	RT	33075	Ø	3.5	20	
														30	PS3	51155	Ø,RT	3.5	20	
														49	RT3	70778	Ø,JP	3.5	20	
														49	RT	75153	Ø	3.5	20	
RX 350	07-09													49	RT	33075	Ø	3.5	20	
														30	PS3	51155	Ø,RT	3.5	20	
														49	RT3	70778	Ø,JP	3.5	20	
														49	RT	75153	Ø	3.5	20	
RX 350	10-11													32	PR	44633	Ø,GP,JP,JV	4	5	30
														34	MF	75669	Ø,†,GP,JP,JV	4	5	30
														32	MF	75676	Ø,GP,JP,JV	4	5	30
														34	CL3	87564	Ø,JP,†,GP,JP,JV	4	5	30
														32	CL3	87569	Ø,JP,GP,JP,JV	4	5	30
RX 400h Hybrid	06-09													49	RT	33075	Ø	3.5	20	
														30	PS3	51155	Ø,RT	3.5	20	
														49	RT3	70778	Ø,JP	3.5	20	
														49	RT	75153	Ø	3.5	20	
RX 450h Hybrid	2010													32	PR	44633	Ø,GP,JP,JV	4	5	30
														32	MF	75676	Ø,GP,JP,JV	4	5	30
														32	CL3	87569	Ø,JP,GP,JP,JV	4	5	30
LINCOLN																				
Aviator	03-04													52	RT	33031	Ø,KL	5	8	20
														52	RT	75132	Ø,KL	5	8	20
														52	RT3	87417	Ø,JP,KL	5	8	20
Aviator	2005													52	RT	33031	Ø,KL	5	8	20
														52	RT	75132	Ø,KL	5	8	20
														52	RT3	87417	Ø,JP,KL	5	8	20
Continental	88-97	39	SF	24699	Ø,JR	3592	20	44	FH	36252	Ø,GP,JR	36063	20							
		39	CL1	60883	Ø,JR	3593	20	44	CL2	90173	Ø,JR	36063	20							
Continental	98-02	39	SF	24699	Ø,JR	3592	20	44	FH	36252	Ø,GP,JR	36063	20							
		39	CL1	60883	Ø,JR	3592	20	44	CL2	90173	Ø,JR	36063	20							
LS	00-02							39	CH2	36282		36071	20							
								39	CH2	90143		36071	20							
LS	03-06							39	CH2	36282	FE	36071	30							
								39	CH2	90143	FE	36071	30							

† = Available while supply lasts.
 FE = Fascia trimming required. Allow additional installation time.
 GP = Hitch cross tube concealed behind bumper.
 HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JV = Rubber air deflector/fascia must be removed or trimmed to install hitch.
 KL = Hitch is designed to attach beneath the OEM hitch.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

L

LINCOLN

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
LEXUS (Continued)																	
B	SUV6					E3	118245	RD	10	119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV6					E3	118245	RD	10	119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
E,Z	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E,Z	SUV1,2					E3	118245	RD	10	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,S	SUV1,2	E17	118478	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,S	SUV1,2	E17	118478	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,S	SUV3,4	E17	118478	CH	45	E3	118252	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,S	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,S	SUV3,4	E13	118255	CH	20	E3	118252	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
LINCOLN																	
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A,F	PC3,4									119186	119146 & 118151						
A,F	PC3,4									119186	119146 & 118151						
G	PC3,4	E17	118373		20												
G	PC3,4	E17	118373		20												

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 G=Low-side switching system.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 S=ModuLite® required. Vehicle has LED taillamps. Multiplexed Wiring System.

Z=May be equipped with Factory Tow Prep Plug. Determine at time of installation.

CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW																
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN							
		LINCOLN (Continued)																										
Mark LT Built Before 8/2005	2006													56	RT	33077	Ø, HM	6	8	30								
															57	RT	37090	Ø	6	10	30							
															57	RT	41549	Ø	6	10	30							
															57	PR	44131	Ø	5	10	30							
															56	RT	44655	Ø, HM	6	8	30							
															34	PS3	51064	Ø, RT	5	10	30							
															56	RT	75156	Ø, HM	6	8	30							
															57	RT3	82595	Ø	6	10	30							
															56	RT3	87195	Ø, JP, HM	6	8	30							
															71	UF	41933	Ø, Ø, CP	10	12	20							
															39	PR	44552	Ø, CP	6	10	20							
		Mark LT Built After 8/2005	06-08													23	PS3	51075	Ø, CP	6	10	20						
														20	PS3	51096	Ø, CP, HM	5	8	20								
														39	MF	75506	Ø, CP	6	10	20								
														39	CL3	87418	Ø, JP, CP	6	10	20								
Mark VI	80-83			40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA, GP	3.5	6	30						
																42	CL2	90139	CA	36063	30	47	ML	41116	CA, GP	3.5	6	30
																	35	PS3	51103	CA, GP	3.5	6	30					
																	47	CL3	87408	JP, CA, GP	3.5	6	30					
Mark VIII	93-98															44	CH2	36179	Ø, JR	36061	40							
				MKS	09-11												33	CH2	36477	Ø, JR	36051	30						
																	33	CH2	90192	Ø, JR	36051	30						
MKT All Models	10-11															48	RT	44636	Ø, HM, JR	4	4	30						
														48	RT	75679	Ø, HM, JR	4	4	30								
														48	RT3	87571	Ø, JP, HM, JR	4	4	30								
MKX	07-10													38	FH	36447	Ø, GP, JR, KH	36051	45	47	PR	44567	Ø, CP, GP, JR, KH	3.5	45			
														38	CL2	90164	Ø, GP, JR, KH	36051	45	22	PS3	51090	Ø, CP, GP, JR, KH	3.5	45			
															47	MF	75526	Ø, CP, GP, JR, KH	3.5	45	47	CL3	87433	Ø, JP, CP, GP, JR, KH	3.5	45		
															47	PR	44658	Ø, GP, JR, KH	3.5	4	45							
MKX	2011													47	MF	75709	Ø, GP, JR, KH	3.5	4	45								
														47	CL3	87604	Ø, JP, GP, JR, KH	3.5	4	45								
		MKZ	07-09	42	SF	24775	GP, JR, TA	3592	45																			
				42	CL1	60846	GP, JR, TA	3592	45																			
MKZ	10-11	24	SF	24837	Ø, †, GP, JR	3594	20																					
		29	SF	24865	Ø, GP, JR	3594	20																					
		24	CL1	60254	Ø, †, GP, JR	3594	20																					
		29	CL1	60282	Ø, GP, JR	3594	20																					
Navigator	98-02													47	PR	33052	Ø, GP	5	8	20								
															51	CH3	41527	Ø, GP	6	10	15							
															48	PR	44032	Ø, HM	5	10	20							
															51	CH3	44622	Ø, GP	6	10	15							
															33	PS3	51024	Ø, HM	5	10	15							
															47	MF	75071	Ø, GP	5	8	15							
															51	CH3	82560	Ø, JP, GP	6	10	15							
Town Car	80-89	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	AB, CA, GP	3.5	6	30								
														42	CL2	90139	CA	36063	30	47	ML	41116	AB, CA, GP	3.5	6	30		
															35	PS3	51103	AB, CA, GP	3.5	6	30							
															47	CL3	87408	JP, AB, CA, GP	3.5	6	30							
Town Car	90-02	40	SF	24526	CA, HA	3592	25	42	FH	36116	CA, HA	36063	30	47	PR	33047	AB, CA, EO, GP, HA	3.5	6	30								
														42	CL2	90139	CA, HA	36063	30	47	ML	41116	AB, CA, EO, GP, HA	3.5	6	30		
															35	PS3	51103	AB, CA, EO, GP, HA	3.5	6	30							
															47	CL3	87408	JP, AB, CA, EO, GP, HA	3.5	6	30							

@ = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 AB = Requires four (4) 3/8" spacer blocks (#01077-011) for installation. (Sold separately)
 CA = Models with dual exhaust require exhaust modification.
 CP = Fits All Models without Factory Installed Receiver.
 EO = Requires longer ball mount.
 GP = Hitch crosstube concealed behind bumper.
 HA = External dress panel beneath 95-97 and 03-05 vehicles must be removed for hitch installation.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
LINCOLN (Continued)																
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PU3								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
E	PC3,4								119186	119146 & 118151						
W	PC3,4	E18	118471	CH	45				119186	119146 & 118151						
A,E	SUV3,4	E18	118507	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
E,N	SUV1,2	E16	118430	CH	45						20320 20143	20321 20125 20144				
E,N	SUV1,2															
W	PC3,4	E17	118502	CH	45				119186	119146 & 118151						
W	PC3,4	E17	118502	CH	45				119186	119146 & 118151						
A	SUV1,2	E4	118344		10				119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A,F	PC3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A,F	PC3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN		
		LINCOLN (Continued)																					
Town Car	03-10							42	FH	36116	CA,HA		36063	30	47	PR	33047	AB,CA,EO,GP,HA	3.5	6	30		
								42	CL2	90139	CA,HA		36063	30	47	ML	41116	AB,CA,EO,GP,HA	3.5	6	30		
															35	PS3	51103	AB,CA,EO,GP,HA	3.5	6	30		
Town Coupe	80-89	40	SF	24526	CA		3592	25	42	FH	36116	CA		36063	30	47	PR	33047	AB,CA,GP	3.5	6	30	
										42	CL2	90139	CA		36063	30	47	ML	41116	AB,CA,GP	3.5	6	30
																	35	PS3	51103	AB,CA,GP	3.5	6	30
Zephyr	2006	42	SF	24775	GP,JR,TA		3592	45															
		42	CL1	60846	GP,JR,TA		3592	45															
MAZDA																							
3 4 Dr. Sedan, Except Models with Grand Touring LED Taillights Package	04-09	30	SF	24816	GP		3592	35															
		30	CL1	60201	GP		3592	35															
3 5 Dr. Hatchback, Except Models with Grand Touring LED Taillights Package	04-09	30	SF	24816	GP		3592	35															
		30	CL1	60201	GP		3592	35															
3 4 Dr. Sedan, Models with Grand Touring LED Taillights Package	06-09	30	SF	24816	GP		3592	35															
		30	CL1	60201	GP		3592	35															
3 5 Dr. Hatchback, Models with Grand Touring LED Taillights Package	06-09	30	SF	24816	GP		3592	35															
		30	CL1	60201	GP		3592	35															
3 4 Dr. Sedan, Except Models with Grand Touring LED Taillights Package	2010	29	SF	24842	Ø,GP		3594	20															
		29	CL1	60258	Ø,GP		3594	20															
3 4 Dr. Sedan, Models with Grand Touring LED Taillights Package	2010	29	SF	24842	Ø,GP		3594	20															
		29	CL1	60258	Ø,GP		3594	20															
3 5 Dr. Hatchback, Except Models with Grand Touring LED Taillights Package	10-11	23	SF	24843	Ø,GP		3594	15															
		23	CL1	60259	Ø,GP		3594	15															
3 5 Dr. Hatchback, Models with Grand Touring LED Taillights Package	10-11	23	SF	24843	Ø,GP		3594	15															
		23	CL1	60259	Ø,GP		3594	15															
5	06-10	23	SF	24773	GP		3593	25															
		23	CL1	60841	GP		3593	25															
6 4 Dr. Sedan	03-08	42	SF	24775	GP,JR,TA		3594	45															
		42	CL1	60846	GP,JR,TA		3594	45															
6 Sport Wagon	04-07	19	CH1	24785	Ø,TA		3593	25															
		19	CH1	60857	Ø,TA		3593	25															
6 5 Dr. Hatchback	04-08	42	SF	24775	GP,JR,TA		3594	45															
		42	CL1	60846	GP,JR,TA		3594	45															
6 4 Dr. Sedan	09-10	29	SF	24832	GP,JR		3592	30															
		29	CL1	60222	GP,JR		3592	30															
626	93-97	48	CH1	24578	†		3592	30															
		48	CH1	60253	†		3592	30															
626	98-02	45	CH1	24665	JR		3592	30															
		45	CH1	60247	JR		3592	30															
CX-7	07-10								37	FH	36419	Ø,GP,JR		36061	40	44	PR	44554	Ø,GP,JR	3.5		40	
									37	CL2	90154	Ø,GP,JR		36061	40	44	MF	75512	Ø,GP,JR	3.5		40	
CX-9	07-10																						
Millenia	95-02								51	CH2	36192	AI		36071	60								
									51	CH2	90061	AI		36071	60								
MPV Van 2 & 4 WD	89-95								53	CH2	90081	†,HM,X		36051	40								
MPV Van 2 & 4 WD	96-98															56	CH3	44617		3.5	5	50	
																56	CH3	75068		3.5	5	50	
																56	CH3	87536	JP	3.5	5	50	

† = Available while supply lasts.
 AB = Requires four (4) 3/8" spacer blocks (#01077-011) for installation. (Sold separately)
 AI = Additional installation time required.
 CA = Models with dual exhaust require exhaust modification.
 EO = Requires longer ball mount.
 GP = Hitch crosstube concealed behind bumper.
 HA = External dress panel beneath 95-97 and 03-05 vehicles must be removed for hitch installation.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
LINCOLN (Continued)																	
A,F	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A,F	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3,4	E17	118502	CH	45					119186	119146 & 118151						
MAZDA																	
B	PC3,4	E14	118420	CG	15					119175	119130						
B	PC3,4	E14	118420	CG	15					119175	119130						
B,LD	PC3,4									119186	119130						
B,LD	PC3,4									119186	119130						
B	PC3,4	E14	118420	CG	15					119175	119130						
B,LD	PC3,4									119186	119130						
B	PC3,4	E14	118420	CG	15					119175	119130						
B,LD	PC3,4									119186	119130						
B,F	PC3,4									119186	119146 & 118151						
B,E	PC3,4	E16	118405	CH	45					119186	119146 & 118151						
B,E	PC3,4									119186	119146 & 118151						
B,E	PC3,4	E16	118405	CH	45					119186	119146 & 118151						
B,E	PC3,4	E19	118483	CH	45					119186	119146 & 118151						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B,F	SUV3,4	E16	118405	CH	45	E12	118249	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
W	SUV3,4	E16	118442	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3,4									119186	119146 & 118151						
B,F	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 LD=Vehicle has LED taillamps.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		MAZDA (Continued)																			
MPV Van w/ Ground Effects	00-03													54	RT	44553	Ø, HM, JR	3.5	5	20	
														34	PS3	51092	Ø, RT, HM, JR	3.5	5	20	
														54	RT	75507	Ø, HM, JR	3.5	5	20	
														54	RT3	87420	Ø, JP, HM, JR	3.5	5	20	
MPV Van w/o Ground Effects	00-03						45	FH	36299	Ø, JR			36071	15	48	PR	33029	Ø	3.5	5	15
														48	RT3	70583	Ø	3.5	5	20	
														48	MF	75108	Ø	3.5	5	15	
														54	RT	44553	Ø, HM, JR	3.5	5	20	
MPV Van All Models	04-06													34	PS3	51092	Ø, RT, HM, JR	3.5	5	20	
														54	RT	75507	Ø, HM, JR	3.5	5	20	
														54	RT3	87420	Ø, JP, HM, JR	3.5	5	20	
														41	RT	33051		5	6	20	
Navajo	91-94						35	FH	36246				36051	15	56	RT	37051		5	6	25
														45	RT	44067		5	6	45	
														45	PR	44100		5	6	20	
														29	PS3	51033		5	6	15	
														41	RT3	70647	JP, SX	5	6	15	
														41	RT	75083		5	6	15	
														45	MF	75096		5	7.5	30	
														52	MF	37152		5	6	30	
															38	PR	33058	EG, SD	4	6	20
															52	MF	37152	Ø	5	6	40
Pickup B-Series All Models	94-97													37	PR	44101	EG	3.5	5	20	
														19	PS3	51032	EG	3.5	5	20	
														38	MF	75082	EG, SD	4	6	20	
														38	CL3	87161	JP, EG, SL	4	6	20	
Pickup B-Series All Models	1998													38	PR	33058	SD, V	4	6	20	
														37	PR	44101	V	3.5	5	20	
														19	PS3	51032	V	3.5	5	20	
														38	MF	75082	SD, V	4	6	20	
Pickup B-Series All Models	98-01													38	CL3	87161	JP, SL, V	4	6	20	
														52	MF	37152	Ø	5	6	40	
														38	PR	33058	SD, V	4	6	20	
														37	PR	44101	V	3.5	5	20	
Pickup B-Series All Models	99-01													19	PS3	51032	V	3.5	5	20	
														40	RT3	70181	Ø	5	7.5	10	
														38	MF	75082	SD, V	4	6	20	
														38	CL3	87161	JP, SL, V	4	6	20	
Pickup B-Series All Models	02-09													38	PR	33058	SD, V	4	6	20	
														52	MF	37152	Ø	5	6	40	
														37	PR	44101	V	3.5	5	20	
														19	PS3	51032	V	3.5	5	20	
Protege All Models	95-98	42	SF	24604	†, JR	3593	40														
		42	CL1	60903	†, JR	3593	40														
		29	SF	24675	Ø	3593	20														
Protege All Models	99-03	29	RT1	60927	Ø, JR	3593	30														
		41	CH1	24714	Ø, JR	3593	15														
Protege 5	02-03	41	CH1	60948	Ø, JR	3593	15														

† = Available while supply lasts.
 EG = Relocation of spare tire bracket is not required. NOTE: 19mm open end style wrench must be purchased to allow removal of spare tire after hitch installation.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.
 SL = Hitches produced before 03/10/08 are rated at 350/3500 WC & 600/6000 WD.
 SX = Hitches produced before 06/20/08 are rated at 600/6000 WC & 750/7500 WD.
 V = For vehicles with factory installed step bumpers only.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
MAZDA (Continued)																	
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV1	E3	118324		20					119186	20252	20320 20143	20321 20125 20144	20224			
B	PU1,2									119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5	E1	118241	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5	E1	118241	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5	E1	118241	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B	PU3	E7	118325	HG	5					119175	119130	20320 20143	20321 20125 20144	20224			
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC1,2									119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class I
 CL1=Class I
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT1=Round Tube Class I
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		MAZDA (Continued)																			
Tribute	01-02						42	CL2	90635	Ø,KH		36053	30	43	RT	33039	Ø,KH	3.5	5	40	
														52	MF	37152	KH		5	6	60
														32	PS3	51142	Ø,RT,KH	3.5	5	35	
														43	RT3	70636	KH	3.5	5	35	
Tribute	2003						42	CL2	90635	Ø		36053	30	43	RT	33039	Ø	3.5	5	40	
														52	MF	37152		5	6	60	
														32	PS3	51142	Ø,RT	3.5	5	35	
														43	RT3	70636	Ø	3.5	5	35	
Tribute	2004						42	CL2	90635	Ø		36053	30	43	RT	33039	Ø	3.5	5	40	
														52	MF	37152		5	6	60	
														32	PS3	51142	Ø,RT	3.5	5	35	
														43	RT3	70636	Ø	3.5	5	35	
Tribute	05-06						38	FH	36420	†,HM		36051	20	44	RT	44647	Ø	3.5	5	25	
							38	FH	36501	HM		36051	20	44	RT3	70758	JP,†	3.5	5	25	
							28	PS2	51191	†,HM		36051	20	44	RT	75693	Ø	3.5	5	25	
							29	PS2	51194	HM		36051	20	44	RT3	87585	Ø,JP	3.5	5	25	
Tribute All, Inc. Hybrid	08-10						38	CL2	90108	HM		36051	20								
							38	CL2	90155	†,HM		36051	20								
							38	FH	36420	†,HM		36051	20	44	RT	44647	Ø	3.5	5	25	
							38	FH	36501	HM		36051	20	44	RT3	70758	JP,†	3.5	5	25	

MERCEDES-BENZ

GLK350 All Models	2010													57	RT	44649	Ø,HM		4	20
														57	RT	75698	Ø,HM		4	20
														57	RT3	87593	Ø,JP,HM		4	20
ML320	98-02						32	FH	36258	Ø		36071	30	46	PR	33027	Ø	5	5	30
														35	PS3	51154	Ø	5	5	30
														46	MF	75087	Ø	5	5	30
														46	CL3	87469	Ø,JP	5	5	30
ML320 CDI	07-08													51	PR	44534	MB,TA	3.5	4	50
														51	MF	75376	MB,TA	3.5	4	50
														51	CL3	87755	JP,MB,TA	3.5	4	50
ML350	03-05						32	FH	36258	Ø		36071	30	46	PR	33027	Ø	5	5	30
														35	PS3	51154	Ø	5	5	30
														46	MF	75087	Ø	5	5	30
														46	CL3	87469	Ø,JP	5	5	30
ML350	06-11													51	PR	44534	MB,TA	3.5	4	50
														51	MF	75376	MB,TA	3.5	4	50
														51	CL3	87755	JP,MB,TA	3.5	4	50
ML430	99-01						32	FH	36258	Ø		36071	30	46	PR	33027	Ø	5	5	30
														35	PS3	51154	Ø	5	5	30
														46	MF	75087	Ø	5	5	30
														46	CL3	87469	Ø,JP	5	5	30
ML500	02-05						32	FH	36258	Ø		36071	30	46	PR	33027	Ø	5	5	30
														35	PS3	51154	Ø	5	5	30
														46	MF	75087	Ø	5	5	30
														46	CL3	87469	Ø,JP	5	5	30

† = Available while supply lasts.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 KH = Minor heat shield modification may be required.
 MB = Will not fit models equipped with air suspension package.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWARE	GENERAL HARDWARE	6-WAY ADAPTER	7-WAY ADAPTER				
MAZDA (Continued)																	
B	SUV1,2	E8	118343	HG,RW	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E8	118343	HG,RW	10					119175	119130	20320 20143	20321 20125 20144	20224			
B,RW	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E17	118426	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118430	CH	45	E1	118251	QP,RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
MERCEDES-BENZ																	
BP	SUV3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E	SUV3									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
D												20320 20143	20321 20125 20144				
E	SUV3									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
D												20320 20143	20321 20125 20144				
E	SUV3									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E	SUV3									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 BP=3 wire system w/Pulse Width Modulation (PWM). Upgraded ModuLite® required.
 CH=T-One is equipped with circuit protected ModuLite® module.
 D=See auto dealer for trailer tow wiring kit.
 E=ModuLite® required.
 HG=T-One incorporates taillight converter.
 QP=Will not fit vehicles with backup sensors built into rear bumper.

RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 RW=On some models it may require an upgraded flasher or ModuLite®.

CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		MERCEDDES-BENZ (Continued)																			
ML500	06-07														51	PR	44534	MB,TA	3.5	4	50
															51	MF	75376	MB,TA	3.5	4	50
															51	CL3	87755	JP,MB,TA	3.5	4	50
ML550	08-10														51	PR	44534	MB,TA	3.5	4	50
															51	MF	75376	MB,TA	3.5	4	50
															51	CL3	87755	JP,MB,TA	3.5	4	50
R320 BlueTEC	2009														53	CH3	44547	Ø,SC	3.5		25
															53	CH3	75470	Ø,SC	3.5		25
															53	CH3	87413	Ø,JP,SC	3.5		25
R320 BlueTEC w/Panoramic Roof Package	2009														53	CH3	44547	SC	3.5		50
															53	CH3	75470	SC	3.5		50
															53	CH3	87413	JP,SC	3.5		50
R320 CDI	07-08														53	CH3	44547	Ø,SC	3.5		25
															53	CH3	75470	Ø,SC	3.5		25
															53	CH3	87413	Ø,JP,SC	3.5		25
R320 CDI w/Panoramic Roof Package	07-08														53	CH3	44547	SC	3.5		50
															53	CH3	75470	SC	3.5		50
															53	CH3	87413	JP,SC	3.5		50
R350	06-10														53	CH3	44547	Ø,SC	3.5		25
															53	CH3	75470	Ø,SC	3.5		25
															53	CH3	87413	Ø,JP,SC	3.5		25
R350 w/Panoramic Roof Package	06-10														53	CH3	44547	SC	3.5		50
															53	CH3	75470	SC	3.5		50
															53	CH3	87413	JP,SC	3.5		50
R500	06-07														53	CH3	44547	Ø,SC	3.5		25
															53	CH3	75470	Ø,SC	3.5		25
															53	CH3	87413	Ø,JP,SC	3.5		25
R500 w/Panoramic Roof Package	06-07														53	CH3	44547	SC	3.5		50
															53	CH3	75470	SC	3.5		50
															53	CH3	87413	JP,SC	3.5		50

MERCURY

Capri	79-86	26	CH1	24524	X	3590	20															
		26	CH1	60240	X	3590	20															
Colony Park Wagon	83-91	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30									
								42	CL2	90139	CA	36063	30									
Cougar All Models	89-95							44	CH2	36179	B	36061	40									
Cougar All Models	96-97							44	CH2	36179	B	36063	40									
								44	CH2	90092	B	90005	15									
Cougar All Models	99-02		SF	24684	†,TA	3593	20															
			FB1	60093	Ø,†,JR	60012	15															
Grand Marquis	83-91	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA,GP	3.5	6	30		
								42	CL2	90139	CA	36063	30	47	ML	41116	CA,GP	3.5	6	30		
														35	PS3	51103	CA,GP	3.5	6	30		
														47	CL3	87408	JP,CA,GP	3.5	6	30		
Grand Marquis	92-97	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA,GP	3.5	6	30		
								42	CL2	90139	CA	36063	30	47	ML	41116	CA,GP	3.5	6	30		
														35	PS3	51103	CA,GP	3.5	6	30		
														47	CL3	87408	JP,CA,GP	3.5	6	30		
Grand Marquis	98-11	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA,GP	3.5	6	30		
								42	CL2	90139	CA	36063	30	47	ML	41116	CA,GP	3.5	6	30		
														35	PS3	51103	CA,GP	3.5	6	30		
														47	CL3	87408	JP,CA,GP	3.5	6	30		
Grand Marquis Wagon	83-91	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30									
								42	CL2	90139	CA	36063	30									

† = Available while supply lasts.
 CA = Models with dual exhaust require exhaust modification.
 GP = Hitch crosstube concealed behind bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 MB = Will not fit models equipped with air suspension package.
 Ø = Uses all existing holes, no drilling required.
 SC = Minor trimming of plastic trunk pan required.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
MERCEDES-BENZ (Continued)																	
D												20320 20143	20321 20125 20144				
D												20320 20143	20321 20125 20144				
BM	SUV3,4								119191			20320 20143	20321 20125 20144	20224			
BM	SUV3,4								119191			20320 20143	20321 20125 20144	20224			
BM	SUV3,4								119191			20320 20143	20321 20125 20144	20224			
BM	SUV3,4								119191			20320 20143	20321 20125 20144	20224			
BM	SUV3,4								119191			20320 20143	20321 20125 20144	20224			
BM	SUV3,4								119191			20320 20143	20321 20125 20144	20224			
BM	SUV3,4								119191			20320 20143	20321 20125 20144	20224			
BM	SUV3,4								119191			20320 20143	20321 20125 20144	20224			
MERCURY																	
C	PC3,4								119186								
A	PC1,2								119186	20252							
A,F	PC3,4								119186	119146 & 118151							
A,F	PC3,4								119186	119146 & 118151							
B,F	PC3,4								119186	119146 & 118151							
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224				
A,F	PC3,4	E9	118326		20				119186	119146 & 118151	20320 20143	20321 20125 20144	20224				
A,F	PC3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224				
A	PC1,2								119186	20252							

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 BM=3 wire system. Upgraded ModuLite® HD required. Multiplexed Wiring System.
 C=2 or 3 wire system, determine at installation.
 D=See auto dealer for trailer tow wiring kit.
 F=ModuLite® recommended.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		MERCURY (Continued)																			
Marauder	03-04	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA,GP	3.5	6	30	
								42	CL2	90139	CA	36063	30	47	ML	41116	CA,GP	3.5	6	30	
														35	PS3	51103	CA,GP	3.5	6	30	
Mariner All, Inc. Hybrid	05-07							38	FH	36420	†,HM	36051	20	44	RT	44647	Ø	3.5	5	25	
								38	FH	36501	HM	36051	20	44	RT3	70758	JP,†	3.5	5	25	
								28	PS2	51191	†,HM	36051	20	44	RT	75693	Ø	3.5	5	25	
								29	PS2	51194	HM	36051	20	44	RT3	87585	Ø,JP	3.5	5	25	
								38	CL2	90108	HM	36051	20								
Mariner All, Inc. Hybrid	08-09							38	FH	36420	†,HM	36051	20	44	RT3	70758	JP,†	3.5	5	25	
								28	PS2	51191	†,HM	36051	20								
								38	CL2	90155	†,HM	36051	20								
Mariner All, Inc. Hybrid	08-11							38	FH	36501	HM	36051	20	44	RT	44647	Ø	3.5	5	25	
								29	PS2	51194	HM	36051	20	44	RT	75693	Ø	3.5	5	25	
								38	CL2	90108	HM	36051	20	44	RT3	87585	Ø,JP	3.5	5	25	
Marquis Sedan	79-82	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA,GP	3.5	6	30	
								42	CL2	90139	CA	36063	30	47	ML	41116	CA,GP	3.5	6	30	
														35	PS3	51103	CA,GP	3.5	6	30	
Marquis Wagon	79-82	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	CL3	87408	JP,CA,GP	3.5	6	30	
								42	CL2	90139	CA	36063	30								
Milan	06-09	42	SF	24775	GP,JR,TA	3592	45														
		42	CL1	60846	GP,JR,TA	3592	45														
Milan	10-11	24	SF	24837	Ø,†,GP,JR	3594	20														
		29	SF	24865	Ø,GP,JR	3594	20														
		24	CL1	60254	Ø,†,GP,JR	3594	20														
		29	CL1	60282	Ø,GP,JR	3594	20														
Montego	05-07							40	FH	36360	Ø,GP,JR	36071	30	44	PR	44525	Ø,JR	3.5	4	30	
								24	PS2	51179	Ø,GP,JR	36071	30	44	MF	75299	Ø,JR	3.5	4	30	
								40	CL2	90090	Ø,JR	36071	30	44	CL3	87108	Ø,JP,JR	3.5	4	30	
Monterey Sedan	79-82	40	SF	24526	CA	3592	25	42	FH	36116	CA	36063	30	47	PR	33047	CA,GP	3.5	6	30	
								42	CL2	90139	CA	36063	30	47	ML	41116	CA,GP	3.5	6	30	
														35	PS3	51103	CA,GP	3.5	6	30	
Monterey Van	04-07							44	FH	36318	Ø,JR	36071	25	46	PR	44129	GP,JR	3.5	5	30	
								44	CL2	90087	Ø,JR	36071	25	46	MF	75158	GP,JR	3.5	5	30	
														46	CL3	87107	JP,GP,JR	3.5	5	30	
Mountaineer	97-01							35	FH	36246	Ø	36051	15	41	RT	33051	Ø,JF	5	6	20	
														45	PM	37012	Ø	5	6	40	
														56	RT	37051	Ø,JF	5	6	30	
														45	RT	44067	Ø,JF	5	6	45	
														45	PR	44100	Ø	5	6	20	
														29	PS3	51033	Ø	5	6	15	
														41	RT3	70647	Ø,JP,JF,SX	5	6	15	
														41	RT	75083	Ø,JF	5	6	15	
														45	MF	75096	Ø	5	7.5	15	
														52	RT	33031	Ø,XL	5	8	20	
Mountaineer	02-03													52	RT	75132	Ø,KL	5	8	20	
														52	RT3	87417	Ø,JP,KL	5	8	20	
														52	RT	33031	Ø,KL	5	8	20	
Mountaineer	04-05													52	RT	75132	Ø,KL	5	8	20	
														52	RT	75132	Ø,KL	5	8	20	
														52	RT3	87417	Ø,JP,KL	5	8	20	

† = Available while supply lasts.
 CA = Models with dual exhaust require exhaust modification.
 GP = Hitch cross tube concealed behind bumper.
 HM = Hitch cross tube is visible beneath bumper.
 JF = Will not fit with 16" spare tire.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KL = Hitch is designed to attach beneath the OEM hitch.
 Ø = Uses all existing holes, no drilling required.
 SX = Hitches produced before 06/20/08 are rated at 600/6000 WC & 750/7500 WD.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
MERCURY (Continued)																	
A,F	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A,E	SUV1,2	E16	118430	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118430	CH	45	E1	118251	QP,RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118430	CH	45	E1	118251	QP,RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224			
A	PC1,2									119186	20252						
W	PC3,4	E17	118502	CH	45					119186	119146 & 118151						
W	PC3,4	E17	118502	CH	45					119186	119146 & 118151						
F,LD	PC3,4	E5	118395		10					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224			
E,N	SUV1,2	E17	118385	CH	45							20320 20143	20321 20125 20144				
B,E	SUV1,2	E15	118345	GC	45	E1	118241	RD	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E4	118344		10					119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 GC=T-One is equipped with ModuLite® Lite module.
 LD=Vehicle has LED taillamps.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 QP=Will not fit vehicles with backup sensors built into rear bumper.

RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PM=Premium Receiver
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN			
		MERCURY (Continued)																						
Mountaineer Models w/1-1/4" Receivers Only	06-07																	47	RT	44542	Ø,KL	5	8	25
																		47	RT3	70648	Ø,JP,KL	5	8	25
																		47	RT	75437	Ø,KL	5	8	25
Mountaineer Models w/1-1/4" Receivers Only	08-10																	47	RT	44542	Ø,KL	5	8	25
																		47	RT3	70648	Ø,JP,KL	5	8	25
																		47	RT	75437	Ø,KL	5	8	25
Mystique	95-00	37	CH1	24603		3592	30																	
		37	CH1	60979	JR	6805	35																	
Sable Sedan, All Models	86-91	39	SF	24699	Ø,JR,KH	3593	20	44	FH	36252	Ø,GP,JR,KH	36063	20											
		39	CL1	60883	Ø,JR,KH	3593	20	44	CL2	90173	Ø,JR,KH	36063	20											
Sable Sedan, All Models	92-95	39	SF	24699	Ø,JR	3593	20	44	FH	36252	Ø,GP,JR	36063	20											
		39	CL1	60883	Ø,JR	3593	20	44	CL2	90173	Ø,JR	36063	20											
Sable Sedan, All Models	96-99	39	SF	24699	Ø,JR	3593	20	44	FH	36252	Ø,GP,JR	36063	20											
		39	CL1	60883	Ø,JR	3593	20	44	CL2	90173	Ø,JR	36063	20											
Sable Sedan, All Models	00-03	39	SF	24699	Ø,JR	3592	20	44	FH	36252	Ø,GP,JR	36063	20											
		39	CL1	60883	Ø,JR	3592	20	51	FH	36313	Ø,GP,JR	36061	40											
Sable Sedan, All Models	04-05																							
Sable Sedan, All Models	08-09																	44	PR	44525	Ø,JR	3.5	4	30
																		44	MF	75299	Ø,JR	3.5	4	30
																		44	CL3	87108	Ø,JP,JR	3.5	4	30
Sable Wagon	86-91	39	SF	24699	Ø,JR,KH	3593	20	44	FH	36252	Ø,GP,JR,KH	36063	20											
		39	CL1	60883	Ø,JR,KH	3593	20	44	CL2	90173	Ø,JR,KH	36063	20											
Sable Wagon	92-95	39	SF	24699	Ø,JR	3593	20	44	FH	36252	Ø,GP,JR	36063	20											
		39	CL1	60883	Ø,JR	3593	20	44	CL2	90173	Ø,JR	36063	20											
Sable Wagon	96-99	39	SF	24699	Ø,JR	3593	20	44	FH	36252	Ø,GP,JR	36063	20											
		39	CL1	60883	Ø,JR	3593	20	44	CL2	90173	Ø,JR	36063	20											
Sable Wagon	00-03	39	SF	24699	Ø,JR	3592	20	44	FH	36252	Ø,GP,JR	36063	20											
		39	CL1	60883	Ø,JR	3592	20	51	FH	36313	Ø,GP,JR	36061	40											
Sable Wagon	04-05																							
Tracer All Models	91-96	31	SF	24633		3593	35																	
Tracer Sedan	1997	31	SF	24633		3592	35																	
Tracer Sedan	98-99	31	SF	24668		3592	30																	
Tracer Wagon	1997	31	SF	24633		3593	35																	
Tracer Wagon	98-99	36	CH1	24669	†,GP,JR	3593	20																	
		36	CH1	60914	†,GP,JR	3593	20																	
Villager Mini Van	93-97	37	CH1	24674	EP	3592	30	44	CH2	36261	Ø,JR	36061	15	49	PR	33001	Ø,JR	3.5	5	20				
		37	CH1	60228	EP	3592	30	44	CH2	98561	Ø,JR	36061	15	49	CH3	75089	Ø,JR	3.5	5	15				
Villager Mini Van	1998	37	CH1	24674	EP	3592	30	44	CH2	36261	Ø,JR	36061	15	49	PR	33001	Ø,JR	3.5	5	20				
		37	CH1	60228	EP	3592	30	44	CH2	98561	Ø,JR	36061	15	49	CH3	75089	Ø,JR	3.5	5	15				
Villager Mini Van	99-02	37	CH1	24674	EP	3592	30	42	CH2	36277	Ø,JR	36061	15	47	PR	33017	Ø,JR	3.5	5	20				
		37	CH1	60228	EP	3592	30	42	CH2	90072	Ø,JR	36061	15	47	MF	75102	Ø,JR	3.5	5	15				

† = Available while supply lasts.
 EP = Fascia trimming required.
 GP = Hitch crosstube concealed behind bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 KL = Hitch is designed to attach beneath the OEM hitch.
 Ø = Uses all existing holes, no drilling required.

Draw-Title Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
MERCURY (Continued)																
A	SUV1,2								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
B	SUV1,2								119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20260 22280	5
A	PC3,4								119186	20252						
C	PC3,4								119186							
A	PC3,4	E10	118351						119186	20252						
B	PC3,4	E9	118333	HG	10				119175	119130						
A	PC3,4	E4	118375		10				119186	20252						
B	PC3,4								119175	119130						
A	PC3,4	E7	118447		10				119186	20252	20320 20143	20321 20125 20144	20224			
C	PC3,4								119186							
A	PC3,4								119186	20252						
B	PC3,4								119175	119130						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
B	PC1,2								119175	119130						
A	PC1,2	E4	118344		10				119186	20252						
A	PC1,2	E4	118344		10				119186	20252						
B	PC1,2								119175	119130						
B	PC1,2								119175	119130						
B	SUV1,2								119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E10	118362	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2								119175	119130	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 HG=T-One incorporates taillight converter.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		MITSUBISHI																			
Eclipse All, Inc. Spider	00-05	37	CHI	24712	AE	3594	40														
		37	CHI	60216	AE	3594	40														
Eclipse	06-11	28	CHI	24754	TA	3592	30														
		28	CHI	60813	TA	3592	30														
Endeavor	04-05													51	RT	33080	Ø, JR	3.5	5	20	
														51	CH3	70759	Ø, JP, JR	3.5	5	20	
														51	CH3	75163	Ø, JR	3.5	5	20	
Endeavor	06-08													44	PR	44561	Ø, JR	3.5		25	
														44	MF	75519	Ø, JR	3.5		25	
														44	CL3	87428	Ø, JP, JR	3.5		25	
Galant	07-10	22	SF	24835	Ø, JR, KH	3593	30														
		22	CL1	60237	Ø, JR, KH	3593	30														
Lancer	02-03	19	CHI	24718		3593	15														
		19	CHI	60866		3593	15														
Lancer All, Except Evolution	08-10	14	SF	24820	Ø, GP	3593	30														
		14	CL1	60207	Ø, GP	3593	30														
Mirage 2 & 4 Dr.	93-01	27	CHI	24652	†, X	3593	30														
		27	CHI	60232	†, X	3593	30														
Montero Does Not Inc. Montero Sport	01-06													51	PR	33028	Ø, KH	5	5.5	25	
														51	CH3	75116	Ø, KH	5	5.5	20	
														51	CH3	87535	Ø	5	5.5	25	
Montero Sport	97-04							41	CH2	90323	Ø, †, GP	36071	20	45	PR	33044	Ø, GP	5	5.5	20	
														45	CL3	70534	Ø, JP, GP	5	5.5	20	
														45	MF	75075	Ø, GP	5	5.5	20	
Outlander	03-06	32	CHI	24732	Ø, KH	3591	40														
		32	CHI	60824	Ø, KH	3591	40														
Outlander	07-10													52	PR	44579	Ø, HM, JR	4	4	25	
														52	MF	75555	Ø, HM, JR	4	4	25	
														52	CL3	87444	Ø, JP, HM, JR	4	4	25	
Raider	06-09													40	PR	33092	Ø, HM	5	8	20	
														18	PS3	51138	Ø, HM	5	8	20	
														40	MF	75251	Ø, HM	5	8	20	
														40	CL3	87753	Ø, HM	5	8	20	
NISSAN																					
200-SX	97-98	37	CHI	24670	Ø, †, JR	3593	35														
		37	CHI	60225	Ø, †, JR	3593	35														
Altima	93-97	42	CHI	24690	Ø, HM, JR	3593	20														
		42	CHI	60865	Ø, HM, JR	3593	20														
Altima	98-01	42	CHI	24690	Ø, HM, JR	3593	20														
		42	CHI	60865	Ø, HM, JR	3593	20														
Altima	02-06	34	SF	24788	Ø, JR, TA	3592	30														
		34	CL1	60944	Ø, JR, TA	3592	30														
Altima 4 Dr. Sedan	07-11	28	SF	24796	AE, HM, TA	3594	45														
		28	CL1	60873	AE, HM, TA	3594	45														
Altima 2 Dr. Coupe	08-11	31	CHI	24801	Ø, HM	3594	30														
		31	CHI	60877	Ø, HM	3594	30														
Armada	04-07													45	RT	37091	Ø	6	10	15	
														45	RT	41550	Ø	6	10	15	
														45	RT3	70611	Ø	6	10	15	
Armada	08-11													42	CH3	44596	Ø	6	10	15	
														42	CH3	75644	Ø	6	10	15	
														42	CH3	87476	Ø, JP	6	10	15	
Cube	09-10	23	SF	24845	HM, JR	3593	45														
		23	CL1	60261	HM, JR	3593	45														

† = Available while supply lasts.
 AE = Requires temporary removal of muffler during installation.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
MITSUBISHI																	
B	PC1,2									119175	119130						
E,LD	PC3,4									119186	119146 & 118151						
B,E	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	PC1,2									119175	119130						
B	PC3,4									119175	119130						
B	PC1,2									119175	119130						
B	SUV1,2	E12	118380	HG	20					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			
B,F	SUV3,4	E8	118306		25					119186	119146 & 118151						
B,F	SUV3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
A	PU1,2	E16	118323	HJ	10	E3	118381	RD	5	119186	20252	20320 20143	20321 20125 20144	20224			
NISSAN																	
B	PC1,2									119175	119130						
B	PC3,4									119175	119130						
B	PC3,4	E8	118361	HG	20					119175	119130						
B,E	PC3,4									119186	119146 & 118151						
B,E	PC3,4	E17	118470	CH	45					119186	119146 & 118151						
B	PC3,4	E17	118470	CH	45					119175	119130						
H	SUV6					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
H	SUV6					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
B	SUV1,2	E15	118492	CG	45					119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 H=3 wire system with OEM standard 2 wire harness.
 HG=T-One incorporates taillight converter.

HJ=Per Dodge owner's manual: If trailer is equipped with more than standard lighting (1 taillight per side), use of ModuLite® or dealer supplied harness is required.
 LD=Vehicle has LED taillamps.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL3=Class III
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		NISSAN (Continued)																				
Frontier Pickup All, Inc. Desert Runner	98-03															49	PR	33048		4	5	30
																52	MF	37152		5	6	35
																51	PR	44148		4	5	30
																37	PS3	51144	GP	4	5	30
																51	MF	75186	GP	4	5	30
Frontier Pickup All, Inc. Desert Runner	2004														51	CL3	87491	JP	4	5	30	
															49	PR	33048		4	5	30	
															52	MF	37152		5	6	35	
															51	PR	44148		4	5	30	
															37	PS3	51144	GP	4	5	30	
Frontier Pickup	05-10														51	MF	75186	GP	4	5	30	
															51	CL3	87491	JP	4	5	30	
															37	CL3	87539	Ø,GP	5	8	30	
Frontier Pickup	05-11														37	PR	44526	Ø,GP	5	8	30	
															22	PS3	51147	Ø,GP	5	8	30	
															37	MF	75282	Ø,GP	5	8	30	
Maxima Sedan	95-99	38	SF	24686	TA	3593	30															
Maxima Sedan	95-02	38	CL1	60945	Ø,BC,JR	3592	20															
Maxima Sedan	00-02	38	SF	24686	TA	3592	30															
Maxima Sedan	2003	38	SF	24686	TA	3592	30															
Maxima All Models	04-08	38	CL1	60945	Ø,BC,JR	3592	20															
		34	SF	24788	Ø,JR,TA	3592	30															
Maxima All Models	09-11	34	CL1	60944	Ø,JR,TA	3592	30															
		28	SF	24796	AE,HM,TA	3594	45															
Murano	03-07	28	CL1	60873	AE,HM,TA	3594	45															
								45	RT2	90073	Ø,JR	36051	30	45	PR	33069	Ø,JR	3.5		30		
Murano	09-11														45	PR	44583	Ø,JR	3.5		30	
															45	MF	75148	Ø,JR	3.5		30	
																45	CL3	87448	Ø,JP,JR	3.5		30
																31	PR	44600	Ø,GP,JR	4		35
																31	MF	75647	Ø,GP,JR	4		35
Pathfinder 2 & 4 Dr.	87-95							40	CH2	36152		36051	40	31	CL3	87486	Ø,JP,GP,JR	4		35		
															42	CH3	44152	HM,JR	3.5	5	40	
															42	CH3	75020	HM,JR	3.5	5	40	
Pathfinder 2 & 4 Dr.	96-04														42	CH3	87482	JP,HM,JR	3.5	5	40	
															42	RT	33050	Ø	5	5.5	20	
															42	PR	44132	Ø	5	5.5	20	
															32	PS3	51046	Ø,HM	5	5.5	20	
															46	RT3	70609	Ø,JP	5	5.5	20	
Pickup (App. starts with 86-1/2)	86-87													46	RT	75077	Ø	5	5.5	20		
Pickup	88-97														52	MF	37152		5	6	30	
															49	PR	33048		4	5	30	
															52	MF	37152		5	6	30	
															51	PR	44148		4	5	30	
															37	PS3	51144	GP	4	5	30	
Quest Mini Van	93-97														51	MF	75186	GP	4	5	30	
															51	CL3	87491	JP	4	5	30	
															49	PR	33001	Ø,JR	3.5	5	20	
															49	CH3	75089	Ø,JR	3.5	5	15	
															49	CH3	87668	Ø,JR	3.5	5	25	

AE = Requires temporary removal of muffler during installation.
 BC = Hitch rated at 1,500 lbs. GTW, 100 lbs. TW
 EP = Fascia trimming required.
 GP = Hitch cross-tube concealed behind bumper.
 HM = Hitch cross-tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

N

NISSAN

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
NISSAN (Continued)																	
B	PU4	E10	118362	HG	5					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU4	E10	118362	HG	5					119175	119130	20320 20143	20321 20125 20144	20224			
B,E	PU1,2					E1	118399	RD,Z	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
B,E	PU1,2					E1	118399	RD,Z	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B,E	PC3,4									119186	119146 & 118151						
B,E	PC3,4	E17	118470	CH	45					119186	119146 & 118151						
B,E	PC3,4	E17	118470	CH	45					119186	119146 & 118151						
D												20320 20143	20321 20125 20144				
BX	SUV3,4	E16	118481	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E8	118353	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E8	118361	HG	20					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU1,2	E8	118353	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU1,2	E8	118353	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224			

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 BX=3 wire system. ModuLite® required. Multiplexed Wiring System.
 CH=T-One is equipped with circuit protected ModuLite® module.
 D=See auto dealer for trailer tow wiring kit.
 E=ModuLite® required.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 Z=May be equipped with Factory Tow Prep Plug. Determine at time of installation.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT2=Round Tube Class II

RECEIVER HITCHES

NISSAN

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		NISSAN (Continued)																			
Quest Mini Van	1998	37	CH1	24674	EP	3592	30	44	CH2	36261	Ø,JR	36061	15	49	PR	33001	Ø,JR	3.5	5	20	
		37	CH1	60228	EP	3592	30	44	CH2	98561	Ø,JR	36061	15	49	CH3	75089	Ø,JR	3.5	5	15	
Quest Mini Van	99-02	37	CH1	24674	EP	3592	30	42	CH2	36277	Ø,JR	36061	15	47	PR	33017	Ø,JR	3.5	5	25	
		37	CH1	60228	EP	3592	30	42	CH2	90072	Ø,JR	36061	15	47	MF	75102	Ø,JR	3.5	5	15	
Quest Mini Van	04-09													47	CL3	87669	Ø,JR	3.5	5	30	
														57	PR	33079	Ø,JR	3.5	5	20	
														57	CH3	75159	Ø,JR	3.5	5	20	
Rogue All, Except Krom	08-11													57	CH3	87670	Ø,JR	3.5	5	20	
														34	PR	44592	Ø,GP	3.5	5	20	
														34	MF	75606	Ø,GP	3.5	5	20	
Sentra Sedan	97-99	37	CH1	24670	Ø,T,JR	3593	35														
		37	CH1	60225	Ø,T,JR	3593	35														
Sentra All, Inc. SE-R & SE-R SPEC V	00-02	34	SF	24750	Ø,TA	3593	20														
		34	CL1	60826	Ø,TA	3593	20														
Sentra All, Inc. SE-R & SE-R SPEC V	03-06	34	SF	24750	Ø,TA	3593	20														
		34	CL1	60826	Ø,TA	3593	20														
Sentra	07-11	25	SF	24794	TA	3594	30														
		25	CL1	60871	TA	3594	30														
Titan Pickup Crew Cab 5.6 ft. Bed	04-11													47	RT	37092	Ø	6	10	15	
														47	RT	41551	Ø	6	10	15	
														35	PS3	51106	Ø,RT	6	10	15	
														47	RT3	70530	Ø	6	10	15	
Titan Pickup Crew Cab 7.25 ft. Bed	04-11													47	RT	37092	Ø	6	10	15	
														47	RT	41551	Ø	6	10	15	
														35	PS3	51106	Ø,RT	6	10	15	
														47	RT3	70530	Ø	6	10	15	
Titan Pickup King Cab 6.5 ft. Bed	04-11													47	RT	37092	Ø	6	10	15	
														47	RT	41551	Ø	6	10	15	
														35	PS3	51106	Ø,RT	6	10	15	
														47	RT3	70530	Ø	6	10	15	
Titan Pickup King Cab 8 ft. Bed	04-11													47	RT	37092	Ø	6	10	15	
														47	RT	41551	Ø	6	10	15	
														35	PS3	51106	Ø,RT	6	10	15	
														47	RT3	70530	Ø	6	10	15	
Versa Hatchback	07-11	39	SF	24798	HM	3593	25														
		39	CL1	60875	HM	3593	25														
		39	SF	24798	HM	3593	25														
Versa Sedan	07-11	39	SF	24798	HM	3593	25														
		39	CL1	60875	HM	3593	25														
Xterra	00-04													42	RT	33019	Ø	3.5	5.5	15	
														31	PS3	51109	Ø,RT	3.5	5.5	15	
														42	RT3	70529	Ø,JR	3.5	5	20	
Xterra	05-11													42	RT	75107	Ø	3.5	5.5	15	
														45	RT	44529	Ø	3.5	5.5	30	
														45	RT3	70760	Ø	3.5	5.5	30	
X-Trail All Models (Canada Only)	05-06	41	CH1	24740	Ø,EP	3593	45							45	RT	75291	Ø	3.5	5.5	30	
		41	CH1	60997	Ø,EP	3593	45														

OLDSMOBILE

88 RWD	1977							41	FH	36122		36063	30							
88 RWD	78-79							41	FH	36122		36063	30	53	MF	75146		3.5	8	30

† = Available while supply lasts.
 EP = Fascia trimming required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

230

www.cequentgroup.com

©2010 Cequent Performance Products, Inc. P/N 98931-2011 Rev. A. 11/10 for 2011

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
NISSAN (Continued)																	
B	SUV1,2	E10	118362	HG	5				119175	119130	20320 20143	20321 20125 20144	20224				
B	SUV1,2								119175	119130	20320 20143	20321 20125 20144	20224				
B,E	SUV1,2	E16	118469	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224				
B,E	SUV3,4	E15	118480	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224				
B	PC3,4								119175	119130							
B	PC3,4								119175	119130							
B,E	PC3,4								119186	119146 & 118151							
B,E	PC3,4	E17	118470	CH	45				119186	119146 & 118151							
H	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
H	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
H	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
H	PU3					E8	118384	RD	5	119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20266 22286	5
B,E	PC3,4	E18	118513	CH	45				119186	119146 & 118151							
B,E	PC3,4	E18	118513	CH	45				119186	119146 & 118151							
B	SUV7					E1	118244	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2					E1	118399	RD,Z	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2								119175	119130							
OLDSMOBILE																	
A	PC3,4								119186	20252							
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224				

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 H=3 wire system with OEM standard 2 wire harness.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 Z=May be equipped with Factory Tow Prep Plug. Determine at time of installation.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC	HITCH	FOOTNOTES	DRAW	IN	PC	REC	HITCH	FOOTNOTES	DRAW	IN	PC	REC	HITCH	FOOTNOTES	X 1,000	WC	WD	IN	
			TYPE	PART #		BAR			TYPE	PART #		BAR			TYPE	PART #						
OLDSMOBILE (Continued)																						
88 RWD	80-85							41	FH	36122			36063	30	53	MF	75146			3.5	8	30
								41	CL2	90039	Ø		36063	25								
88 FWD	86-89							42	FH	36100	t,AD		36061	40								
								43	FH	36505	AD,GP		36061	30								
								43	CL2	90020	AD,GP		36061	30								
98	1977							41	FH	36122			36063	30								
98	78-84							41	FH	36122			36063	30	53	MF	75146			3.5	8	30
98 RWD	80-84							41	CL2	90039	Ø		36063	25								
98 FWD	86-89							42	FH	36100	t,AD		36061	40								
98 Regency	1977							41	FH	36122			36063	30								
98 Regency	78-84							41	FH	36122			36063	30	53	MF	75146			3.5	8	30
98 Regency RWD	80-84							41	CL2	90039	Ø		36063	25								
98 Regency FWD	86-89							42	FH	36100	t,AD		36061	40								
98 Regency Includes Touring Sedan	1990							43	FH	36131	i		36061	40								
98 Regency Includes Touring Sedan	91-96							46	CH2	36210	FX,JR		36061	40								
								46	CH2	90063	FX,JR		36061	40								
Achieva	92-98							52	CH2	36159	Ø,JR,KH		36063	40								
								52	CH2	90018	Ø,JR,KH		36063	40								
Alero	99-04							54	FH	36288			36071	20								
								54	CL2	90023	Ø,JR		36063	15								
Aurora	95-99								CH2	36281	GP,JR,X		36061	35								
								51	CL2	90022	Ø,JR		36071	25								
								63	CH2	90203	GP,JR,X		36061	35								
Aurora	00-03							48	FH	36309	HM,JR		36063	30								
								36	PS2	51173	HM,JR		36063	30								
								48	CL2	90140	HM,JR		36063	30								
Bravada	91-94														42	PR	33014	Ø		3.5	6	60
															42	CH3	75123	Ø		3.5	6	60
															42	CH3	87501	Ø,JP		3.5	6	60
Bravada	96-97							35	CH2	36244	Ø,GP		36051	15	40	RT	33015	Ø,SD		4	6	15
								35	CH2	90183	Ø,GP		36051	15	40	PR	33021	Ø		4	6	20
															56	RT	37051	JT		5	6	30
															40	PR	44098	Ø,HM		4	6	20
															19	PS3	51031	Ø,HM		4	6	15
															40	RT	75079	Ø,SD		4	6	15
															40	RT3	87478	Ø,JP,SD		4	6	15
Bravada	1998							35	CH2	36244	Ø,FP,GP,KK		36051	15	40	RT	33015	Ø,FP,KK,SD		4	6	15
								35	CH2	90183	Ø,FP,GP,KK		36051	15	40	PR	33021	Ø,FP,KK		4	6	20
															56	RT	37051	FP,JT,KK		5	6	30
															40	PR	44098	Ø,FP,HM,KK		4	6	20
															19	PS3	51031	Ø,FP,HM,KK		4	6	15
															40	RT	75079	Ø,FP,KK,SD		4	6	15
															40	RT3	87478	Ø,JP,FP,KK,SD		4	6	15

† = Available while supply lasts.
 AO = Will not fit vehicles with twin tailpipes.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 FX = Fits vehicles with spacer between E/A unit and frame built before Jan. '93 and after Mar. '93.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.

KH = Minor heat shield modification may be required.
 KK = When installing on a vehicle originally equipped with an OEM hitch, OEM bumper brackets must be purchased and installed prior to new hitch installation.
 Ø = Uses all existing holes, no drilling required.
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE



OLDSMOBILE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
OLDSMOBILE (Continued)																
C	PC3,4								119186			20320 20143	20321 20125 20144	20224		
B	PC3,4								119175	119130						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
B	PC3,4								119175	119130						
A,F	PC3,4								119186	119146 & 118151						
B,F	PC3,4								119186	119146 & 118151						
A	SUV7								119186	20250	20320 20143	20321 20125 20144	20224			
A	SUV7								119186	20250	20320 20143	20321 20125 20144	20224			
A	SUV7								119186	20250	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 F=ModuLite® recommended.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL2=Class II
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		OLDSMOBILE (Continued)																			
Bravada	99-01						35	CH2	36244	Ø,FP,GP,KK		36051	15	40	RT	33015	Ø,FP,KK,SD	4	6	15	
							35	CH2	90183	Ø,FP,GP,KK		36051	15	40	PR	33021	Ø,FP,KK	4	6	20	
														56	RT	37051	FP,JI,KK	5	6	30	
														40	PR	44098	Ø,FP,HM,KK	4	6	20	
														19	PS3	51031	Ø,FP,HM,KK	4	6	15	
Custom Cruiser Wagon Full Size	77-90						50	CH2	36105			36063	30								
							50	CH2	90224			36063	30								
Custom Cruiser Wagon Full Size	91-92						50	CH2	36105			36063	30	65	PR	33007		3.5	10	40	
							50	CH2	90224			36063	30	65	ML	41509		3.5	10	40	
Cutlass RWD	78-80						42	CH2	36104			36061	30								
Cutlass 4 Dr., FWD	97-00	38	CH1	24656	Ø,GP	3592	15	44	FH	36233			36061	20							
		38	CH1	60881	Ø,GP	3592	15	44	CL2	90131			36061	20							
Cutlass Ciera FWD	85-88						45	CH2	36188	JR,X		36051	40								
Cutlass Ciera FWD	89-96						45	CH2	90066	JR,X		36051	40								
							45	CH2	36188	JR,X		36053	40								
Cutlass Ciera Cruiser Wagon RWD	78-83						45	CH2	90066	JR,X		36053	40								
							42	CH2	36104			36061	30								
Cutlass Ciera Cruiser Wagon FWD	84-96						42	CH2	90187			36061	30								
Cutlass Supreme 4 Dr. RWD	81-87						53	FH	36103	Ø,AJ,FM		36061	40								
							42	CH2	36104			36061	30								
Cutlass Supreme 2 Dr. RWD	81-88						42	CH2	90187			36061	30								
							42	CH2	36104			36061	30								
Cutlass Supreme 2 Dr. FWD	88-93	44	CH1	24500	AJ,JR,TA	3591	40	48	FH	36124	AJ,JR,TA	36053	60								
		42	CH1	60835	AJ,JR,TA	3591	40														
Cutlass Supreme 4 Dr. FWD	90-91						62	CH2	36134	AW,FE,HB,JR,TA		36061	60								
							62	CH2	90313	AW,FE,HB,JR,TA		36061	60								
Cutlass Supreme 2 Dr. FWD w/Aero Sport Pkg.	92-93						62	CH2	36134	AW,FE,HB,JR,TA		36061	60								
							62	CH2	90313	AW,FE,HB,JR,TA		36061	60								
Cutlass Supreme 4 Dr. FWD	92-97	44	CH1	24500	AJ,JR,TA	3591	40	48	FH	36124	AJ,JR,TA	36053	60								
		42	CH1	60835	AJ,JR,TA	3591	40														
Cutlass Supreme 2 Dr. FWD	94-97						62	CH2	36134	AW,FE,HB,JR,TA		36061	60								
							62	CH2	90313	AW,FE,HB,JR,TA		36061	60								
Delta 88	1977						41	FH	36122			36063	30								
Delta 88	78-79						41	FH	36122			36063	30	53	MF	75146		3.5	8	30	
							41	CL2	90039	Ø		36063	25								
Delta 88	80-85						41	FH	36122			36063	30	53	MF	75146		3.5	8	30	
							41	CL2	90039	Ø		36063	25								
Delta 88 FWD	86-89						42	FH	36100	†,AD		36061	40								
							43	FH	36505	AD,GP		36061	30								
							43	CL2	90020	AD,GP		36061	30								
Delta 88	90-91						43	FH	36131	†		36061	40								
							43	FH	36505	AD,GP		36061	30								
							43	CL2	90020	AD,GP		36061	30								
Delta 88	92-95	42	SF	24625	JR	3592	20	47	FH	36216	GP,JR	36061	40								
							43	FH	36505	AD,GP		36061	30								
							43	CL2	90020	AD,GP		36061	30								
							47	CL2	90188	GP,JR		36061	40								

† = Available while supply lasts.
 AI = Additional installation time required.
 AO = Will not fit vehicles with twin tailpipes.
 AW = Will not fit Turbo models.
 FE = Fascia trimming required. Allow additional installation time.
 FM = On vehicles equipped with load leveling device, air pump mounting modification required.
 FP = Spare tire repositioning and/or modification of spare tire carrier may be required.
 GP = Hitch crosstube concealed behind bumper.
 HB = Slight fascia deformation may occur on some models.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.
 KK = When installing on a vehicle originally equipped with an OEM hitch, OEM bumper brackets must be purchased and installed prior to new hitch installation.
 Ø = Uses all existing holes, no drilling required.
 SD = Hitches produced before 07/21/06 are rated at 350/3500 WC.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE



OLDSMOBILE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
OLDSMOBILE (Continued)																
A	SUV7					E8	118384	RD	5	119186	20250	20320 20143	20321 20125 20144	20224		
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224		
A	PC3,4	E4	118352		10					119186	20252	20320 20143	20321 20125 20144	20224		
A	PC3,4									119186	20252					
B	PC3,4									119175	119130					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224		
C	PC3,4									119186		20320 20143	20321 20125 20144	20224		
B	PC3,4									119175	119130					
A	PC3,4									119186	20252					
A	PC3,4									119186	20252					

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL2=Class II
 FH=Frame Hitch
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		OLDSMOBILE (Continued)																			
Delta 88	96-99							53	FH	36211	GP,KH		36061	30							
								53	CL2	90189	GP,KH		36061	30							
Intrigue	98-02	28	SF	24659	TA		3592	30	46	FH	36374	GP,JR	36061	30							
		28	CL1	60833	TA		3592	30	34	PS2	51183	GP,JR	36061	30							
									46	CL2	90981	GP,JR	36061	30							
LSS	90-91								43	FH	36131	†	36061	40							
LSS	92-95	42	SF	24625	JR		3592	20	47	FH	36216	GP,JR	36061	40							
									47	CL2	90188	GP,JR	36061	40							
LSS	96-99								53	FH	36211	GP,KH	36061	30							
									53	CL2	90189	GP,KH	36061	30							
Regency	97-98								53	FH	36211	GP,KH	36061	30							
									53	CL2	90189	GP,KH	36061	30							
Royale	90-91								43	FH	36131	†	36061	40							
Royale	92-95	42	SF	24625	JR		3592	20	47	FH	36216	GP,JR	36061	40							
									47	CL2	90188	GP,JR	36061	40							
Royale	96-99								53	FH	36211	GP,KH	36061	30							
									53	CL2	90189	GP,KH	36061	30							
Silhouette	90-92								50	CH2	36126	AL,JR	36071	40	PR	33068	†,AL		3.5	3.5	30
									50	CH2	90049	AL,JR	36071	40							
Silhouette	93-96								50	CH2	36126	AL,JR	36071	40	PR	33068	†,AL		3.5	3.5	30
									50	CH2	90049	AL,JR	36071	40							
Silhouette All, Inc. AWD	97-04	30	SF	24721	AL,GP,JR		3592	30	34	FH	36361	AL,GP,JR	36061	40	39	PR	33094	AL,JR	3.5	5	40
		30	CL1	60842	AL,GP,JR		3592	30	24	PS2	51102	AL,GP,JR	36061	40	41	PR	44574	AL,JR	3.5	5	40
									34	CL2	90148	AL,GP,JR	36061	40	18	PS3	51079	AL,GP,JR	3.5	5	40
														41	MF	75278	AL,GP,JR	3.5	5	40	
														41	CL3	87410	JP,AL,JR	3.5	5	40	
PLYMOUTH																					
Acclaim	89-95								51	CH2	36136		36061	40							
									51	CH2	90047		36061	40							
Breeze	96-00								43	FH	36301	JR	36061	60							
Colt 2 & 4 Dr.	93-94	27	CH1	24652	†,X		3593	30													
		27	CH1	60232	†,X		3593	30													
Grand Voyager	84-90								44	FH	36183	GW,GP	36071	30	47	PR	33046	†,JT	3.5	3.5	30
														52	MF	37152	JT	5	6	30	
														47	CH3	75176	JT	3.5	3.5	30	
														47	CH3	87553	JP,JT	3.5	3.5	30	
Grand Voyager Long Wheelbase, 2 WD Only	91-95								44	FH	36183	GP	36071	30	47	PR	33046	†	3.5	3.5	30
														52	MF	37152		5	6	30	
														47	CH3	75176		3.5	3.5	30	
														47	CH3	87553	JP	3.5	3.5	30	
Grand Voyager All, Inc. 4 WD	96-00	29	SF	24702	Ø,HM		3593	30	32	FH	36296	Ø,GP	36071	30	38	RT	33045		3.5	5	30
		29	CL1	60933	GP,ØS		3594	25	32	CL2	90165	Ø,GP	36071	30	52	MF	37152		5	6	40
									32	CL2	90717	GP	36061	25	37	PR	44006	HM	3.5	3.5	30
														28	PS3	51062	HM	3.5	3.5	30	
														38	RT	75119		3.5	5	30	
														38	CL3	87717	GP	3.5	5	25	
Neon 2 & 4 Dr.	95-99	23	CH1	24593			3593	30													
		23	CH1	60975			3593	30													
Neon 2 & 4 Dr.	00-01	46	CH1	24701	GP,JR		3593	20													
		46	CH1	60840	GP,JR		3593	20													
Trailduster All, Except w/Skid Shield	74-85														58	BR	40050		6	10	40
														58	MF3	82000	JP	6	10	40	

† = Available while supply lasts.
 AL = Additional installation time required for vehicles equipped with load leveling compressor.
 GP = Hitch crosstube concealed behind bumper.
 GW = Spare tire cannot be stowed under vehicle on short wheelbase models equipped with 15" tires or full size spare.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 JT = 2WD models only.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 QS = Hitch rated at 2,500 lbs. GTW, 200 lbs. TW.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
OLDSMOBILE (Continued)																	
A	PC3,4									119186	20252						
B	PC3,4									119175	119130						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A,F	SUV1,2									119186	119146 & 118151						
A,F	SUV1,2	E7	118337		20					119186	119146 & 118151						
B	SUV3	E8	118355	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
PLYMOUTH																	
A,F	PC3,4									119186	119146 & 118151						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323		10					119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E10	118334	HG	20					119175	119130	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	SUV5,7									119186	20252	20320 20143	20321 20125 20144	20224			

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.

BR = Boxed Receiver
 CH1 = Classic Hitch Class 1
 CH2 = Classic Hitch Class 2
 CH3 = Classic Hitch Class 3
 CL1 = Class I
 CL2 = Class II
 CL3 = Class III
 FH = Frame Hitch
 MF = Max Frame
 MF3 = Multi-Fit Class III
 PR = Professional Receiver
 PS2 = Pro Series Class II

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		PLYMOUTH (Continued)																				
Trailduster w/Deep Drop Bumper, Except w/Skid Shield	74-85																	60 PM 37081	M,TH	5	10	45
																		60 ML 41504	M	5	10	40
																		51 PS3 51104	M	5	10	40
																		60 CL3 87480	JP,M	5	10	40
Trailduster All, Except w/Skid Shield	86-88																	58 BR 40050		6	10	40
																		58 MF3 82000	JP	6	10	40
Trailduster w/Deep Drop Bumper, Except w/Skid Shield	86-88																	60 PM 37081	M,TH	5	10	45
																		60 ML 41504	M	5	10	40
																		51 PS3 51104	M	5	10	40
																		60 CL3 87480	JP,M	5	10	40
Voyager	84-90							44	FH	36183	GW,GP	36071	30					47 PR 33046	†,JT	3.5	3.5	30
																		52 MF 37152	JT	5	6	30
																		47 CH3 75176	JT	3.5	3.5	30
																		47 CH3 87553	JP,JT	3.5	3.5	30
Voyager	91-95																	47 PR 33046	†,JT	3.5	3.5	30
																		52 MF 37152	JT	5	6	30
Voyager Short Wheelbase, 2 & 4 WD	91-95							44	FH	36183	GW,GP	36071	30					51 CH3 44618		3.5	5	30
																		51 CH3 75141		3.5	5	30
																		51 CH3 87542	JP	3.5	5	30
Voyager Short Wheelbase, 2 WD Only	91-95																	47 CH3 75176		3.5	3.5	30
																		47 CH3 87553	JP	3.5	3.5	30
Voyager All, Inc. 4 WD	96-00	29	SF	24702	†,HM	3593	30	32	FH	36296	†,GP	36071	30	38	RT	33045			3.5	5	30	
		29	CL1	60933	†,OS	3594	25	32	CL2	90165	†,GP	36071	30	52	MF	37152			5	6	40	
								32	CL2	90717	†,SE	36061	25	37	PR	44006	HM		3.5	3.5	30	
														28	PS3	51062	HM		3.5	3.5	30	
														38	RT	75119			3.5	5	30	
														38	CL3	87717	†,SE		3.5	5	25	

PONTIAC

6000 All, Except AWD Models	85-91							45	CH2	36188	JR	36051	40									
								45	CH2	90066	JR	36051	40									
6000 Wagon	84-91							53	FH	36103	†,AI,FM	36061	40									
Aztek All, Inc. AWD	01-05							37	FH	36425		36071	40	54	PR	33061	†			3.5		55
								37	CL2	90158		36071	40	42	PR	44538				3.5		40
														25	PS3	51151	HM			3.5		40
														54	MF	75138	†			3.5		55
														42	MF	75430	HM			3.5		40
														42	CL3	87004	JP			3.5		40
Bonneville	1977							41	FH	36122		36063	30									
Bonneville	78-81							41	FH	36122		36063	30	53	MF	75146				3.5	8	30
Bonneville	80-81							41	CL2	90039	†	36063	25									
Bonneville Sedan	82-86							42	CH2	36104		36061	30									
								42	CH2	90187		36061	30									
Bonneville All, Except SSE & SSEi	92-95	42	SF	24625	JR	3592	20	47	FH	36216	†,GP,JR	36061	40									
								43	FH	36505	†,AO,GP	36061	30									
								43	CL2	90020	†,AO,GP	36061	30									
								47	CL2	90188	†,GP,JR	36061	40									
Bonneville All, Except SLE, SSE & SSEi	96-99							53	FH	36211	†,GP,KH	36063	30									
								53	CL2	90189	†,GP,KH	36063	30									

† = Available while supply lasts.
 AI = Additional installation time required.
 AO = Will not fit vehicles with twin tailpipes.
 FM = On vehicles equipped with load leveling device, air pump mounting modification required.
 GP = Hitch crosstube concealed behind bumper.
 GW = Spare tire cannot be stowed under vehicle on short wheelbase models equipped with 15" tires or full size spare.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.

JT = 2WD models only.
 KH = Minor heat shield modification may be required.
 M = Will fit with heavy-duty suspension.
 † = Uses all existing holes, no drilling required.
 OS = Hitch rated at 2,500 lbs. GTW, 200 lbs. TW.
 SE = Will not fit models with short wheelbase and rear stabilizer (anti-roll) bar.
 TH = Will not fit models with skid shield.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
PLYMOUTH (Continued)																	
A	SUV5,7									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV5,7	E4	118317							119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV5,7	E4	118317							119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2									119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323							119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323							119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E16	118323							119186	20252	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E10	118334	HG						119175	119130	20320 20143	20321 20125 20144	20224			
PONTIAC																	
C,F	PC3,4									119186	119146 & 118151						
C,F	PC3,4									119186	119146 & 118151						
A	SUV1,2	E10	118383							119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252						
A	PC3,4									119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
B,F	PC3,4									119186	119146 & 118151						
E	PC3,4									119186	119146 & 118151						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.

BR = Boxed Receiver
 CH2 = Classic Hitch Class 2
 CH3 = Classic Hitch Class 3
 CL1 = Class I
 CL2 = Class II
 CL3 = Class III
 FH = Frame Hitch
 MF = Max Frame
 MF3 = Multi-Fit Class III
 ML = Max-E-Loader
 PM = Premium Receiver
 PR = Professional Receiver

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW							
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN	
		PONTIAC (Continued)																			
Bonneville All Models	00-05							48	FH	36309	HM, JR		36063	30							
								36	PS2	51173	HM, JR		36063	30							
								48	CL2	90140	HM, JR		36063	30							
Bonneville Wagon	82-83							42	CH2	36104			36061	30							
								42	CH2	90187			36061	30							
Catalina	1977							41	FH	36122			36063	30							
Catalina	78-81							41	FH	36122			36063	30	53	MF	75146		3.5	8	30
Catalina	80-81							41	CL2	90039	Ø		36063	25							
Firebird Includes Formula	93-96	49	CH1	24585	JR		3592	40													
		49	CH1	60890	JR		3592	40													
Firebird Includes Formula	97-02	49	CH1	24585	JR		3592	40													
		49	CH1	60890	JR		3592	40													
Firebird Trans Am	93-96	49	CH1	24585	JR		3592	40													
		49	CH1	60890	JR		3592	40													
Firebird Trans Am	97-02	49	CH1	24585	JR		3592	40													
		49	CH1	60890	JR		3592	40													
G3 5 Dr.	2009	23	SF	24741			3593	30													
		23	CL1	60849			3593	30													
G3 Wave 5 Dr. (Canada Only)	2009	23	SF	24741			3593	30													
		23	CL1	60849			3593	30													
G5 All, Except GT	07-09	23	SF	24745	JR		3593	40													
		23	CL1	60808	JR		3593	40													
G5 GT	07-09	42	SF	24756	HM, JR		3594	25													
		32	PS1	51164	HM, JR		3594	25													
		42	CL1	60815	HM, JR		3594	25													
G5 Pursuit 2 Dr. (Canada Only)	05-07	23	SF	24745	JR		3593	40													
		23	CL1	60808	JR		3593	40													
G5 Pursuit 4 Dr. (Canada Only)	05-07	23	SF	24745	JR		3593	40													
		23	CL1	60808	JR		3593	40													
G5 Pursuit GT 2 Dr. (Canada Only)	05-07	42	SF	24756	HM, JR		3594	25													
		32	PS1	51164	HM, JR		3594	25													
		42	CL1	60815	HM, JR		3594	25													
G5 Pursuit GT 4 Dr. (Canada Only)	05-07	42	SF	24756	HM, JR		3594	25													
		32	PS1	51164	HM, JR		3594	25													
		42	CL1	60815	HM, JR		3594	25													
G6 All Models	05-09								45	FH	36426	GP		36065	30						
									45	CL2	90159	GP		36065	30						
G8 All Models	08-09	34	SF	24821	Ø, JR, KH		3594	45													
		34	CL1	60208	Ø, JR, KH		3594	45													
Grand Am All Models	78-80								42	CH2	36104			36061	30						
									42	CH2	90187			36061	30						
Grand Am w/Steel Bumper Reinforcement	78-80								42	CH2	36104			36061	30						
									42	CH2	90187			36061	30						
Grand Am All, Inc. GT Models	92-98								52	CH2	36159	Ø, JR, KH		36063	40						
									52	CH2	90018	Ø, JR, KH		36063	40						
Grand Am SE Only	99-04								54	CL2	90023	Ø, JR		36063	15						
Grand Am All, Inc. GT Models	99-05								54	FH	36288			36071	20						
Grand Prix	78-87								42	CH2	36104			36061	30						
									42	CH2	90187			36061	30						
Grand Prix All, Except SE & Turbo	88-90	44	CH1	24500	AI, JR, TA		3591	40	48	FH	36124	AI, JR, TA		36053	60						
		42	CH1	60835	AI, JR, TA		3591	40													
Grand Prix 2 & 4 Dr., Except Turbo	91-93	44	CH1	24500	AI, AY, JR, TA		3591	40	48	FH	36124	AI, AY, JR, TA		36053	60						
		42	CH1	60835	AI, AY, JR, TA		3591	40													

AI = Additional installation time required.
 AY = Does fit SE models with Sport Appearance Package, GT model or 4 Dr. STE.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
PONTIAC (Continued)																
B,F	PC3,4								119186	119146 & 118151						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252						
A,F	PC3,4								119186	119146 & 118151						
B	PC3,4								119175	119130						
A,F	PC3,4								119186	119146 & 118151						
B	PC3,4								119175	119130						
B	PC3,4	E13	118485	CG	15				119175	119130						
B	PC3,4								119175	119130						
A	PC1,2	E5	118407		15				119186	20252						
A	PC1,2	E5	118407		15				119186	20252						
A	PC1,2	E5	118407		15				119186	20252						
A	PC1,2	E8	118398		10				119186	20252						
A	PC1,2	E5	118407		15				119186	20252						
A	PC1,2	E8	118398		10				119186	20252						
A	PC3,4	E7	118439		15				119186	20252						
B	PC3,4								119175	119130						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
A	PC3,4								119186	20252						
B,F	PC3,4								119186	119146 & 118151						
B,F	PC3,4								119186	119146 & 118151						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 F=ModuLite® recommended.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 FH=Frame Hitch
 MF=Max Frame
 PS1=Pro Series Class I
 PS2=Pro Series Class II
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW						
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000		
																		WC	WD	IN
PONTIAC (Continued)																				
Grand Prix 4 Dr. STE	91-93		CH1	60243	†,AL,IR,TA	3592	40	62	CH2	36134	AW,FE,HB,IR,TA	36061	60							
Grand Prix 2 Dr. SE w/Sport Appearance Package & GT Models	91-96		CH1	60243	†,AL,IR,TA	3592	40	62	CH2	90313	AW,FE,HB,IR,TA	36061	60							
Grand Prix 2 & 4 Dr.	94-96		CH1	60243	†,AL,IR,TA	3592	40	62	CH2	36134	AW,FE,HB,IR,TA	36061	60							
Grand Prix SE Sedan	97-03	28	SF	24659	TA	3592	30	57	CH2	36232	JR	36061	30							
Grand Prix GT, Coupe & Sedan Inc. GTP Package	97-08	28	CL1	60833	TA	3592	30	57	CH2	90057	JR	36061	30							
Grand Prix GT, Coupe & Sedan Inc. GTP Package	97-08	30	SF	24660	Ø,TA	3594	20	56	FH	36241	JR	36065	35							
Grand Prix GT, Coupe & Sedan Inc. GTP Package	97-08	30	CL1	60884	Ø,TA	3594	20	56	CL2	90993	JR	36065	35							
Grand Ville	77-81							41	FH	36122		36063	30							
Grand Ville	77-81							41	CL2	90039	Ø	36063	25							
Le Mans All Models	78-81							42	CH2	36104		36061	30							
Le Mans w/Steel Bumper Reinforcement	78-81							42	CH2	90187		36061	30							
Le Mans Wagon	78-81							42	CH2	36104		36061	30							
Le Mans Wagon	78-81							42	CH2	90187		36061	30							
Le Mans Wagon	78-81							42	CH2	90187		36061	30							
Montana All, Inc. AWD	99-05	30	SF	24721	AL,GP,IR	3592	30	34	FH	36361	AL,GP,IR	36061	40	39	PR	33094	AL,IR	3.5	5	40
Montana All, Inc. AWD	99-05	30	CL1	60842	AL,GP,IR	3592	30	24	PS2	51102	AL,GP,IR	36061	40	41	PR	44574	AL,IR	3.5	5	40
Montana All, Inc. AWD	99-05	30						34	CL2	90148	AL,GP,IR	36061	40	18	PS3	51079	AL,GP,IR	3.5	5	40
Montana All, Inc. AWD	99-05	30						41	MF	75278	AL,GP,IR	36061	40	41	MF	75278	AL,GP,IR	3.5	5	40
Montana All, Inc. AWD	99-05	30						41	CL3	87410	JP,AL,IR	36061	40	41	CL3	87410	JP,AL,IR	3.5	5	40
Montana SV6 All, Inc. AWD	05-06							34	FH	36361	AL,GP,IR	36061	40	39	PR	33094	AL,IR	3.5	5	40
Montana SV6 All, Inc. AWD	05-06							24	PS2	51102	AL,GP,IR	36061	40	41	PR	44574	AL,IR	3.5	5	40
Montana SV6 All, Inc. AWD	05-06							34	CL2	90148	AL,GP,IR	36061	40	18	PS3	51079	AL,GP,IR	3.5	5	40
Montana SV6 All, Inc. AWD	05-06							41	MF	75278	AL,GP,IR	36061	40	41	MF	75278	AL,GP,IR	3.5	5	40
Montana SV6 All, Inc. AWD	05-06							41	CL3	87410	JP,AL,IR	36061	40	41	CL3	87410	JP,AL,IR	3.5	5	40
Montana SV6 All, Inc. AWD (Canada Only)	07-09							34	FH	36361	AL,GP,IR	36061	40	39	PR	33094	AL,IR	3.5	5	40
Montana SV6 All, Inc. AWD (Canada Only)	07-09							24	PS2	51102	AL,GP,IR	36061	40	41	PR	44574	AL,IR	3.5	5	40
Montana SV6 All, Inc. AWD (Canada Only)	07-09							34	CL2	90148	AL,GP,IR	36061	40	18	PS3	51079	AL,GP,IR	3.5	5	40
Montana SV6 All, Inc. AWD (Canada Only)	07-09							41	MF	75278	AL,GP,IR	36061	40	41	MF	75278	AL,GP,IR	3.5	5	40
Montana SV6 All, Inc. AWD (Canada Only)	07-09							41	CL3	87410	JP,AL,IR	36061	40	41	CL3	87410	JP,AL,IR	3.5	5	40
Parisienne	83-86							41	FH	36122		36063	30	53	MF	75146		3.5	8	30
Parisienne	83-86							41	CL2	90039	Ø	36063	25							
Parisienne Wagon	83-86							50	CH2	36105		36063	30							
Parisienne Wagon	83-86							50	CH2	90224		36063	30							
Safari Wagon Full Size	77-89							50	CH2	36105		36063	30							
Safari Wagon Full Size	77-89							50	CH2	90224		36063	30							
Solstice	06-08	24	CH1	24833	Ø,HM,IR	3594	35													
Solstice	06-08	24	CH1	60224	Ø,HM,IR	3594	35													
Solstice GXP	07-08	24	CH1	24833	Ø,HM,IR,X	3594	35													
Solstice GXP	07-08	24	CH1	60224	Ø,HM,IR,X	3594	35													
Solstice	2009	24	CH1	24833	HM,IR	3594	40													
Solstice	2009	24	CH1	60224	HM,IR	3594	40													
Solstice GXP	2009	24	CH1	24833	HM,IR,X	3594	40													
Solstice GXP	2009	24	CH1	60224	HM,IR,X	3594	40													
Sunbird	88-94	45	CH1	24621	†,TA	3592	30													
Sunbird	88-94	45	CH1	60252	†,TA	3592	30													
Sunbird GT	88-89	45	CH1	24621	†,TA	3592	30													
Sunbird GT	88-89	45	CH1	60252	†,TA	3592	30													

† = Available while supply lasts.
 AI = Additional installation time required.
 AL = Additional installation time required for vehicles equipped with load leveling compressor.
 AW = Will not fit Turbo models.
 FE = Fascia trimming required. Allow additional installation time.
 GP = Hitch crosstube concealed behind bumper.
 HB = Slight fascia deformation may occur on some models.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
PONTIAC (Continued)																
B,F	PC3,4								119186	119146 & 118151						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
A	PC3,4								119186	20252						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
A	PC3,4								119186	20252						
B	SUV3	E8	118355	HG	10				119175	119130	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E10	118396		15				119186	20252	20320 20143	20321 20125 20144	20224			
A	SUV1,2	E10	118396		15				119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC3,4								119186	20252	20320 20143	20321 20125 20144	20224			
A	PC1,2								119186	20252						
A	PC1,2								119186	20252						
A	PC1,2								119186	20252						
A	PC1,2								119186	20252						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I						CLASS II						CLASS III/IV/V						
		200 lbs. TW			2,000 lbs. GTW			300 lbs. TW			3,500 lbs. GTW			350-2,500 lbs. TW			3,500-18,000 lbs. GTW			
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
PONTIAC (Continued)																				
Sunfire All, Except GT	95-99	35	SF	24733	GP, JR	3592	40													
		27	PS1	51163	GP, JR	3592	40													
		35	CL1	60973	Ø, JR	3592	25													
Sunfire All Models	00-02	42	SF	24613	JR, KH	3592	40													
		42	CL1	60864	JR, KH	3592	40													
Sunfire All Models	03-05	35	SF	24733	GP, JR	3592	40													
		27	PS1	51163	GP, JR	3592	40													
		35	CL1	60973	Ø, JR	3592	25													
Sunfire GT	95-99	42	SF	24613	JR, KH	3592	40													
		42	CL1	60864	JR, KH	3592	40													
Torrent	2006							35	FH	36408	Ø, HM	36051	25	48	PR	44637	Ø, HM	3.5	4	30
								26	PS2	51185	Ø, HM	36051	25	21	PS3	51193	Ø, HM	3.5	4	30
								35	CL2	90145	Ø, HM	36051	25	45	MF	75672	Ø, †, HM	3.5	4	30
														48	MF	75681	Ø, HM	3.5	4	30
														45	CL3	87136	Ø, JP, †, HM	3.5	4	30
														48	CL3	87572	Ø, JP, HM	3.5	4	30
Torrent	07-09							35	FH	36408	Ø, HM	36051	25	48	PR	44637	Ø, HM	3.5	4	30
								26	PS2	51185	Ø, HM	36051	25	21	PS3	51193	Ø, HM	3.5	4	30
								35	CL2	90145	Ø, HM	36051	25	45	MF	75672	Ø, †, HM	3.5	4	30
														48	MF	75681	Ø, HM	3.5	4	30
														45	CL3	87136	Ø, JP, †, HM	3.5	4	30
														48	CL3	87572	Ø, JP, HM	3.5	4	30
Trans Sport Van	90-92							50	CH2	36126	AL, JR	36071	40		PR	33068	†, AL	3.5	3.5	30
								50	CH2	90049	AL, JR	36071	40							
Trans Sport Van	1993							50	CH2	36126	AL, JR	36071	40		PR	33068	†, AL	3.5	3.5	30
								50	CH2	90049	AL, JR	36071	40							
Trans Sport Van	94-96							43	CH2	36184	AL, GP	36061	40		PR	33068	†, AL	3.5	3.5	30
								43	CH2	90181	AL, GP	36061	40							
Trans Sport Van All, Inc. Montana	97-98	30	SF	24721	AL, GP, JR	3592	30	34	FH	36361	AL, GP, JR	36061	40	39	PR	33094	AL, JR	3.5	5	40
		30	CL1	60842	AL, GP, JR	3592	30	24	PS2	51102	AL, GP, JR	36061	40	41	PR	44574	AL, JR	3.5	5	40
								34	CL2	90148	AL, GP, JR	36061	40	18	PS3	51079	AL, GP, JR	3.5	5	40
														41	MF	75278	AL, GP, JR	3.5	5	40
														41	CL3	87410	JP, AL, JR	3.5	5	40
Vibe All, Inc. GT Models	03-08	31	SF	24812	Ø, HM	3593	15													
		22	PS1	51169	Ø, HM	3593	15													
		31	CL1	60898	Ø, HM	3593	15													
		19	RT1	60958	Ø	3593	10													
Vibe All, Except GT Models	09-10	31	SF	24812	Ø, HM	3593	15													
		22	PS1	51169	Ø, HM	3593	15													
		31	CL1	60898	Ø, HM	3593	15													
Wave 5 Dr. (Canada Only)	04-08	23	SF	24741		3593	30													
		23	CL1	60849		3593	30													
SAAB																				
9-2X Aero & Linear	05-06	29	CH1	24758	Ø, JR	3593	30													
9-3	99-02							38	CH2	36280	JR	36053	30							
								38	CH2	90042	JR	36053	30							
9-3 Convertible Only	2003							38	CH2	36280	JR	36053	30							
								38	CH2	90042	JR	36053	30							
9-5	99-05							45	FH	36286	Ø, TA	36051	30							
SATURN																				
Astra 3 Dr. Hatchback	08-09	42	CH1	24809	Ø, GP, JR	3594	25													
		42	CH1	60895	Ø, GP, JR	3594	25													
Astra 5 Dr. Hatchback	08-09	42	CH1	24809	Ø, GP, JR	3594	25													
		42	CH1	60895	Ø, GP, JR	3594	25													

† = Available while supply lasts.
 AL = Additional installation time required for vehicles equipped with load leveling compressor.
 GP = Hitch cross-tube concealed behind bumper.
 HM = Hitch cross-tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
PONTIAC (Continued)																	
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
A	PC3,4									119186	20252						
B	SUV3	E8	118391	CG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E7	118432	CE	10					119175	119130	20320 20143	20321 20125 20144	20224			
A,F	SUV1,2									119186	119146 & 118151						
A,F	SUV1,2	E7	118337		20					119186	119146 & 118151						
A	SUV1,2	E7	118337		20					119186	20252						
B	SUV3	E8	118355	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3,4	E11	118458	CG	15					119175	119130						
B,E	SUV3,4	E16	118460	CH	45					119186	119146 & 118151						
B	PC3,4									119175	119130						
SAAB																	
B,E	PC1,2									119186	119146 & 118151						
B,F	PC1,2									119186	119146 & 118151						
B,F	PC1,2									119186	119146 & 118151						
B,E	PC1,2									119186	119146 & 118151						
SATURN																	
AP	PC1,2									119186	119146 & 118151						
AP	PC1,2									119186	119146 & 118151						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 AP=2 wire system w/Pulse Width Modulation (PWM). Upgraded ModuLite® required.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CE=T-One includes fuse(s) & relay(s), converter not required. Standard 2 wire system at factory tow plug.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.

HG=T-One incorporates taillight converter.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT1=Round Tube Class I

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I					CLASS II					CLASS III/IV/V								
		200 lbs. TW		2,000 lbs. GTW			300 lbs. TW		3,500 lbs. GTW			350-2,500 lbs. TW		3,500-18,000 lbs. GTW						
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
SATURN (Continued)																				
Aura	07-09						40	FH	36479	GP, JR, RB		36065	45							
							40	CL2	90194	GP, JR, RB		36065	45							
Ion All, Except Redline & Models w/2.4 Liter Engine	03-07	35	SF	24734	JR															
		35	CL1	60989	JR															
Ion 3 w/2.4 Liter Engine	05-07	42	SF	24756	HM, JR															
		32	PS1	51164	HM, JR															
		42	CL1	60815	HM, JR															
Ion Redline	04-06	42	SF	24756	HM, JR															
		32	PS1	51164	HM, JR															
		42	CL1	60815	HM, JR															
L Series All Models	00-02	17	SF	24685	TA															
		17	CL1	60926	TA															
L Series Wagon Only	03-04	17	SF	24685	TA															
		17	CL1	60926	TA															
Outlook	07-09													32	RT	44569	Ø, GP, JR	5	5	25
														22	PS3	51083	Ø, RT, GP, JR	5	5	25
														32	RT	75528	Ø, GP, JR	5	5	25
														32	RT3	87435	Ø, JP, GP, JR	5	5	25
Relay All, Inc. AWD	05-07						34	FH	36361	AL, GP, JR		36061	40	39	PR	33094	AL, JR	3.5	5	40
							24	PS2	51102	AL, GP, JR		36061	40	41	PR	44574	AL, JR	3.5	5	40
							34	CL2	90148	AL, GP, JR		36061	40	18	PS3	51079	AL, GP, JR	3.5	5	40
														41	MF	75278	AL, GP, JR	3.5	5	40
														41	CL3	87410	JP, AL, JR	3.5	5	40
SC Series 2 Dr. Coupe	91-95	37	SF	24620	HM, JR, KH, TA															
		37	CL1	60839	HM, JR, KH, TA															
SC Series 2 Dr. Coupe	96-02	37	SF	24620	HM, JR, KH, TA															
		37	CL1	60839	HM, JR, KH, TA															
Sky	07-08	24	CH1	24833	Ø, HM, JR															
		24	CH1	60224	Ø, HM, JR															
Sky Redline	07-08	24	CH1	24833	Ø, HM, JR															
		24	CH1	60224	Ø, HM, JR															
Sky	2009	24	CH1	24833	HM, JR															
		24	CH1	60224	HM, JR															
Sky Redline	2009	24	CH1	24833	HM, JR															
		24	CH1	60224	HM, JR															
SL Series 4 Dr. Sedan	91-02	37	SF	24620	HM, JR, KH, TA															
		37	CL1	60839	HM, JR, KH, TA															
SW Series Wagon	91-01	37	SF	24620	HM, JR, KH, TA															
		37	CL1	60839	HM, JR, KH, TA															
Vue All, Except Redline	02-07						35	FH	36408	Ø, HM		36051	25	48	PR	44637	Ø, HM	3.5	4	30
							26	PS2	51185	Ø, HM		36051	25	21	PS3	51193	Ø, HM	3.5	4	30
							35	CL2	90145	Ø, HM		36051	25	45	MF	75672	Ø, J, HM	3.5	4	30
														48	MF	75681	Ø, HM	3.5	4	30
														45	CL3	87136	Ø, JP, J, HM	3.5	4	30
														48	CL3	87572	Ø, JP, HM	3.5	4	30
Vue All, Inc. Redline	08-09						29	FH	36450	Ø, GP		36061	15	34	PR	44580	Ø, GP	4	4	15
							29	CL2	90167	Ø, GP		36061	15	34	MF	75556	Ø, GP	4	4	15
														34	CL3	87445	Ø, JP, GP	4	4	15
SCION																				
tC	05-06	13	SF	24827	GP															
		13	CL1	60213	GP															
tC	07-10	13	SF	24827	GP															
		13	CL1	60213	GP															

† = Available while supply lasts.
 AL = Additional installation time required for vehicles equipped with load leveling compressor.
 GP = Hitch cross-tube concealed behind bumper.
 HM = Hitch cross-tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 RB = Hitch installation can be made easier with a "cutter" type drill bit.
 RT = Round Tube
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
SATURN (Continued)																	
B,LD	PC1,2	E11	118423	HG	15					119186	119130						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
A,N	SUV1,2	E10	118434		15	E8	118384	RD	5			20320 20143	20321 20125 20144		E1 E3	20269 22289	5
A	SUV1,2	E10	118396		15					119186	20252	20320 20143	20321 20125 20144	20224			
B,F	PC3,4									119186	119146 & 118151						
B	PC3,4									119175	119130						
A	PC1,2									119186	20252						
A	PC1,2									119186	20252						
A	PC1,2									119186	20252						
A	PC1,2									119186	20252						
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B	SUV1,2	E16	118418	CG	20					119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV3,4	E19	118443	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
SCION																	
B	PC1,2									119175	119130						
B	PC1,2	E13	118484	CG	15					119175	119130						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 LD=Vehicle has LED taillamps.
 N=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class I
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		SCION (Continued)																			
xB	04-07	26	INV	28501	Ø,AG,JR	28451	25														
xB	08-10	16	CH1	24815	Ø,GP	3593	15														
		16	CH1	60899	Ø,GP	3593	15														
xB	2011	16	CH1	24815	Ø,GP	3593	15														
		16	CH1	60899	Ø,GP	3593	15														
xD	08-10	17	SF	24828	Ø,GP,JR	3593	20														
		17	CL1	60214	Ø,GP,JR	3593	20														
STERLING																					
Pickup, Bullet, Full Size 4500 HD Chassis Cab	08-09													39	UF	41936	Ø		12		30
														68	UF	41940	Ø		15	16	35
Pickup, Bullet, Full Size 5500 HD Chassis Cab	08-09													39	UF	41936	Ø		12		30
														68	UF	41940	Ø		15	16	35
SUBARU																					
B9 Tribeca All Models	06-10													34	PR	44535	Ø,JR		3.5	4	35
														34	MF	75401	Ø,JR		3.5	4	35
														34	CL3	87407	Ø,JP,JR		3.5	4	35
Baja	03-06	42	CH1	24735	Ø	3590	20														
		42	CH1	60982	Ø	3590	20														
Forester All, Inc. XT	98-08							44	FH	36311	Ø,GP,JR	36051	30								
								25	PS2	51174	Ø,GP,JR	36051	30								
								44	CL2	90757	Ø,JR	36051	30								
Forester	09-10	31	SF	24807	HM,JR	3594	35							37	PR	44607	HM,JR		3.5		35
		31	CL1	60893	HM,JR	3594	35							37	MF	75650	HM,JR		3.5		35
														37	CL3	87493	JP,HM,JR		3.5		35
Impreza All, Inc. Outback Sport	93-01	32	SF	24710	Ø,JR	3593	30														
		32	CL1	60823	Ø,JR	3593	30														
Impreza Inc. Outback Sport & WRX, Except WRX STi	02-07	32	SF	24710	Ø,JR	3593	30														
		32	CL1	60823	Ø,JR	3593	30														
Impreza 4 Dr. Sedan, Inc. WRX	08-10	31	SF	24807	HM,JR	3594	35														
		31	CL1	60893	HM,JR	3594	35														
Impreza 5 Dr. Wagon, Inc. Outback Sport & WRX, Except WRX STi	08-11	26	SF	24849	HM,JR	3593	45														
		26	CL1	60265	HM,JR	3593	45														
Legacy Coupe & Sedan, Inc. Outback & SUS	90-99							52	FH	36234	XH	36071	25								
								52	CL2	90175	XH	36071	25								
Legacy Sedan, Except Outback	00-04							58	FH	36284	Ø	36061	20								
								58	CL2	90176	Ø	36061	20								
Legacy Sedan, Except Outback	05-07							39	FH	36334	Ø,JR	36071	25	46	PR	44581	Ø,JR		4		25
								29	PS2	51177	Ø,JR	36071	25	46	MF	75560	Ø,JR		4		25
								39	CL2	90138	Ø,JR	36053	25	46	CL3	87446	Ø,JP,JR		4		25
Legacy Sedan	08-09							39	FH	36334	Ø,JR	36071	25	46	PR	44581	Ø,JR		4		25
								29	PS2	51177	Ø,JR	36071	25	46	MF	75560	Ø,JR		4		25
								39	CL2	90138	Ø,JR	36053	25	46	CL3	87446	Ø,JP,JR		4		25
Legacy Sedan	10-11							38	FH	36493	JR,XH	36071	45	45	PR	44631	JR,XH		4		45
								38	CL2	90208	JR,XH	36071	45	45	MF	75673	JR,XH		4		45
														45	CL3	87568	JP,JR,XH		4		45
Legacy Wagon All, Inc. Outback	90-95							52	FH	36234	XH	36061	20								
								52	CL2	90175	XH	36061	20								
Legacy Wagon All, Except Outback	96-99							52	FH	36234	XH	36061	20								
								52	CL2	90175	XH	36061	20								
Legacy Wagon Outback	96-99							52	FH	36234	XH	36061	20								
								52	CL2	90175	XH	36061	20								
Legacy Wagon All, Except Outback	00-04							58	FH	36284	Ø	36061	20								
								58	CL2	90176	Ø	36061	20								

Ø = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 AG = Drawbar Kit & Accessory Adapter sold separately.
 GP = Hitch cross tube concealed behind bumper.
 HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.

Draw-Title Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
SCION (Continued)																	
B	SUV3,4	E12	118414	CG	20					119175	119130						
B,E	SUV3,4	E18	118468	CH	45					119186	119146 & 118151						
B,E	SUV3,4	E18	118468	CH	45					119186	119146 & 118151						
B	PC3,4									119175	119130						
STERLING																	
C	PU1,2									119186		20320 20143	20321 20125 20144	20224			
C	PU1,2									119186		20320 20143	20321 20125 20144	20224			
SUBARU																	
B,F	SUV8	E12	118461	CH	10					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	SUV1,2									119186	119146 & 118151						
B,F	SUV4	E12	118461	CH	10					119186	119146 & 118151						
B,E	SUV8	E11	118467	CH	15					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	PC1,2									119186	119146 & 118151						
B,E	PC1,2									119186	119146 & 118151						
B,E	PC3,4	E17	118464	CH	45					119186	119146 & 118151						
B,E	PC3,4									119186	119146 & 118151						
B,F	PC3,4									119186	119146 & 118151						
B,F	PC3,4									119186	119146 & 118151						
B,F	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	PC3,4	E13	118511	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3,4									119186	119146 & 118151						
B,F	PC3,4									119186	119146 & 118151						
B,F	PC3,4	E12	118461	CH	10					119186	119146 & 118151						
B,F	PC3,4									119186	119146 & 118151						

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 C=2 or 3 wire system, determine at installation.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.

CH1=Classic Hitch Class I
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 INV=Invisi-Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 SF=Sportframe
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
SUBARU (Continued)																
B,F	PC3,4	E12	118461	CH	10				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3,4								119186	119146 & 118151						
B,F	PC3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3,4	E12	118461	CH	10				119186	119146 & 118151						
B,F	PC3,4	E12	118461	CH	10				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3,4	E12	118461	CH	10				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PC3	E11	118467	CH	15				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
SUZUKI																
B,E	PU1,2					E1	118399	RD,Z	5	119186	119146 & 118151	20320 20143	20321 20125 20144	20224		
B	SUV3	E5	118372	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3,4	E12	118456	CG	20				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2	E5	118372	HG	5				119175	119130						
B	SUV1,2	E5	118372	HG	5				119175	119130						
B	PC3,4								119175	119130						
B	SUV1,2	E12	118456	CG	20				119175	119130						
B	PC3,4	E12	118475	CG	20				119175	119130						
B	SUV3	E5	118372	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2								119175	119130						
B	SUV3	E5	118372	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV1,2					E7	118432	CE,RD	10	119175	119130	20320 20143	20321 20125 20144	20224		

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CE=T-One includes fuse(s) & relay(s), converter not required. Standard 2 wire system at factory tow plug.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module. E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

Z=May be equipped with Factory Tow Prep Plug. Determine at time of installation.

CH1=Classic Hitch Class I
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 ML=Max. E-Loader
 PR=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW								
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000 WC	WD	IN
		TOYOTA																		
4Runner	87-92													74	MF	75023	EF,FB	3.5	5	40
4Runner	92-95													55	PR	33023	†	5	5	40
														55	MF	75145		5	5	40
4Runner	96-00							46	CH2	36223		36071	30	51	RT	33013	Ø	5	5.5	30
								46	CH2	90511		36071	30	51	RT	75091	Ø	5	5.5	30
														51	RT3	87477	Ø,JP	5	5.5	30
4Runner	01-02							46	CH2	36223		36071	30	51	RT	33013	Ø	5	5.5	30
								46	CH2	90511		36071	30	51	RT	75091	Ø	5	5.5	30
														51	RT3	87477	Ø,JP	5	5.5	30
4Runner	03-06													52	RT	44548	Ø,FE,LT,SI	6	7.3	35
														52	RT3	70779	Ø,JP,FE,LT,SI	6	7.3	35
														52	RT	75155	Ø,FE,LT,SI	6	7.3	35
4Runner	07-09													52	RT	44548	Ø,FE,LT,SI	6	7.3	35
														52	RT3	70779	Ø,JP,FE,LT,SI	6	7.3	35
														52	RT	75155	Ø,FE,LT,SI	6	7.3	35
Avalon	95-99							45	FH	36336	HM	36061	15							
								33	PS2	51178	HM	36061	15							
								45	CL2	90174	HM	36061	15							
Avalon	00-04							47	CH2	36293		36051	20							
								47	CH2	90198		36051	20							
Avalon	05-10	50	CH1	24746	Ø,GP,IR	3593	40													
		50	CH1	60802	Ø,GP,IR	3593	40													
Camry 4 Dr. Sedan	87-91	17	SF	24534	EP	3593	40													
			CL1	60932	†,BC,EP	3590	45													
Camry 2 & 4 Dr.	92-96	41	CH1	24563	Ø,IR	3593	30	45	FH	36336	HM	36061	15							
		41	CH1	60845	Ø,IR	3593	30	33	PS2	51178	HM	36061	15							
								45	CL2	90174	HM	36061	15							
Camry 4 Dr.	97-01	39	SF	24715	Ø,HM,IR	3593	15	45	FH	36336	HM	36061	15							
		39	CL1	60863	Ø,HM,IR	3593	15	33	PS2	51178	HM	36061	15							
								45	CL2	90174	HM	36061	15							
Camry 4 Dr.	02-04	39	SF	24715	Ø,HM,IR	3593	15	45	FH	36336	HM	36061	15							
		39	CL1	60863	Ø,HM,IR	3593	15	33	PS2	51178	HM	36061	15							
								45	CL2	90174	HM	36061	15							
Camry 4 Dr.	05-06							45	FH	36336	HM	36061	15							
								33	PS2	51178	HM	36061	15							
								45	CL2	90174	HM	36061	15							
Camry 4 Dr., Except Hybrid	07-09							38	FH	36416	GP,IR,TA	36071	45							
								28	PS2	51190	GP,IR,TA	36071	45							
								38	CL2	90152	JR,TA	36071	45							
Camry 4 Dr., Hybrid	07-09							38	FH	36416	GP,IR,TA	36071	45							
								28	PS2	51190	GP,IR,TA	36071	45							
								38	CL2	90152	JR,TA	36071	45							
Camry 4 Dr., Except Hybrid	10-11							38	FH	36416	GP,IR,TA	36071	45							
								28	PS2	51190	GP,IR,TA	36071	45							
								38	CL2	90152	JR,TA	36071	45							
Camry 4 Dr., Hybrid	10-11							38	FH	36416	GP,IR,TA	36071	45							
								28	PS2	51190	GP,IR,TA	36071	45							
								38	CL2	90152	JR,TA	36071	45							
Camry Wagon	87-91	17	SF	24534	EP	3593	40													
Celica GTS	90-93		CL1	60932	†,BC,EP	3590	45													
Celica All Models	00-05	32	CH1	24691	Ø	3593	15													
		32	CH1	60249	Ø	3593	15													

† = Available while supply lasts.
 BC = Hitch rated at 1,500 lbs. GTW, 100 lbs. TW
 EF = Fits all models with standard bumpers.
 EP = Fascia trimming required.
 FB = Will not fit vehicles fitted with optional 31" tires stowed under vehicle.
 FE = Fascia trimming required. Allow additional installation time.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 LT = Requires removal of factory hitch if equipped.

Ø = Uses all existing holes, no drilling required.
 SI = Hitches produced before 07/31/07 are rated at 350/3500 WC & 500/5000 WD.
 TA = Trunk access required for hitch installation.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

T

TOYOTA

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
TOYOTA																	
B,F	SUV3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	SUV3,4									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	SUV3,4	E11	118341	HG	20					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	SUV3,4	E11	118341	HG	20	E3	118245	RD	10	119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2									119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
B,LD	SUV1,2									119186	119130	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
B	PC3,4									119175	119130						
B,F	PC3,4									119186	119146 & 118151						
B	PC3,4									119175	119130						
B,F	PC3,4									119186	119146 & 118151						
E	PC3,4									119186	119146 & 118151						
B	PC3,4	E8	118358	HG	5					119175	119130						
B	PC3,4	E10	118308		5					119175	119130						
B	PC3,4	E10	118308		5					119175	119130						
B,F	PC3,4	E16	118405	CH	45					119186	119146 & 118151						
B,LD	PC3,4	E17	118482	CH	45					119186	119130						
B,LD	PC3,4	E17	118482	CH	45					119186	119130						
B,LD	PC3,4	E17	118482	CH	45					119186	119130						
B,F	PC3,4									119186	119146 & 118151						
B,F	PC1,2									119186	119146 & 118151						
B	PC1,2									119175	119130						

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 LD=Vehicle has LED taillamps.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 RT=Round Tube
 RT3=Round Tube Class III
 SF=Sportframe

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		TOYOTA (Continued)																			
Corolla 2 & 4 Dr. Sedan	86-92		CL1	60932	†,BC,EP	3590	45														
Corolla 2 & 4 Dr. Sedan	93-02	29	SF	24579		3592	30														
		29	CL1	60838		3592	30														
Corolla	2003	33	SF	24814	Ø,HM	3593	20														
		23	PS1	51171	Ø,HM	3593	20														
		33	CL1	60200	Ø,HM	3593	20														
		33	RT1	60964	Ø	3593	10														
Corolla	04-07	33	SF	24814	Ø,HM	3593	20														
		23	PS1	51171	Ø,HM	3593	20														
		33	CL1	60200	Ø,HM	3593	20														
		33	RT1	60964	Ø	3593	10														
Corolla	2008	33	SF	24814	Ø,HM	3593	20														
		23	PS1	51171	Ø,HM	3593	20														
		33	CL1	60200	Ø,HM	3593	20														
		33	RT1	60964	Ø	3593	10														
Corolla	09-10	33	SF	24814	Ø,HM	3593	20														
		23	PS1	51171	Ø,HM	3593	20														
		33	CL1	60200	Ø,HM	3593	20														
Corolla Wagon 2 WD	88-92		CL1	60932	†,BC,EP	3590	45														
Corolla Wagon 4 WD	88-93		CL1	60932	†,BC,EP	3590	45														
Cressida Sedan	86-92		CL1	60932	†,BC,EP	3590	45														
Echo	00-02	36	CH1	24694	Ø	3593	15														
		36	CH1	60242	Ø	3593	15														
Echo All, Except Hatchback	00-02	37	CH1	24813	Ø,X	3590	15														
		37	CH1	60923	Ø,X	3590	15														
Echo All, Except Hatchback	03-05	37	CH1	24813	Ø,X	3590	15														
		37	CH1	60923	Ø,X	3590	15														
Echo Hatchback 2 & 4 Dr., Except Turbo (Canada Only)	04-05	45	CH1	24751	Ø,AD		15														
		45	CH1	60987	Ø,AD	3593	15														
FJ Cruiser	07-10													55	PR	44545	Ø,GP		5	6	30
														28	PS3	51087	Ø,GP		5	6	30
														55	MF	75461	Ø,GP		5	6	30
														55	CL3	87412	Ø,JP,GP		5	6	30
Highlander	01-03							42	CH2	36271	Ø		36051	15	44	ML	41541	Ø,HM		3.5	15
								42	CH2	90647	Ø,†		36051	15	44	PR	44076	Ø		3.5	15
														33	PS3	51153	Ø,HM		3.5	15	
														47	RT3	70777	Ø		5	5	45
Highlander All, Inc. Hybrid	04-07													49	RT	33075	Ø		3.5	20	
														30	PS3	51155	Ø,RT		3.5	20	
														49	RT3	70778	Ø,JP		3.5	20	
														49	RT	75153	Ø		3.5	20	
Highlander All, Inc. Hybrid	08-11													42	PR	44587	Ø,HM		5	5	25
														33	PS3	51158	Ø,HM		5	5	25
														42	MF	75586	Ø,HM		5	5	25
														42	CL3	87452	Ø,JP,HM		5	5	25
LandCruiser	91-95													55	CH3	41015	Ø		5	6	30
														55	CH3	87549	Ø,JP		5	6	30
LandCruiser	96-97													55	CH3	41015	Ø		5	6	30
														55	CH3	87549	Ø,JP		5	6	30
LandCruiser	98-99													46	PR	44546	Ø		5	6	20
														46	MF	75095	Ø		5	6	20
														46	CL3	87409	Ø,JP		5	6	20

† = Available while supply lasts.
 AD = Hitch rated at 1,500 lbs. GTW, 150 lbs. TW.
 BC = Hitch rated at 1,500 lbs. GTW, 100 lbs. TW.
 EP = Fascia trimming required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

TOYOTA

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
TOYOTA (Continued)																
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	PC3,4	E13	118387	CG	15				119175	119130						
B	PC3,4								119175	119130						
B,F	PC3,4								119186	119146 & 118151						
B,E	PC3,4	E16	118459	CH	45				119186	119146 & 118151						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	PC3,4	E12	118386	CG	20				119175	119130						
B	PC3,4	E12	118386	CG	20				119175	119130						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	SUV3,4	E16	118405	CH	45				119175	119130	20320 20143	20321 20125 20144	20224			
B,Z	SUV3,4	E10	118413	HG	20	E3	118245	RD	10	119175	119130	20320 20143	20321 20125 20144	20224		
							118245	RD								
B	SUV3	E10	118248	CH	20		118248	RD		119175	119130	20320 20143	20321 20125 20144	20224		
B,E	SUV3,4	E13	118449	CH	20				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2								119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV6	E5	118357	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV6	E5	118365	HG	5				119175	119130	20320 20143	20321 20125 20144	20224			

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 Z=May be equipped with Factory Tow Prep Plug. Determine at time of installation.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL3=Class III
 MF=Max Frame
 ML=Max-E-Loader
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS3=Pro Series Class III
 RT=Round Tube
 RT1=Round Tube Class I

RECEIVER HITCHES

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW										
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN	
		TOYOTA (Continued)																				
LandCruiser	2000														46	PR	44546	Ø		5	6	20
															46	MF	75095	Ø		5	6	20
															46	CL3	87409	Ø,JP		5	6	20
LandCruiser	01-02														46	PR	44546	Ø		5	6	20
															46	MF	75095	Ø		5	6	20
															46	CL3	87409	Ø,JP		5	6	20
LandCruiser	03-07														46	PR	44546	Ø		5	6	20
															46	MF	75095	Ø		5	6	20
															46	CL3	87409	Ø,JP		5	6	20
Matrix All Models	03-08	31	SF	24812	Ø,HM,UD	3593	15															
		22	PS1	51169	Ø,HM,UD	3593	15															
		31	CL1	60898	Ø,HM,UD	3593	15															
Matrix w/Ground Effects	03-08	19	RT1	60965	Ø	3593	10															
Matrix w/o Ground Effects	03-08	19	RT1	60958	Ø	3593	10															
Matrix All Models	09-10	31	SF	24812	Ø,HM	3593	15															
		22	PS1	51169	Ø,HM	3593	15															
		31	CL1	60898	Ø,HM	3593	15															
MR2	86-90																					
Pickup All, Except T-100	84-88														63	PR	33024	Ø,AA		5	5	60
															63	MF	75031	AA		5	5.5	60
															63	CL3	87472	JP,AA		5	5.5	60
Pickup All, Except T-100	89-95														63	PR	33024	Ø,AA		5	5	60
															63	MF	75031	AA		5	5.5	60
															63	CL3	87472	JP,AA		5	5.5	60
Previa All, Inc. Supercharged	91-97							51	CH2	36205	Ø,GP,JR	36071	30									
								51	CH2	90637	Ø,GP,JR	36071	30									
Prius	04-09	27	SF	24808	Ø,HM,SC	3593	30															
		27	CL1	60894	Ø,HM,SC	3593	30															
Prius	2010	20	SF	24847	Ø,HM,JR	3593	25															
		20	CL1	60263	Ø,HM,JR	3593	25															
RAV4	96-00	34	SF	24704	Ø	3593	15							39	PR	33060	Ø,RA		3.5		20	
		34	CL1	60938	Ø	3593	15							39	MF	75125	Ø,RA		3.5		15	
RAV4	01-05	34	SF	24704	Ø	3593	15							39	PR	33060	Ø		3.5		20	
		34	CL1	60938	Ø	3593	15							39	MF	75125	Ø		3.5		15	
RAV4	06-11							23	FH	36490	Ø,HM	36051	20	47	RT	44540	Ø		3.5	4	20	
								23	CL2	90207	Ø,HM	36051	20	25	PS3	51157	Ø,RT		3.5	4	20	
														47	RT3	70785	Ø,JP		3.5	4	20	
														47	RT	75432	Ø		3.5	4	20	
Sequoia	01-02													62	CH3	44089	Ø		5	6.5	25	
														62	CH3	75126	Ø		5	6.5	20	
														62	CH3	87780	Ø		5	7.5	20	
Sequoia	03-07													62	CH3	44089	Ø		5	6.5	25	
														62	CH3	75126	Ø		5	6.5	20	
														62	CH3	87780	Ø		5	7.5	20	
Sequoia	08-10													23	MF	75649	Ø,AI		6	10	40	
														23	CL3	87488	Ø,JP,AI		6	10	40	
Sienna Van	98-00							38	CH2	36298	Ø	36061	15	42	PR	33008			3.5	5	30	
								38	CH2	90638	Ø	36061	15	42	MF	75120			3.5	5	30	
														42	CL3	87638	JP		3.5	5	30	
Sienna Van	01-03							38	CH2	36298	Ø	36053	15	42	PR	33008			3.5	5	30	
								38	CH2	90638	Ø	36053	15	42	MF	75120			3.5	5	30	
														42	CL3	87638	JP		3.5	5	30	

† = Available while supply lasts.
 AA = Requires temporary removal of bumper during installation.
 AI = Additional installation time required.
 BC = Hitch rated at 1,500 lbs. GTW, 100 lbs. TW
 EP = Fascia trimming required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RA = Do not install on early 1996 models equipped with M10 fasteners.

RT = Round Tube
 SC = Minor trimming of plastic trunk pan required.
 UD = Fascia removal required on XR & XRS models.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN	
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER					7-WAY ADAPTER
TOYOTA (Continued)																	
B	SUV6								119175	119130	20320 20143	20321 20125 20144	20224				
B	SUV6					E3	118245	RD	10	119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV6									119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
B	SUV3,4	E12	118386	CG	20					119175	119130						
B	SUV3,4	E12	118386	CG	20					119175	119130						
B	SUV3,4	E12	118386	CG	20					119175	119130						
B,E	SUV3,4	E16	118460	CH	45					119186	119146 & 118151						
B	PC3,4									119175	119130						
B,F	PU1,2									119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,F	PU1,2	E12	118379	HG	10					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV1,2									119175	119130						
W	PC3,4	E16	118505	CH	25					119186	119146 & 118151						
W	PC3,4	E16	118505	CH	25					119186	119146 & 118151						
B	SUV3,4	E12	118388	CG	20					119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3,4	E12	118389	CG	20					119175	119130	20320 20143	20321 20125 20144	20224			
W	SUV3,4	E16	118412	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	SUV7					E1	118246	RD	5	119175	119130	20320 20143	20321 20125 20144	20224			
D												20320 20143	20321 20125 20144		E1 E3	20265 22285	5
D												20320 20143	20321 20125 20144		E1 E3	20265 22285	5
B	SUV3,4									119175	119130	20320 20143	20321 20125 20144	20224			
B	SUV3,4									119175	119130	20320 20143	20321 20125 20144	20224			

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CG=T-One incorporates circuit protected taillight converter.
 CH=T-One is equipped with circuit protected ModuLite® module.
 D=See auto dealer for trailer tow wiring kit.
 E=ModuLite® required.
 F=ModuLite® recommended.
 HG=T-One incorporates taillight converter.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
 W=3 wire system, ModuLite® required. Vehicle has LED taillamps.

CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS1=Pro Series Class I
 PS3=Pro Series Class III
 RT=Round Tube
 RTI=Round Tube Class I

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		TOYOTA (Continued)																			
Sienna Van All Models	04-10														51	RT	33070	Ø,JR,TS	3.5	5	30
															22	PS3	51080	Ø,RT,JR	3.5	5	30
															51	RT	75149	Ø,JR,TS	3.5	5	30
															51	RT3	87415	Ø,JP,JR	3.5	5	30
Sienna Van All Models	2011														48	RT	44648	Ø,HM,SV	3.5	5	45
															36	PS3	51196	Ø,HM,SV	3.5	5	45
															48	RT	75696	Ø,HM,SV	3.5	5	45
															48	RT3	87586	Ø,JP,HM,SV	3.5	5	45
Solara	99-03	39	SF	24715	Ø,HM,JR	3593	15	45	FH	36336	HM	36061	15								
		39	CL1	60863	Ø,HM,JR	3593	15	33	PS2	51178	HM	36061	15								
Solara	04-06																				
Solara	07-09																				
Supra Liftback	86-87		CL1	60932	†,BC,EP	3590	45														
Supra Sedan	86-92		CL1	60932	†,BC,EP	3590	45														
T-100 Pickup All Models	93-98														60	PR	33022	Ø,†,CN	5	7	45
															60	MF	75144	Ø,CN	5	7	45
															60	CL3	87490	Ø,JP,CN	5	7	45
Tacoma Pickup 4 WD Only (App. starts with 95-1/2)	95-97														47	CL3	87579	Ø	5	5	20
Tacoma Pickup All, 2 & 4 WD (App. starts with 95-1/2)	95-04														47	PR	33025	Ø	5	5.5	30
															47	PR	44051	Ø	5	5.5	40
															30	PS3	51108	Ø,GP	5	5.5	40
															47	MF	75078	Ø,GP	5	5.5	40
Tacoma Pickup All, 2 & 4 WD Including PreRunner	98-04														47	CL3	87579	Ø	5	5	20
Tacoma Pickup All, Except X-Runner	05-08														47	PR	33090	Ø,GP	5	5.5	30
															27	PS3	51146	Ø,GP	5	5.5	30
															47	MF	75236	Ø,GP	5	5.5	30
															47	CL3	87581	Ø,GP	5	5.5	30
Tacoma Pickup All, Except X-Runner	09-11														47	PR	33090	Ø,GP	5	5.5	30
															27	PS3	51146	Ø,GP	5	5.5	30
															47	MF	75236	Ø,GP	5	5.5	30
															47	CL3	87581	Ø,GP	5	5.5	30
Tercel 2 & 4 Dr. Sedan	83-90		CL1	60932	†,BC,EP	3590	45														
Tercel 2 & 4 Dr. Sedan	91-98	40	CH1	24606	Ø	3593	30														
		40	CH1	60882	Ø	3593	30														
Tundra	2000														51	PR	33049	Ø	5	7.5	20
															56	RT	37034		7	12	30
															51	RT	37069		5	7.5	35
															51	PR	44054	Ø	5	7.5	20
															28	PS3	51047	Ø,GP	5	7.5	15
															51	MF	75105	Ø,GP	5	7.5	15
															51	CL3	87588	Ø,JP,GP	5	7.5	15
Tundra	01-02														51	PR	33049	Ø	5	7.5	20
															56	RT	37034		7	12	30
															51	RT	37069		5	7.5	35
															51	PR	44054	Ø	5	7.5	20
															28	PS3	51047	Ø,GP	5	7.5	15
															51	MF	75105	Ø,GP	5	7.5	15
															51	CL3	87588	Ø,JP,GP	5	7.5	15

† = Available while supply lasts.
 BC = Hitch rated at 1,500 lbs. GTW, 100 lbs. TW
 CN = Requires OEM factory bumper for hitch installation.
 EP = Fascia trimming required.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 SV = Trimming or removal of under body appearance panel required.

TS = Hitches without electrical bracket are rated at 350/3500 WC & No WD.
 Hitch with electrical bracket rated at 350/3500 WC & 500/5000 WD.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2				OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER	7-WAY ADAPTER				
TOYOTA (Continued)																	
B	SUV1,2	E10	118304		20					119175	119130	20320 20143	20321 20125 20144	20224			
B,E	SUV1,2	E18	118498	CH	45					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B,LD	PC3,4									119186	119130						
B,F B,F	PC1,2 PC1,2									119186 119186	119146 & 118151 119146 & 118151						
B	PU3,4	E13	118496	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU1,2	E12	118379	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU1,2	E12	118379	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU1,2	E12	118379	HG	10					119175	119130	20320 20143	20321 20125 20144	20224			
B	PU1,2	E13	118496	HG	10					119175	119130	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
B,LD	PU1,2	E13	118496	HG	10	E8	118384	RD	5	119186	119130	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
B	PC3,4									119175	119130						
B	PC3,4									119175	119130						
B,E	PU3	E15	118367	GC	10					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B,E	PU3	E17	118378	GC	10					119186	119146 & 118151	20320 20143	20321 20125 20144	20224			

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 F=ModuLite® recommended.
 GC=T-One is equipped with ModuLite® Lite module.
 HG=T-One incorporates taillight converter.
 LD=Vehicle has LED taillamps.
 RD=For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PK=Professional Receiver
 PS2=Pro Series Class II
 PS3=Pro Series Class III
 RT=Round Tube
 RT3=Round Tube Class III

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW						CLASS II 300 lbs. TW 3,500 lbs. GTW						CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW												
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN					
		TOYOTA (Continued)																								
Tundra	03-06																	51	PR	33049	Ø	5	7.5	20		
																			56	RT	37034		7	12	30	
																				51	RT	37069		5	7.5	35
																				51	PR	44054	Ø	5	7.5	20
																				28	PS3	51047	Ø,GP	5	7.5	15
																				51	MF	75105	Ø,GP	5	7.5	15
																				51	CL3	87588	Ø,JP,GP	5	7.5	15
																				73	UF	41935	Ø,Ø,CP,HM	12	14	30
Tundra See Footnote CP	07-10																		45	RT	44568	Ø,CP,HM	6	8	20	
																			20	PS3	51091	Ø,RT,CP,HM	6	8	20	
																			45	RT	75527	Ø,CP,HM	6	8	20	
																			45	RT3	87434	Ø,JP,CP,HM	6	8	20	
Venza	09-11																		42	RT	44604	Ø,HM,JR	3.5	4	20	
																			42	RT	75663	Ø,HM,JR	3.5	4	20	
Yaris Sedan	07-10	15	SF	24819	Ø,GP	3593	20																			
				INV	28502	Ø,†,AG,GP	28451	20																		
		15	CL1	60209	Ø,GP	3593	20																			
Yaris Liftback	07-11	15	SF	24819	Ø,GP	3593	20																			
		15	CL1	60209	Ø,GP	3593	20																			

VOLKSWAGEN

Beetle	98-01	42	SF	24679	TA	3593	30																	
		42	CL1	60902	JR,TA	3594	20																	
Beetle All, Except Turbo S	02-10	42	SF	24679	TA	3593	30																	
		42	CL1	60902	JR,TA	3594	20																	
CC All, Except 4 Motion	09-11	25	CH1	24848	HM,JR,X	3594	35																	
		25	CH1	60264	HM,JR,X	3594	35																	
City Golf Canada Only	07-10	42	SF	24679	TA	3594	30																	
		42	RT1	60943	JR,TA	3594	30																	
City Jetta Sedan (Canada Only)	07-09	36	SF	24748	TA	3593	30																	
		36	RT1	60963	JR,TA	3594	30																	
Eos All Models	07-11	29	CH1	24824	Ø,GP,JR	3594	40																	
		29	CH1	60211	Ø,GP,JR	3594	40																	
Golf	99-06	42	SF	24679	TA	3594	30																	
Golf Except GTI V6	99-06	42	RT1	60943	JR,TA	3594	30																	
Golf All, Inc. TDI	10-11	22	CH1	24825	Ø,HM	3594	15																	
		22	CH1	60212	Ø,HM	3594	15																	
Golf GTI 2 Dr. Hatchback (Canada Only)	2010	31	CH1	24851	Ø,JR,KH	3594	40																	
Golf GTI 4 Dr. Hatchback (Canada Only)	2010	31	CH1	60267	Ø,JR,KH	3594	40																	
		31	CH1	24851	Ø,JR,KH	3594	40																	
Golf Wagon Canada Only	2010	34	SF	24838	Ø,JR,TA	3594	50																	
		34	CL1	60255	Ø,JR,TA	3594	50																	
GTI 2 Dr. Hatchback	2006	22	CH1	24825	Ø,HM	3594	15																	
		22	CH1	60212	Ø,HM	3594	15																	
GTI 2 Dr. Hatchback	07-09	22	CH1	24825	Ø,HM	3594	15																	
		22	CH1	60212	Ø,HM	3594	15																	
GTI 4 Dr. Hatchback	07-09	22	CH1	24825	Ø,HM	3594	15																	
		22	CH1	60212	Ø,HM	3594	15																	
GTI 4 Dr. Hatchback	2010	31	CH1	24851	Ø,JR,KH	3594	40																	
		31	CH1	60267	Ø,JR,KH	3594	40																	
GTI 2 Dr. Hatchback	10-11	31	CH1	24851	Ø,JR,KH	3594	40																	
		31	CH1	60267	Ø,JR,KH	3594	40																	
Jetta Jetta III, Inc. GT	94-98	39	CH1	24594		3592	30																	
		39	CH1	60239		3592	30																	

Ø = Ultra Frame ball mount must be used to achieve maximum weight carrying rating.
 † = Available while supply lasts.
 AG = Drawbar Kit & Accessory Adapter sold separately.
 CP = Fits All Models without Factory Installed Receiver.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 RT = Round Tube
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
TOYOTA (Continued)																
B,E	PU3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
H	PU3								119186	20252	20320 20143	20321 20125 20144	20224	E1 E3	20265 22285	5
B,E	SUV3,4	E17	118482	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
VOLKSWAGEN																
B	PC1,2								119175	119130						
B	PC1,2								119175	119130						
B	PC1,2								119175	119130						
B	PC3,4								119175	119130						
BM	PC3,4								119191							
B	PC1,2								119175	119130						
B	PC1,2								119175	119130						
BM	PC1,2								119191							
BM	PC1,2								119191							
BM	PC1,2								119191							
BM	PC3,4								119191							
BM	PC3,4								119191							
B	PC3,4								119175	119130						

B=3 wire system. Requires Converter, but a ModuLite® can be used.
 BM=3 wire system. Upgraded ModuLite® HD required. Multiplexed Wiring System.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 H=3 wire system with OEM standard 2 wire harness.

CH1=Classic Hitch Class I
 CL1=Class I
 CL3=Class III
 INV=Invisi-Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS3=Pro Series Class III
 RT=Round Tube
 RT1=Round Tube Class I
 RT3=Round Tube Class III
 SF=Sportframe
 UF=Ultra Frame

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I						CLASS II						CLASS III/IV/V						
		200 lbs. TW		2,000 lbs. GTW		DRAW BAR	IN	300 lbs. TW		3,500 lbs. GTW		DRAW BAR	IN	350-2,500 lbs. TW		3,500-18,000 lbs. GTW		X 1,000 WC	WD	IN
		PC	REC TYPE	HITCH PART #	FOOTNOTES			PC	REC TYPE	HITCH PART #	FOOTNOTES			PC	REC TYPE	HITCH PART #	FOOTNOTES			
VOLKSWAGEN (Continued)																				
Jetta Sedan, Except Gas Turbo & Wagon Models	99-04	36	SF	24748	TA	3593	30													
Jetta Sedan, Except Wagon Models (App. starts w/ 99-1/2)	99-04	36	RTI	60963	JR,TA	3594	30													
Jetta Sedan, Except Gas Turbo & Wagon Models (Old Body Style)	2005	36	SF	24748	TA	3593	30													
Jetta Sedan, Except Wagon Models (Old Body Style)	2005	36	RTI	60963	JR,TA	3594	30													
Jetta 4 Dr. Sedan (New Body Style)	05-11	34	SF	24838	Ø, JR, TA	3594	50													
Jetta SportWagen	09-10	34	CL1	60255	Ø, JR, TA	3594	50													
		34	SF	24838	Ø, JR, TA	3594	50													
Jetta Wagon	03-06	40	CL1	60984	TA	3592	20													
		43	SF	24698	RB, TA	3593	40													
Passat All, Except 4 Motion & W8 Engine Models	99-05	43	CL1	60991	RB, TA	3593	40													
		25	CH1	24848	HM, JR, X	3594	35													
Passat All, Except 4 Motion	06-10	25	CH1	60264	HM, JR, X	3594	35													
		25	CL1	60851	†, HM, JR, X	3593	35													
		25	CH1	24848	HM, JR, X	3594	35													
Passat Wagon All, Except 4 Motion	07-10	25	CH1	60264	HM, JR, X	3594	35													
		25	CL1	60851	†, HM, JR, X	3593	35													
		22	CH1	24825	Ø, HM	3594	15													
Rabbit All Models	2006	22	CH1	60212	Ø, HM	3594	15													
		22	CH1	24825	Ø, HM	3594	15													
Rabbit All Models	07-09	22	CH1	60212	Ø, HM	3594	15													
		22	CH1	24825	Ø, HM	3594	15													
Routan	09-10							38	FH	36455	Ø, GP, JR	36061	20	42	PR	44586	Ø, GP, JR	4	5	20
								28	PS2	51192	Ø, GP, JR	36061	20	42	MF	75579	Ø, GP, JR	4	5	20
								38	CL2	90169	Ø, GP, JR	36061	20	42	CL3	87451	Ø, JP, GP, JR	4	5	20
Tiguan	09-11							10	FH	36474	Ø, EP	36051	20	11	PR	44611	Ø, EP	3.5		20
								10	CL2	90191	Ø, EP	36051	20	11	MF	75658	Ø, EP	3.5		20
Touareg	04-10													11	CL3	87600	Ø, JP, EP	3.5		20
														56	CH3	44530	AA, RB	6	6	90
														56	CH3	75363	AA, RB	6	6	90
													56	CH3	82301	JP, AA, RB	6	6	90	
VOLVO																				
140 Series	74-82							57	CH2	36440	FE	36051	60							
160 Series	74-82							57	CH2	90046	FE	36051	60							
240 Series	74-93							57	CH2	36440	FE	36051	60							
								57	CH2	90046	FE	36051	60							
740 Series	84-92							49	CH2	36195	Ø, FE, JR	36051	40							
								49	CH2	90802	Ø, FE, JR	36051	40							
760 Series	84-90							49	CH2	36195	Ø, FE, JR	36051	40							
								49	CH2	90802	Ø, FE, JR	36051	40							
780 Series 2 Dr. Coupe	88-90							49	CH2	36195	Ø, FE, JR	36051	40							
								49	CH2	90802	Ø, FE, JR	36051	40							
850 Series Sedan, Inc. T5	93-97							47	FH	36262	GP, JR	36061	20							
								47	CL2	90205	GP, JR	36061	20							
850 Series Wagon	94-97							47	FH	36262	Ø, GP	36061	20							
								47	CL2	90205	Ø, GP	36061	20							
940 Series	91-95							49	CH2	36195	Ø, FE, JR	36051	40							
960 Series	92-94							49	CH2	90802	Ø, FE, JR	36051	40							
								49	CH2	36195	Ø, FE, JR	36051	40							
960 Series	95-97							49	CH2	90802	Ø, FE, JR	36051	40							
								40	CH2	36199	Ø, JR	36061	40							
								40	CH2	90067	Ø, JR	36061	40							

† = Available while supply lasts.
 AA = Requires temporary removal of bumper during installation.
 EP = Fascia trimming required.
 FE = Fascia trimming required. Allow additional installation time.
 GP = Hitch crosstube concealed behind bumper.
 HM = Hitch crosstube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 Ø = Uses all existing holes, no drilling required.
 RB = Hitch installation can be made easier with a "cutter" type drill bit.
 TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
VOLKSWAGEN (Continued)																
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
A,E	PC3,4								119186	119146 & 118151						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
BM	PC1,2								119191							
BM	PC1,2								119191							
BM	PC1,2								119191							
BM	PC1,2								119191							
A	SUV1,2	E7	118490		20				119186	20252	20320 20143	20321 20125 20144	20224			
BM	SUV1,2								119191		20320 20143	20321 20125 20144	20224			
E	SUV3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
VOLVO																
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
B	PC3,4								119175	119130						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						

A=2 wire system. No Converter required, but a ModuLite® can be used.
 B=3 wire system. Requires Converter, but a ModuLite® can be used.
 BM=3 wire system. Upgraded ModuLite® HD required. Multiplexed Wiring System.
 E=ModuLite® required.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CH3=Classic Hitch Class 3
 CL1=Class I
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 RT1=Round Tube Class I
 SF=Sportframe

RECEIVER HITCH APPLICATION GUIDE

MODEL/STYLE	YEAR	CLASS I 200 lbs. TW 2,000 lbs. GTW					CLASS II 300 lbs. TW 3,500 lbs. GTW					CLASS III/IV/V 350-2,500 lbs. TW 3,500-18,000 lbs. GTW									
		PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	DRAW BAR	IN	PC	REC TYPE	HITCH PART #	FOOTNOTES	X 1,000	WC	WD	IN
		VOLVO (Continued)																			
C30	08-10	31	CH1	24811	HM, JR, KH	3593	45														
		31	CH1	60897	HM, JR, KH	3593	45														
C70 Coupe	98-02							47	FH	36262	GP, JR	36061	20								
								47	CL2	90205	GP, JR	36061	20								
C70 Convertible	98-04							47	FH	36262	GP, JR	36061	20								
								47	CL2	90205	GP, JR	36061	20								
S40 Sedan Old Body Style	00-04	38	CH1	24688	TA	3593	20														
		38	CH1	60248	TA	3593	20														
S40 Sedan New Body Style (App. starts with 2004-1/2)	04-10	30	CH1	24781	Ø, GP, JR	3594	25														
		30	CH1	60852	Ø, GP, JR	3594	25														
S60 Sedan	01-09							42	FH	36297	Ø, HM, JR	36061	15								
								31	PS2	51172	Ø, HM, JR	36061	15								
								42	RT2	90804	Ø, JR	36061	15								
S70 Sedan Inc. AWD	98-00							47	FH	36262	GP, JR	36061	20								
								47	CL2	90205	GP, JR	36061	20								
S80 Sedan	99-06							34	CH2	36278	Ø, X	36071	40								
								34	CH2	90144	Ø, X	36071	40								
S80 Sedan	07-11							28	CH2	36466	Ø, HM, JR, KH	36061	35								
								28	CH2	90171	Ø, HM, JR, KH	36061	35								
S90 Sedan	1998																				
								40	CH2	36199	Ø, JR	36061	40								
								40	CH2	90067	Ø, JR	36061	40								
V40 Wagon	00-04	38	CH1	24688	TA	3593	20														
		38	CH1	60248	TA	3593	20														
V50 Wagon	05-10	30	CH1	24781	Ø, GP, JR	3594	25														
		30	CH1	60852	Ø, GP, JR	3594	25														
V70 Wagon All, Inc. AWD & XC	98-00							47	FH	36262	Ø, GP	36061	20								
								47	CL2	90205	Ø, GP	36061	20								
V70 Wagon All, Inc. AWD & XC	01-02							42	FH	36297	Ø, HM, JR	36061	15								
								31	PS2	51172	Ø, HM, JR	36061	15								
								42	RT2	90804	Ø, JR	36061	25								
V70 Wagon All, Inc. AWD	03-07							42	FH	36297	Ø, HM, JR	36061	15								
								31	PS2	51172	Ø, HM, JR	36061	15								
								42	RT2	90804	Ø, JR	36061	25								
V70 Wagon All, Inc. AWD	08-10													34	MF	75645	Ø, DU, EP, GP, SQ	4		70	
														34	CL3	87484	Ø, JP, DU, EP, GP, SQ	4		70	
V90 Wagon	1998																				
								40	CH2	36199	Ø, JR	36061	40								
								40	CH2	90067	Ø, JR	36061	40								
XC60	10-11													37	PR	44629	Ø, GP, JR, KH, SR	4	4.5	45	
														37	MF	75671	Ø, GP, JR, KH, SR	4	4.5	45	
														37	CL3	87566	Ø, JP, GP, JR, KH, SR	4	4.5	45	
XC70 Wagon AWD	03-07							42	FH	36297	Ø, HM, JR	36061	15								
								31	PS2	51172	Ø, HM, JR	36061	15								
								42	RT2	90804	Ø, JR	36061	25								
XC70 Wagon AWD	08-11													34	MF	75645	Ø, DU, EP, GP, SQ	4		70	
														34	CL3	87484	Ø, JP, DU, EP, GP, SQ	4		70	
XC90	03-04													49	PR	33073	Ø, JR	5	5	25	
														49	MF	75152	Ø, JR	5	5	25	
														49	CL3	87810	Ø, JR	5	5	25	
XC90	05-11													49	PR	33073	Ø, JR	5	5	25	
														49	MF	75152	Ø, JR	5	5	25	
														49	CL3	87810	Ø, JR	5	5	25	

DU = Fascia removal required.
 EP = Fascia trimming required.
 GP = Hitch cross tube concealed behind bumper.
 HM = Hitch cross tube is visible beneath bumper.
 JP = J-Pin Ready Receiver.
 JR = Exhaust must be temporarily lowered for installation.
 KH = Minor heat shield modification may be required.
 Ø = Uses all existing holes, no drilling required.
 SQ = Hitches produced before 09/10/08 are rated at 350/3500 WC.
 SR = Only use ball mounts with 8-1/2" length, 3/4" rise and 2" drop for this vehicle.

TA = Trunk access required for hitch installation.
 X = Minor fascia trimming required.

Draw-Tite Hitches Are In Black Text, Reese Hitches Are In Blue Text, Hidden Hitches Are In Red Text, Pro Series Hitches Are In Purple Text, Common Hitches Are In Green Text

RECEIVER HITCH APPLICATION GUIDE

ELEC	POS	OPTION 1				OPTION 2			OPTION 3	OPTION 4	* REQUIRES 4-FLAT WIRING		7-WAY HARDWIRE	PC	BRAKE CONTROL HARNESS	IN
		PC	T-ONE®	FN	IN	PC	OEM REP. HARN.	FN	IN	CIRCUIT PROTECTED HARDWIRE	GENERAL HARDWIRE	6-WAY ADAPTER				
VOLVO (Continued)																
BP	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E,MX	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E,MX	PC3,4	E19	118454	CH	45				119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC1,2								119186	119146 & 118151						
E	PC3,4								119186	119146 & 118151						
E	PC1,2								119186	119146 & 118151						
E	PC1,2								119186	119146 & 118151						
E,MX	PC1,2								119186	119146 & 118151						
E,MX	SUV3,4	E15	118463	CH	45				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E	PC1,2								119186	119146 & 118151						
BX	SUV3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E,MX	PC1,2								119186	119146 & 118151						
E,MX	SUV3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E,MX	SUV3,4								119186	119146 & 118151	20320 20143	20321 20125 20144	20224			
E,MX	SUV3,4	E18	118411	CH	20				119186	119146 & 118151	20320 20143	20321 20125 20144	20224			

BP=3 wire system w/Pulse Width Modulation (PWM). Upgraded ModuLite® required.
 BX=3 wire system. ModuLite® required. Multiplexed Wiring System.
 CH=T-One is equipped with circuit protected ModuLite® module.
 E=ModuLite® required.
 MX=Multiplexed Wiring System.

CH1=Classic Hitch Class 1
 CH2=Classic Hitch Class 2
 CL2=Class II
 CL3=Class III
 FH=Frame Hitch
 MF=Max Frame
 PR=Professional Receiver
 PS2=Pro Series Class II
 RT2=Round Tube Class II

APPLICATION GUIDE FOOTNOTES

!	Hitch rated at 2,500 lbs. GTW, 250 lbs. TW.	BM	3 wire system. Upgraded ModuLite® HD required. Multiplexed Wiring System.
#	Titan hitches require use of a 2-1/2" shank Titan ball mount.	BP	3 wire system w/Pulse Width Modulation (PWM). Upgraded ModuLite® required.
@	Ultra Frame ball mount must be used to achieve maximum weight carrying rating.	BX	3 wire system. ModuLite® required. Multiplexed Wiring System.
†	Available while supply lasts.	BY	Minor repositioning of muffler required.
A	2 wire system. No Converter required, but a ModuLite® can be used.	C	2 or 3 wire system, determine at installation.
AA	Requires temporary removal of bumper during installation.	CA	Models with dual exhaust require exhaust modification.
AB	Requires four (4) 3/8" spacer blocks (#01077-011) for installation. (Sold separately)	CC	Requires minimum of 19" from end of frame rail to spring shackle bracket.
AC	Hitch rated at 1,000 lbs. GTW, 100 lbs. TW.	CE	T-One includes fuse(s) & relay(s), converter not required. Standard 2 wire system at factory tow plug.
AD	Hitch rated at 1,500 lbs. GTW, 150 lbs. TW.	CG	T-One incorporates circuit protected taillight converter.
AE	Requires temporary removal of muffler during installation.	CH	T-One is equipped with circuit protected ModuLite® module.
AF	Hitch is ONLY rated for Weight Carrying at 3,500 lbs. GTW, 350 lbs. TW and DO NOT use w/Weight Distribution Spring Bars for this Specific Vehicle. Except for long bed pickups.	CK	Drawbar installs though fascia on SC models. Obtain customer approval.
AG	Drawbar Kit & Accessory Adapter sold separately.	CM	OEM Style Attachments/Requires Factory Bumper For Hitch Installation.
AI	Additional installation time required.	CN	Requires OEM factory bumper for hitch installation.
AL	Additional installation time required for vehicles equipped with load leveling compressor.	CO	Will not fit 8 ft. 2500/3500 Series with heavy-duty suspension or four door Crew Cab.
AM	Not recommended on Trofeo models prior to 1989. 1989 units require minor fascia trim and exhaust repositioning.	CP	Fits All Models without Factory Installed Receiver.
AO	Will not fit vehicles with twin tailpipes.	CQ	Will not fit with heavy duty suspension.
AP	2 wire system w/Pulse Width Modulation (PWM). Upgraded ModuLite® required.	CR	Fits with mini spare tire stowed under vehicle. Will not fit with full size spare.
AV	Ball mount shank must be 12" long.	CS	Will fit with full-size spare tire stowed under vehicle.
AW	Will not fit Turbo models.	CT	Will not fit long bed models after 1999.
AX	2 wire system. ModuLite® required. Multiplexed Wiring System.	CU	Includes models with large fuel tank and skid shield.
AY	Does fit SE models with Sport Appearance Package, GT model or 4 Dr. STE.	CV	Will not fit short wheel base with dual exhaust.
B	3 wire system. Requires Converter, but a ModuLite® can be used.	D	See auto dealer for trailer tow wiring kit.
BC	Hitch rated at 1,500 lbs. GTW, 100 lbs. TW	DA	Will not fit with tube style bumper.
BF	Requires standard bumper. Will not fit with step bumper.	DB	Will not fit 6 ft. bed pickups.
BG	Does not fit models with 3 piece step bumper.	DG	1971-77 (Standard) Van: Will not fit with optional large gas tank. 1974-77 (Maxi) Van: Includes models with optional large gas tank.
BH	Cannot be installed on vehicles without bumper.	DH	Cannot be installed on 1987-97 vehicles with factory step bumpers unless step bumper and its mounting brackets are permanently removed and standard factory bumper is installed.
BJ	V-6 engine option only.	DI	All models with metal bumpers.
BK	For vehicles without bumper, #2879 must be used (Sold separately).		

APPLICATION GUIDE FOOTNOTES

DR	Additional installation time required for vehicles equipped with skid shield.	GC	T-One is equipped with ModuLite® Lite module.
DS	Use DT #75151/HH #87533/RS #33072/PS #51143 On 1500 Models Built After 11/1/02. Use DT #75135/HH #87532/RS #37084 On 1500 Models Built Before 11/1/02.	GF	Drilling required only on vehicles with load leveling compressor.
DU	Fascia removal required.	GH	Will not fit models with 34" wide frames.
DV	Will not fit short wheel base models.	GK	Vehicles with step bumper require optional drawbar #36063/64.
DX	Requires six 3/8" spacer blocks (#01077-011) and six 1/2-13 x 2-1/4 GR5 carriage bolts (#01266-009) which are not provided (Sold separately).	GO	Requires hitch with packaging date code 2/15/94 or later.
DY	Use On 1500 Models Built After 11/1/02.	GP	Hitch crosstube concealed behind bumper.
E	ModuLite® required.	GU	Will not fit vehicles with factory or aftermarket lower Fascia/Rollpan or Tube Bumper.
EB	Factory electrical bracket will NOT fit with this hitch. Must use aftermarket electrical box or bracket.	GW	Spare tire cannot be stowed under vehicle on short wheelbase models equipped with 15" tires or full size spare.
EE	Fascia trimming required on '91 and earlier GLS models. Not recommended on '92 GLS models due to excessive fascia trimming.	GX	Requires fabrication of "L" bracket to reposition exhaust on '95 and later 6 ft. box models.
EF	Fits all models with standard bumpers.	H	3 wire system with OEM standard 2 wire harness.
EG	Relocation of spare tire bracket is not required. NOTE: 19mm open end style wrench must be purchased to allow removal of spare tire after hitch installation.	HA	External dress panel beneath 95-97 and 03-05 vehicles must be removed for hitch installation.
EK	Extended Cab only.	HB	Slight fascia deformation may occur on some models.
EO	Requires longer ball mount.	HC	Will not fit with mini or full size tire stowed under vehicle.
EP	Fascia trimming required.	HD	Will not fit 6 ft. bed pickups except 6 ft. Super Cab.
F	ModuLite® recommended.	HF	For Vehicles equipped with 7-Way Tow Package, converts to 4-Flat.
FB	Will not fit vehicles fitted with optional 31" tires stowed under vehicle.	HG	T-One incorporates taillight converter.
FE	Fascia trimming required. Allow additional installation time.	HJ	Per Dodge owner's manual: If trailer is equipped with more than standard lighting (1 taillight per side), use of ModuLite® or dealer supplied harness is required.
FM	On vehicles equipped with load leveling device, air pump mounting modification required.	HK	Under vehicle spare tire stowage may be retained with installation of an aftermarket spare tire repositioner. Cutting of rollpan in license plate area required for receiver tube access. Does not fit with bumper.
FN	Will not fit vehicles equipped with air suspension.	HM	Hitch crosstube is visible beneath bumper.
FP	Spare tire repositioning and/or modification of spare tire carrier may be required.	HP	Requires four (4) 7/16" x 1" x 2" spacer blocks (#01080-012) for installation. (Sold separately)
FR	Will not fit Extended Cab w/stationary side window.	HQ	Universal bike rack required.
FS	Includes 2 & 4 WD models with heavy duty suspension.	HR	Requires drilling of heat shields on V6 models.
FT	Models with 16" spare tire must be relocated.	HX	Minor exhaust modification may be required.
FV	2003 Models w/Build date after 11/1/02.	HY	Ultra Frame ball mount DT #4283/HH #80125 cannot be used in rise position on vehicles with step bumpers.
FW	2003 Models w/Build date before 11/1/02.	I	Hitch is positioned further rearward to accommodate spare tire.
FX	Fits vehicles with spacer between E/A unit and frame built before Jan.'93 and after Mar.'93.	J	Under vehicle spare tire stowage is retained.
FZ	Fits vehicles with E/A unit only. Not vehicles with 1/2" circle stamping in place of E/A unit.		
G	Low-side switching system.		

APPLICATION GUIDE FOOTNOTES

JF	Will not fit with 16" spare tire.	MB	Will not fit models equipped with air suspension package.
JL	Installation requires OEM bumper and brackets.	MX	Multiplexed Wiring System.
JM	Some early production 1994 models may require #118348.	N	DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
JP	J-Pin Ready Receiver.	O	Will not fit vehicles equipped with dual exhaust exiting below the bumper.
JR	Exhaust must be temporarily lowered for installation.	Ø	Uses all existing holes, no drilling required.
JS	Will not fit 1999-2004 Cobra SVT.	OE	Vehicles Must Have O.E.M. Trailer Hitch Installed.
JT	2WD models only.	P	For 124" wheelbase and E-350 models, adapter kit (2626) is required. (Sold separately)
JU	License plate relocation required to install hitch, see 5443. (Sold separately)	PA	Will not fit 124" wheelbase or E-350 models.
JV	Rubber air deflector/fascia must be removed or trimmed to install hitch.	QN	Requires 80220 ball mount purchased separately.
JW	4WD models only.	QP	Will not fit vehicles with backup sensors built into rear bumper.
JX	Requires factory tow hooks for installation on 2WD models.	QS	Hitch rated at 2,500 lbs. GTW, 200 lbs. TW.
JY	Extensive fascia cutting required on models w/fog lamp option.	QT	Drilling required on vehicles with load leveling compressor or long wheelbase models.
JZ	Requires factory stabilizer (anti-roll) bar for hitch installation.	QU	Cargo carrier will NOT fit.
K	Adapter kit (#1685) required with DT #41504/HH #87480/RS #37081 & RS #44143/PS #51104 for 1980 and later F-Series pickups.	QV	Requires 60005 drawbar purchased separately.
KA	Gasoline engine models only.	QW	Will not fit vehicles with dual exhaust.
KB	Diesel engine models only.	QX	Requires 36053 drawbar purchased separately.
KC	Does not fit 2500/3500 2WD (C-Series) models w/8 lug wheels.	QY	Removal of heat shield required.
KD	Fits 2500/3500 2WD (C-Series) models w/8 lug wheels only.	QZ	Will not fit Euro models with single muffler with twin tailpipes.
KE	Does not fit 88-91 4 Dr. Crew Cab models.	RA	Do not install on early 1996 models equipped with M10 fasteners.
KF	Will not fit Flareside.	RB	Hitch installation can be made easier with a "cutter" type drill bit.
KG	Skid shield must be removed if present.	RC	Will not fit with rear sport bars.
KH	Minor heat shield modification may be required.	RD	For vehicles equipped with factory tow package, may require additional components or may be used as a replacement harness.
KI	Optional OEM Fog Lights must be removed for receiver installation.	RE	Requires 64-8601 tab nut kit. (Sold separately)
KK	When installing on a vehicle originally equipped with an OEM hitch, OEM bumper brackets must be purchased and installed prior to new hitch installation.	RF	Various conversion vans may require the use of drawbar # 90005 (sold separately) for added ball height.
KL	Hitch is designed to attach beneath the OEM hitch.	RG	Vehicles with P235/75-R15 or larger spare tires will NOT retain spare tire under vehicle.
L	Exhaust repositioning required.	RH	Optional 36051 drawbar required (sold separately), except for models with ZR2 & Highrider package.
LD	Vehicle has LED taillamps.	RI	Cutting of rollpan in license plate area required for receiver tube access. Obtain customer approval first.
LS	T-One incorporates low-side switching taillight converter. Additional installation time required.	RJ	Short box models with 31/10.5/R15 spare tire will NOT retain under vehicle spare tire storage.
LT	Requires removal of factory hitch if equipped.		
M	Will fit with heavy-duty suspension.		

APPLICATION GUIDE FOOTNOTES

RK	Fits vehicles with factory and some aftermarket rollpans.	SP	Hitches produced before 04/27/08 are rated at 1200/12,000 WC & 1400/14,000 WD.
RL	Short box models require relocation of spare tire.	SQ	Hitches produced before 09/10/08 are rated at 350/3500 WC.
RM	Will not fit Extreme package.	SR	Only use ball mounts with 8-1/2" length, 3/4" rise and 2" drop for this vehicle.
RN	Aftermarket spare tire repositioner may be used on 8 ft. bed models to ease installation of larger spare tires.	SS	Hitches produced before 03/31/08 are rated at 1000/10,000 WC & 1200/12,000 WD.
RO	Will not fit Silverado SS.	ST	Will not fit 2WD models with short bed .
RP	Relocation of emergency brake cable holder may be required on 1990-1995 models.	SU	Hitches produced before 03/11/08 are rated at 1000/10,000 WC & 1200/12,000 WD.
RQ	Will not fit models with short bed and regular cab.	SW	Do not install on a truck with less than a 6' long bed, unless the trailer is equipped with a Sidewinder pinbox coupler #SW16K or #SW19K.
RR	Minor modification required on vehicles with 16" spare tire.	T	Vans with step bumpers require longer ball mounts.
RS	Modification or relocation of bumper mounted OEM 4-Way flat bracket is required.	TA	Trunk access required for hitch installation.
RU	Sits 2-1/2" below bumper.	TB	Plastic Bed Rails must be removed for installation.
RV	Requires 80230 ball mount purchased separately.	TC	For 1/2 ton vehicles only.
RW	On some models it may require an upgraded flasher or ModuLite®.	TD	Hitches without electrical bracket are rated at 350/3500 WC & No WD. Hitch with electrical bracket rated at 400/4000 WC & No WD.
RX	Will not fit vehicles with formed bumper brackets inside the frame.	TF	For 3/4 and 1 ton vehicles only.
S	ModuLite® required. Vehicle has LED taillamps. Multiplexed Wiring System.	TH	Will not fit models with skid shield.
SA	Requires drilling on 6 ft. bed models.	TS	Hitches without electrical bracket are rated at 350/3500 WC & No WD. Hitch with electrical bracket rated at 350/3500 WC & 500/5000 WD.
SB	Will not fit models with short bed.	U	Cannot be used on vehicles equipped with step bumpers.
SC	Minor trimming of plastic trunk pan required.	UD	Fascia removal required on XR & XRS models.
SD	Hitches produced before 07/21/06 are rated at 350/3500 WC.	V	For vehicles with factory installed step bumpers only.
SE	Will not fit models with short wheelbase and rear stabilizer (anti-roll) bar.	VB	Will not fit vehicles with vibration damper installed at rear of frame on drivers side.
SG	Hitches produced before 09/10/07 are rated at 1000/10,000 WC & 1200/12,000 WD.	W	3 wire system, ModuLite® required. Vehicle has LED taillamps.
SH	Hitches produced before 09/27/07 are rated at 1200/12,000 WC & 1400/14,000 WD.	X	Minor fascia trimming required.
SI	Hitches produced before 07/31/07 are rated at 350/3500 WC & 500/5000 WD.	Z	May be equipped with Factory Tow Prep Plug. Determine at time of installation.
SJ	Hitches produced before 03/20/08 are rated at 1200/12,000 WC & 1400/14,000 WD.		
SK	2 wire system, ModuLite® required. Vehicle has LED taillamps.		
SL	Hitches produced before 03/10/08 are rated at 350/3500 WC & 600/6000 WD.		
SN	Hitches produced before 04/28/08 are rated at 1000/10,000 WC & 1200/12,000 WD.		
SO	With this hitch installed the step bumper is no longer able to be used as a towing point.		

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
CLASS I: 1-1/4" HITCH			
44	24500	88-94 Buick Regal 2 Dr. 92-94 Buick Regal 4 Dr., Except GS 91 Buick Regal 4 Dr., Except GS/Limited 90-94 Chevrolet Lumina All, Except Z-34 88-93 Oldsmobile Cutlass Supreme 2 Dr. FWD 92-97 Oldsmobile Cutlass Supreme 4 Dr. FWD 91-93 Pontiac Grand Prix 2 & 4 Dr., Except Turbo 88-90 Pontiac Grand Prix All, Except SE & Turbo	25 40 40 40 40 40 40 40
26	24524	79-86 Ford Mustang All Models 87-93 Ford Mustang All, Except GT 79-86 Mercury Capri	12 20 20
40	24526	83-91 Ford LTD Country Squire Wagon Full Size 83-09 Ford LTD Crown Victoria 83-91 Ford LTD Crown Victoria Wagon Full Size 79-82 Ford LTD, Custom & Galaxie Sedan 79-82 Ford LTD, Custom & Galaxie Wagon 80-83 Lincoln Mark VI 80-02 Lincoln Town Car 80-89 Lincoln Town Coupe 83-91 Mercury Colony Park Wagon 83-11 Mercury Grand Marquis 83-91 Mercury Grand Marquis Wagon 03-04 Mercury Marauder 79-82 Mercury Marquis Sedan 79-82 Mercury Marquis Wagon 79-82 Mercury Monterey Sedan	29 25 25 25 25 25 25 25 25 25 25 25 25 25 25
17	24534	90-91 Lexus ES 250 FWD 87-91 Toyota Camry 4 Dr. Sedan 87-91 Toyota Camry Wagon	6 40 40
41	24557	87-90 Jeep Wrangler 91-95 Jeep Wrangler All, Inc. Renegade 87-95 Jeep YJ Canada	26 30 30
41	24563	92-01 Lexus ES 300 4 Dr. 92-96 Toyota Camry 2 & 4 Dr.	27 30 30
29	24579	98-02 Chevrolet Prizm 93-97 GEO Prizm 93-02 Toyota Corolla 2 & 4 Dr. Sedan	16 30 30
49	24585	93-02 Pontiac Firebird Includes Formula 93-02 Pontiac Firebird Trans Am	38 40 40
45	24586	93-02 Chevrolet Camaro Inc. Z-28 & SS, Except w/Dual Exhaust Pipes On Drivers Side	38 40
26	24589	94-01 Acura Integra 2 Dr. 94-01 Acura Integra 4 Dr.	23 40 40
23	24593	95-99 Dodge Neon 2 & 4 Dr. 95-99 Plymouth Neon 2 & 4 Dr.	23 30 30
39	24594	94-98 Volkswagen Jetta Jetta III, Inc. GT	29 30
37	24603	95-00 Ford Contour All, Except SVT 95-00 Mercury Mystique	19 30 30
40	24606	91-98 Toyota Tercel 2 & 4 Dr. Sedan	22 30
42	24613	03-05 Chevrolet Cavalier LS Sport 95-99 Chevrolet Cavalier Z-24 02 Chevrolet Cavalier Z-24 03-05 Chevrolet Cavalier Z-24 (Canada Only) 00-02 Pontiac Sunfire All Models 95-99 Pontiac Sunfire GT	36 40 40 40 40 40
49	24616	94-97 Honda Accord 2 & 4 Dr.	29 30
37	24620	91-02 Saturn SC Series 2 Dr. Coupe 91-02 Saturn SL Series 4 Dr. Sedan 91-01 Saturn SW Series Wagon	31 40 40 40
29	24622	98 Chevrolet Tracker 2 & 4 Dr. 89-97 GEO Tracker 2 & 4 Dr. 89-95 Suzuki Sidekick 2 & 4 Dr. 96-98 Suzuki Sidekick 2 & 4 Dr., Inc. JS 2WD, JX 4WD (Will Not Fit Sport Model) 96-98 Suzuki X-90	23 20 20 20 20
42	24625	92-99 Buick Centurion FWD 92-99 Buick Le Sabre FWD 92-95 Oldsmobile Delta 88 92-95 Oldsmobile LSS 92-95 Oldsmobile Royale 92-95 Pontiac Bonneville All, Except SSE & SSEi	26 20 20 20 20 20
27	24628	95-00 Chevrolet Lumina All Models 95-99 Chevrolet Monte Carlo All, Inc. Z-34	20 30 30
30	24631	97-06 Jeep TJ Canada 97 Jeep Wrangler	23 15 15

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
	98-06 Jeep Wrangler All, Inc. Unlimited		15
31	24633	91-96 Ford Escort All Models 97 Ford Escort Sedan 97 Ford Escort Wagon 91-96 Mercury Tracer All Models 97 Mercury Tracer Sedan 97 Mercury Tracer Wagon	19 35 35 35 35 35
42	24638	96-00 Chrysler Sebring Convertible All Models	35 30
49	24639	90-93 Honda Accord 2 & 4 Dr.	33 20
30	24646	96-00 Hyundai Elantra All Models	13 30
38	24656	97-03 Chevrolet Malibu 4 Dr. 04-05 Chevrolet Malibu Classic 4 Dr. Old Body Style 97-00 Oldsmobile Cutlass 4 Dr., FWD	30 15 15 15
36	24658	97-04 Chevrolet Corvette	15 35
28	24659	97-05 Buick Century Sedan 98-02 Oldsmobile Intrigue 97-03 Pontiac Grand Prix SE Sedan	18 30 30 30
30	24660	97-04 Buick Regal (App. begins with 97-1/2) 97-08 Pontiac Grand Prix GT, Coupe & Sedan Inc. GTP Package	24 20 20
45	24665	98-02 Mazda 626	35 30
31	24668	98-99 Ford Escort Sedan 98-03 Ford Escort ZX2 98-99 Mercury Tracer Sedan	20 30 30 30
32	24673	99-04 Chevrolet Tracker 99-05 Suzuki Grand Vitara 99-05 Suzuki Vitara 01-06 Suzuki XL-7	21 15 15 15
37	24674	93-02 Mercury Villager Mini Van 93-02 Nissan Quest Mini Van	17 30 30
29	24675	99-03 Mazda Protege All Models	20 20
32	24677	97-00 Acura 1.6 EL Canada Only 01 Acura 1.7 EL Canada Only 99-00 Honda Civic 2 & 4 Dr. 93-98 Honda Civic 2 Dr. Coupe 92-98 Honda Civic 4 Dr.	20 15 15 15 15
42	24679	98-01 Volkswagen Beetle 02-10 Volkswagen Beetle All, Except Turbo S 07-10 Volkswagen City Golf Canada Only 99-06 Volkswagen Golf	36 30 30 30 30
29	24681	00-05 Chevrolet Impala All Models	19 20
36	24682	03-07 Ford Focus Wagon Built After 11/1/02 00-03 Ford Focus Wagon Built Before 11/1/02	39 20 20
17	24685	00-02 Saturn L Series All Models 03-04 Saturn L Series Wagon Only	23 35 35
38	24686	95-01 Infiniti I30 02-04 Infiniti I35 95-03 Nissan Maxima Sedan	15 30 30 30
32	24687	94-98 Ford Mustang All Models 99-04 Ford Mustang All, Except Cobra SVT	26 20 20
38	24688	00-04 Volvo S40 Sedan Old Body Style 00-04 Volvo V40 Wagon	14 20 20
35	24689	00-05 Chevrolet Monte Carlo Inc. SS (Will not fit SS Sport Appearance Pkg.)	16 20
42	24690	93-01 Nissan Altima	27 20
32	24691	00-05 Toyota Celica All Models	22 15
28	24692	00-04 Ford Focus Sedan 05-07 Ford Focus Sedan, Except w/Street Appearance Pkg. 00-07 Ford Focus ZX3 3 Dr. Hatchback, Except SVT & w/Street Appearance Pkg. 02-07 Ford Focus ZX5 5 Dr. Hatchback, Except SVT & w/Street Appearance Pkg.	20 20 20 20
36	24694	00-02 Toyota Echo	20 15
43	24698	99-05 Volkswagen Passat All, Except 4 Motion & W8 Engine Models	19 40
39	24699	86-91 Ford Taurus Sedan, All Models 00-03 Ford Taurus Sedan, All Models 96-99 Ford Taurus Sedan, Except SHO 92-95 Ford Taurus Sedan, Inc. SHO 86-03 Ford Taurus Wagon 88-02 Lincoln Continental 86-03 Mercury Sable Sedan, All Models 86-03 Mercury Sable Wagon	34 20 20 20 20 20 20 20
32	24700	01-02 Chrysler Sebring 2 Dr. Except Convertible 95-00 Chrysler Sebring All, Except Convertible 95-00 Dodge Avenger 01-02 Dodge Stratus 2 Dr. Only	29 30 30 30
46	24701	00-01 Dodge Neon 2 & 4 Dr.	35 20

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
46 24701	02-05 Dodge Neon All, Inc. R/T 00-01 Plymouth Neon 2 & 4 Dr.	35	20
29 24702	96-03 Chrysler Town & Country All, Inc. 4 WD 04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD 01-03 Chrysler Voyager All, Inc. 4 WD 96-03 Dodge Caravan All, Inc. 2 & 4 WD 04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD 96-03 Dodge Grand Caravan All, Inc. 4 WD 04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD 96-00 Plymouth Grand Voyager All, Inc. 4 WD 96-00 Plymouth Voyager All, Inc. 4 WD	33	30
37 24703	01-06 Hyundai Elantra All Models, Inc. GT	24	15
34 24704	96-05 Toyota RAV4	26	15
35 24706	01-05 Honda Civic 2 & 4 Dr.	24	15
44 24709	01-04 KIA Magentis Canada Only 01-06 KIA Optima	19	15
32 24710	93-01 Subaru Impreza All, Inc. Outback Sport 02-07 Subaru Impreza Inc. Outback Sport & WRX, Except WRX Sti	23	30
32 24711	01-06 Chrysler Sebring Convertible All Models	26	15
37 24712	00-05 Mitsubishi Eclipse All, Inc. Spider	26	40
34 24713	02-05 Hyundai Sonata	25	15
41 24714	02-03 Mazda Protege 5	27	15
39 24715	97-04 Toyota Camry 4 Dr. 99-03 Toyota Solara	31	15
19 24718	02-03 Mitsubishi Lancer	16	15
23 24719	02-06 Acura RSX 02-05 Honda Civic Si Models Only	17	30
22 24720	03-04 Honda Element 05-10 Honda Element All, Except SC	15	25
30 24721	97-05 Chevrolet Venture All, Inc. AWD 97-04 Oldsmobile Silhouette All, Inc. AWD 99-05 Pontiac Montana All, Inc. AWD 97-98 Pontiac Trans Sport Van All, Inc. Montana	26	30
29 24726	03-08 Hyundai Tiburon	25	45
36 24727	02-05 KIA Rio All, Inc. Cinco	14	20
32 24732	03-06 Mitsubishi Outlander	28	40
35 24733	03-05 Chevrolet Cavalier All, Except LS Sport 95-99 Chevrolet Cavalier All, Except Z-24 02 Chevrolet Cavalier All, Except Z-24 00-01 Chevrolet Cavalier All, Inc. Z-24 03-05 Pontiac Sunfire All Models 95-99 Pontiac Sunfire All, Except GT	37	40
35 24734	03-07 Saturn Ion All, Except Redline & Models w/2.4 Liter Engine	43	35
42 24735	03-06 Subaru Baja	32	20
43 24736	00-05 Hyundai Accent All Models	19	20
41 24740	05-06 Nissan X-Trail All Models (Canada Only)	32	45
23 24741	04-10 Chevrolet Aveo 5 Dr. Hatchback 09 Pontiac G3 5 Dr. 09 Pontiac G3 Wave 5 Dr. (Canada Only) 04-08 Pontiac Wave 5 Dr. (Canada Only) 04-09 Suzuki Swift+ 5 Dr. (Canada Only)	18	30
27 24742	04-06 Chevrolet Aveo 4 Dr. Sedan	19	30
35 24743	05-09 KIA Spectra Except Spectra5	25	20
23 24745	05-10 Chevrolet Cobalt 2 Dr., Except SS Models 05-10 Chevrolet Cobalt 4 Dr., Except SS Models 07-09 Pontiac G5 All, Except GT 05-07 Pontiac G5 Pursuit 2 Dr. (Canada Only) 05-07 Pontiac G5 Pursuit 4 Dr. (Canada Only)	23	40
50 24746	05-10 Toyota Avalon	41	40
25 24747	05-09 Ford Mustang All, Except GT/CS "California Special", Shelby GT & GT500	25	45
36 24748	07-09 Volkswagen City Jetta Sedan (Canada Only) 99-04 Volkswagen Jetta Sedan, Except Gas Turbo & Wagon Models 05 Volkswagen Jetta Sedan, Except Gas Turbo & Wagon Models (Old Body Style)	28	30
34 24750	00-06 Nissan Sentra All, Inc. SE-R & SE-R SPEC V	31	20
45 24751	04-05 Toyota Echo Hatchback 2 & 4 Dr., Except Turbo (Canada Only)	36	15
28 24754	06-11 Mitsubishi Eclipse	19	30
20 24755	04-08 Acura TL	18	35
42 24756	08-10 Chevrolet Cobalt Sport 2 Dr. 08-10 Chevrolet Cobalt Sport 4 Dr. 05-10 Chevrolet Cobalt SS 2 Dr., Incl. Supercharged Models 05-10 Chevrolet Cobalt SS 4 Dr. 06-11 Chevrolet HHR 08-10 Chevrolet HHR SS	48	25

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
	07-09 Pontiac G5 GT 05-07 Pontiac G5 Pursuit GT 2 Dr. (Canada Only) 05-07 Pontiac G5 Pursuit GT 4 Dr. (Canada Only) 05-07 Saturn Ion 3 w/2.4 Liter Engine 04-06 Saturn Ion Redline		25 25 25 25
28 24757	06-10 Hyundai Sonata	27	20
29 24758	05-06 Saab 9-2X Aero & Linear	26	30
40 24759	01-10 Chrysler PT Cruiser All, Inc. GT & Turbo Models 05-09 Chrysler PT Cruiser Convertible All, Inc. GT & Turbo Models	24	30
40 24760	06-11 Hyundai Accent 4 Dr. Sedan 06-11 KIA Rio 4 Dr. Sedan	25	20
30 24763	06-10 Honda Civic 2 Dr., Except Si Models 06-10 Honda Civic 2 Dr., Si Models 06-11 Honda Civic 4 Dr., Except Hybrid & Si Models 06-11 Honda Civic 4 Dr., Si Models 06-11 Honda Civic Hybrid	27	30
28 24764	06-10 Suzuki Grand Vitara	27	20
36 24767	03-07 Cadillac CTS 08-11 Cadillac CTS 4 Dr. Sedan Only 04-07 Cadillac CTS-V 08-11 Cadillac CTS-V 4 Dr. Sedan Only 05-10 Cadillac STS	35	45
29 24768	06-08 Acura TSX	33	40
27 24769	07 Dodge Caliber All, Except R/T 08-11 Dodge Caliber All, Except R/T & SRT-4	26	15
42 24771	06-11 Hyundai Azera All Models	35	20
30 24772	02-06 Honda CR-V	26	20
23 24773	06-10 Mazda 5	22	25
42 24775	06-09 Ford Fusion 07-09 Lincoln MKZ 06 Lincoln Zephyr 03-08 Mazda 6 4 Dr. Sedan 04-08 Mazda 6 5 Dr. Hatchback 06-09 Mercury Milan	24	45
21 24776	07-08 Honda Fit All, Inc. Sport	23	25
35 24778	06-10 KIA Magentis Canada Only 09-10 KIA Optima 06-08 KIA Optima New Body Style (App. starts with 2006-1/2)	26	20
30 24781	04-10 Volvo S40 Sedan New Body Style (App. starts with 2004-1/2) 05-10 Volvo V50 Wagon	28	25
19 24785	04-07 Mazda 6 Sport Wagon	24	25
34 24787	03-07 Honda Accord 2 Dr. 03-07 Honda Accord 4 Dr., Including Hybrid	23	25
34 24788	02-06 Nissan Altima 04-08 Nissan Maxima All Models	33	30
20 24790	97-01 Honda CR-V	22	20
21 24791	01-03 Acura 3.2 CL 99-03 Acura 3.2 TL 98-02 Honda Accord 2 & 4 Dr.	24	15
26 24792	07-11 Honda CR-V	23	20
25 24794	07-11 Nissan Sentra	25	30
31 24795	07-11 Hyundai Accent 3 Dr. Hatchback Only 07-10 Hyundai Elantra 4 Dr. Sedan 06-11 KIA Rio 5 Dr. Hatchback Only	28	25
28 24796	07-11 Nissan Altima 4 Dr. Sedan 09-11 Nissan Maxima All Models	27	45
30 24797	07-10 KIA Rondo	25	30
39 24798	07-11 Nissan Versa Hatchback 07-11 Nissan Versa Sedan	30	25
36 24799	07-10 Chrysler Sebring All, Except Convertible 07-10 Chrysler Sebring Convertible All Models 08-10 Dodge Avenger	32	15
31 24801	08-11 Nissan Altima 2 Dr. Coupe	24	30
37 24805	08-10 Ford Focus Coupe 08-11 Ford Focus Sedan	28	30
25 24806	08-10 Honda Accord 2 Dr., 2.4L I4 Engine 08-10 Honda Accord 2 Dr., 3.5L V6 Engine 08-10 Honda Accord 4 Dr., 2.4L I4 Engine 08-10 Honda Accord 4 Dr., 3.5L V6 Engine	20	30
31 24807	09-10 Subaru Forester 08-10 Subaru Impreza 4 Dr. Sedan, Inc. WRX	37	35
27 24808	04-09 Toyota Prius	28	30
42 24809	08-09 Saturn Astra 3 Dr. Hatchback 08-09 Saturn Astra 5 Dr. Hatchback	31	25
27 24810	06-10 Chevrolet Aveo 4 Dr. Sedan	24	20

† = Available While Supply Lasts

RECEIVER HITCHES

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
31 24811	08-10 Volvo C30	31	45
31 24812	09-10 Pontiac Vibe All, Except GT Models	26	15
	03-08 Pontiac Vibe All, Inc. GT Models	15	
	03-10 Toyota Matrix All Models	15	
37 24813	00-05 Toyota Echo All, Except Hatchback	29	15
33 24814	03-10 Toyota Corolla	25	20
16 24815	08-11 Scion xB	23	15
30 24816	04-09 Mazda 3 4 Dr. Sedan, Except Models with Grand Touring LED Taillights Package	26	35
	06-09 Mazda 3 4 Dr. Sedan, Models with Grand Touring LED Taillights Package	35	
	04-09 Mazda 3 5 Dr. Hatchback, Except Models with Grand Touring LED Taillights Package	35	
	06-09 Mazda 3 5 Dr. Hatchback, Models with Grand Touring LED Taillights Package	35	
21 24817	07-10 Suzuki SX4 Crossover	27	40
24 24818	08-09 Suzuki SX4 Sport Sedan	25	40
15 24819	07-11 Toyota Yaris Liftback	19	20
	07-10 Toyota Yaris Sedan	20	
14 24820	08-10 Mitsubishi Lancer All, Except Evolution	22	30
34 24821	08-09 Pontiac G8 All Models	40	45
13 24822	96-00 Honda Civic 3 Dr. Hatchback	11	20
29 24824	07-11 Volkswagen Eos All Models	36	40
22 24825	10-11 Volkswagen Golf All, Inc. TDI	31	15
	06-09 Volkswagen GTI 2 Dr. Hatchback	15	
	07-09 Volkswagen GTI 4 Dr. Hatchback	15	
	06-09 Volkswagen Rabbit All Models	15	
27 24826	09-10 Honda Fit	32	25
13 24827	05-10 Scion tC	19	30
17 24828	08-10 Scion xD	24	20
32 24830	09-11 Audi A4 4 Dr. Sedan, Inc. Quattro	29	25
12 24831	07-08 Infiniti G35 4 Dr. Sedan	21	45
	09-10 Infiniti G37 4 Dr. Sedan	45	
29 24832	09-10 Mazda 6 4 Dr. Sedan	36	30
24 24833	06-09 Pontiac Solstice	33	35
	07-09 Pontiac Solstice GXP	35	
	07-09 Saturn Sky	35	
	07-09 Saturn Sky Redline	35	
21 24834	09-11 Acura TL	24	45
	09-10 Acura TSX	45	
	08-10 Honda Accord 2 Dr., 2.4L I4 Engine	30	
	08-10 Honda Accord 2 Dr., 3.5L V6 Engine	45	
	08-10 Honda Accord 4 Dr., 2.4L I4 Engine	30	
	08-10 Honda Accord 4 Dr., 3.5L V6 Engine	45	
22 24835	07-10 Mitsubishi Galant	21	30
29 24836	05-11 Audi A6 4 Dr. Sedan, Inc. Quattro	21	25
	06-10 Audi A6 Avant Wagon, Inc. Quattro	25	
34 24838	10 Volkswagen Golf Wagon Canada Only	35	50
	05-11 Volkswagen Jetta 4 Dr. Sedan (New Body Style)	50	
	09-10 Volkswagen Jetta SportWagen	50	
18 24839	10-11 KIA Soul	20	40
23 24840	10 Ford Mustang All, Except GT/CS "California Special", Shelby GT & GT500	27	45
29 24842	10 Mazda 3 4 Dr. Sedan, Except Models with Grand Touring LED Taillights Package	33	20
	10 Mazda 3 4 Dr. Sedan, Models with Grand Touring LED Taillights Package	20	
23 24843	10-11 Mazda 3 5 Dr. Hatchback, Except Models with Grand Touring LED Taillights Package	25	15
	10-11 Mazda 3 5 Dr. Hatchback, Models with Grand Touring LED Taillights Package	15	
17 24844	09-11 Hyundai Elantra Touring 5 Dr.	28	25
23 24845	09-10 Nissan Cube	32	45
30 24846	10 KIA Forte 4 Dr. Sedan, All Models	32	20
20 24847	10 Toyota Prius	23	25
25 24848	09-11 Volkswagen CC All, Except 4 Motion	26	35
	06-10 Volkswagen Passat All, Except 4 Motion	35	
	07-10 Volkswagen Passat Wagon All, Except 4 Motion	35	
26 24849	08-11 Subaru Impreza 5 Dr. Wagon, Inc. Outback Sport & WRX, Except WRX STi	28	45
35 24850	10-11 Chevrolet Camaro All Models	28	15
31 24851	10 Volkswagen Golf GTI 2 Dr. Hatchback (Canada Only)	30	40
	10 Volkswagen Golf GTI 4 Dr. Hatchback (Canada Only)	40	
	10-11 Volkswagen GTI 2 Dr. Hatchback	40	
	10 Volkswagen GTI 4 Dr. Hatchback	40	
38 24852	10 Honda Accord Crosstour All Models	31	40
38 24853	11 Hyundai Sonata All, Incl. GLS, SE & Limited	39	30

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
32 24854	10 Acura ZDX	24	25
35 24855	11 Ford Fiesta 5 Dr. Hatchback	31	30
41 24856	11 Ford Fiesta 4 Dr. Sedan	26	15
47 24857	07-10 BMW 328i Sedan	34	45
	07-10 BMW 328xi Sedan	45	
39 24859	11 Chevrolet Cruze All Models	33	15
27 24860	10 Lexus HS 250h Hybrid	28	25
30 24861	06-10 Acura CSX Canada Only	26	30
31 24862	11 Hyundai Elantra 4 Dr. Sedan	25	15
28 24863	11 Ford Mustang All V6 Models	26	40
	11 Ford Mustang All V8 Models, Including GT/CS "California Special", Shelby GT & GT500	40	
29 24865	10-11 Ford Fusion	36	20
	10-11 Lincoln MKZ	20	
	10-11 Mercury Milan	20	
33 60200	03-10 Toyota Corolla	25	20
30 60201	04-09 Mazda 3 4 Dr. Sedan, Except Models with Grand Touring LED Taillights Package	26	35
	06-09 Mazda 3 4 Dr. Sedan, Models with Grand Touring LED Taillights Package	35	
	04-09 Mazda 3 5 Dr. Hatchback, Except Models with Grand Touring LED Taillights Package	35	
	06-09 Mazda 3 5 Dr. Hatchback, Models with Grand Touring LED Taillights Package	35	
21 60202	07-10 Suzuki SX4 Crossover	27	40
24 60204	08-09 Suzuki SX4 Sport Sedan	25	40
14 60207	08-10 Mitsubishi Lancer All, Except Evolution	22	30
34 60208	08-09 Pontiac G8 All Models	40	45
15 60209	07-11 Toyota Yaris Liftback	19	20
	07-10 Toyota Yaris Sedan	20	
29 60211	07-11 Volkswagen Eos All Models	36	40
22 60212	10-11 Volkswagen Golf All, Inc. TDI	31	15
	06-09 Volkswagen GTI 2 Dr. Hatchback	15	
	07-09 Volkswagen GTI 4 Dr. Hatchback	15	
	06-09 Volkswagen Rabbit All Models	15	
13 60213	05-10 Scion tC	19	30
17 60214	08-10 Scion xD	24	20
37 60216	00-05 Mitsubishi Eclipse All, Inc. Spider	26	40
27 60218	09-10 Honda Fit	32	25
32 60219	09-11 Audi A4 4 Dr. Sedan, Inc. Quattro	29	25
12 60221	07-08 Infiniti G35 4 Dr. Sedan	21	45
	09-10 Infiniti G37 4 Dr. Sedan	45	
29 60222	09-10 Mazda 6 4 Dr. Sedan	36	30
24 60224	06-09 Pontiac Solstice	33	35
	07-09 Pontiac Solstice GXP	35	
	07-09 Saturn Sky	35	
	07-09 Saturn Sky Redline	35	
37 60228	93-02 Mercury Villager Mini Van	17	30
	93-02 Nissan Quest Mini Van	30	
36 60235	97-04 Chevrolet Corvette	15	35
21 60236	09-11 Acura TL	24	45
	09-10 Acura TSX	45	
	08-10 Honda Accord 2 Dr., 2.4L I4 Engine	30	
	08-10 Honda Accord 2 Dr., 3.5L V6 Engine	45	
	08-10 Honda Accord 4 Dr., 2.4L I4 Engine	30	
	08-10 Honda Accord 4 Dr., 3.5L V6 Engine	45	
22 60237	07-10 Mitsubishi Galant	21	30
29 60238	05-11 Audi A6 4 Dr. Sedan, Inc. Quattro	21	25
	06-10 Audi A6 Avant Wagon, Inc. Quattro	25	
26 60240	79-86 Ford Mustang All Models	12	20
	87-93 Ford Mustang All, Except GT	20	
	79-86 Mercury Capri	20	
36 60242	00-02 Toyota Echo	20	15
44 60244	01-04 KIA Magentis Canada Only	19	15
	01-06 KIA Optima	15	
49 60245	90-93 Honda Accord 2 & 4 Dr.	33	20
30 60246	96-00 Hyundai Elantra All Models	13	30
45 60247	98-02 Mazda 626	35	30
38 60248	00-04 Volvo S40 Sedan Old Body Style	14	20
	00-04 Volvo V40 Wagon	20	
32 60249	00-05 Toyota Celica All Models	22	15
34 60255	10 Volkswagen Golf Wagon Canada Only	35	50
	05-11 Volkswagen Jetta 4 Dr. Sedan (New Body Style)	50	
	09-10 Volkswagen Jetta SportWagen	50	
18 60256	10-11 KIA Soul	20	40

† = Available While Supply Lasts

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
23 60257	10 Ford Mustang All, Except GT/CS "California Special", Shelby GT & GT500	27	45
29 60258	10 Mazda 3 4 Dr. Sedan, Except Models with Grand Touring LED Taillights Package	33	20
	10 Mazda 3 4 Dr. Sedan, Models with Grand Touring LED Taillights Package		20
23 60259	10-11 Mazda 3 5 Dr. Hatchback, Except Models with Grand Touring LED Taillights Package	25	15
	10-11 Mazda 3 5 Dr. Hatchback, Models with Grand Touring LED Taillights Package		15
17 60260	09-11 Hyundai Elantra Touring 5 Dr.	28	25
23 60261	09-10 Nissan Cube	32	45
30 60262	10 KIA Forte 4 Dr. Sedan, All Models	32	20
20 60263	10 Toyota Prius	23	25
25 60264	09-11 Volkswagen CC All, Except 4 Motion	26	35
	06-10 Volkswagen Passat All, Except 4 Motion		35
	07-10 Volkswagen Passat Wagon All, Except 4 Motion		35
26 60265	08-11 Subaru Impreza 5 Dr. Wagon, Inc. Outback Sport & WRX, Except WRX STI	28	45
35 60266	10-11 Chevrolet Camaro All Models	28	15
31 60267	10 Volkswagen Golf GTI 2 Dr. Hatchback (Canada Only)	30	40
	10 Volkswagen Golf GTI 4 Dr. Hatchback (Canada Only)		40
	10-11 Volkswagen GTI 2 Dr. Hatchback		40
	10 Volkswagen GTI 4 Dr. Hatchback		40
38 60268	10 Honda Accord Crosstour All Models	31	40
38 60269	11 Hyundai Sonata All, Incl. GLS, SE & Limited	39	30
32 60270	10 Acura ZDX	24	25
35 60271	11 Ford Fiesta 5 Dr. Hatchback	31	30
41 60272	11 Ford Fiesta 4 Dr. Sedan	26	15
47 60273	07-10 BMW 328i Sedan	34	45
	07-10 BMW 328xi Sedan		45
39 60275	11 Chevrolet Cruze All Models	33	15
27 60276	10 Lexus HS 250h Hybrid	28	25
30 60277	06-10 Acura CSX Canada Only	26	30
22 60278	03-04 Honda Element	15	25
	05-10 Honda Element All, Except SC		25
31 60279	11 Hyundai Elantra 4 Dr. Sedan	25	15
28 60280	11 Ford Mustang All V6 Models	26	40
	11 Ford Mustang All V8 Models, Including GT/CS "California Special", Shelby GT & GT500		40
29 60282	10-11 Ford Fusion	36	20
	10-11 Lincoln MKZ		20
	10-11 Mercury Milan		20
42 60332	96-00 Chrysler Sebring Convertible All Models	35	30
27 60801	04-06 Chevrolet Aveo 4 Dr. Sedan	19	30
50 60802	05-10 Toyota Avalon	41	40
23 60808	05-10 Chevrolet Cobalt 2 Dr., Except SS Models	23	40
	05-10 Chevrolet Cobalt 4 Dr., Except SS Models		40
	07-09 Pontiac G5 All, Except GT		40
	05-07 Pontiac G5 Pursuit 2 Dr. (Canada Only)		40
	05-07 Pontiac G5 Pursuit 4 Dr. (Canada Only)		40
25 60809	05-09 Ford Mustang All, Except GT/CS "California Special", Shelby GT & GT500	25	45
28 60813	06-11 Mitsubishi Eclipse	19	30
20 60814	04-08 Acura TL	18	35
42 60815	08-10 Chevrolet Cobalt Sport 2 Dr.	48	25
	08-10 Chevrolet Cobalt Sport 4 Dr.		25
	05-10 Chevrolet Cobalt SS 2 Dr., Incl. Supercharged Models		25
	05-10 Chevrolet Cobalt SS 4 Dr.		25
	06-11 Chevrolet HHR		25
	08-10 Chevrolet HHR SS		35
	07-09 Pontiac G5 GT		25
	05-07 Pontiac G5 Pursuit GT 2 Dr. (Canada Only)		25
	05-07 Pontiac G5 Pursuit GT 4 Dr. (Canada Only)		25
	05-07 Saturn Ion 3 w/2.4 Liter Engine		25
	04-06 Saturn Ion Redline		25
28 60816	06-10 Hyundai Sonata	27	20
40 60818	01-10 Chrysler PT Cruiser All, Inc. GT & Turbo Models	24	30
	05-09 Chrysler PT Cruiser Convertible All, Inc. GT & Turbo Models		30
40 60819	06-11 Hyundai Accent 4 Dr. Sedan	25	20
	06-11 KIA Rio 4 Dr. Sedan		20
30 60822	06-10 Honda Civic 2 Dr., Except Si Models	27	30
	06-10 Honda Civic 2 Dr., Si Models		30
	06-11 Honda Civic 4 Dr., Except Hybrid & Si Models		30
	06-11 Honda Civic 4 Dr., Si Models		30
	06-11 Honda Civic Hybrid		30
32 60823	93-01 Subaru Impreza All, Inc. Outback Sport	21	30

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
	02-07 Subaru Impreza Inc. Outback Sport & WRX, Except WRX STI		30
32 60824	03-06 Mitsubishi Outlander	21	40
29 60825	03-08 Hyundai Tiburon	25	45
34 60826	00-06 Nissan Sentra All, Inc. SE-R & SE-R SPEC V	31	20
28 60827	06-10 Suzuki Grand Vitara	27	20
36 60830	03-07 Cadillac CTS	35	45
	08-11 Cadillac CTS 4 Dr. Sedan Only		45
	04-07 Cadillac CTS-V		45
	08-11 Cadillac CTS-V 4 Dr. Sedan Only		45
	05-10 Cadillac STS		45
29 60831	06-08 Acura TSX	33	40
27 60832	07 Dodge Caliber All, Except R/T	26	15
	08-11 Dodge Caliber All, Except R/T & SRT-4		15
28 60833	97-05 Buick Century Sedan	18	30
	98-02 Oldsmobile Intrigue		30
	97-03 Pontiac Grand Prix SE Sedan		30
32 60834	97-00 Acura 1.6 EL Canada Only	20	15
	01 Acura 1.7 EL Canada Only		15
	99-00 Honda Civic 2 & 4 Dr.		15
	93-98 Honda Civic 2 Dr. Coupe		15
	92-98 Honda Civic 4 Dr.		15
42 60835	88-94 Buick Regal 2 Dr.	25	40
	92-94 Buick Regal 4 Dr., Except GS		40
	91 Buick Regal 4 Dr., Except GS/Limited		40
	90-94 Chevrolet Lumina All, Except Z-34		40
	88-93 Oldsmobile Cutlass Supreme 2 Dr. FWD		40
	92-97 Oldsmobile Cutlass Supreme 4 Dr. FWD		40
	91-93 Pontiac Grand Prix 2 & 4 Dr., Except Turbo		40
	88-90 Pontiac Grand Prix All, Except SE & Turbo		40
42 60837	06-11 Hyundai Azera All Models	35	20
29 60838	98-02 Chevrolet Prizm	16	30
	93-97 GEO Prizm		30
	93-02 Toyota Corolla 2 & 4 Dr. Sedan		30
37 60839	91-02 Saturn SC Series 2 Dr. Coupe	31	40
	91-02 Saturn SL Series 4 Dr. Sedan		40
	91-01 Saturn SW Series Wagon		40
46 60840	00-01 Dodge Neon 2 & 4 Dr.	35	20
	02-05 Dodge Neon All, Inc. R/T		20
	00-01 Plymouth Neon 2 & 4 Dr.		20
23 60841	06-10 Mazda 5	22	25
30 60842	97-05 Chevrolet Venture All, Inc. AWD	26	30
	97-04 Oldsmobile Silhouette All, Inc. AWD		30
	99-05 Pontiac Montana All, Inc. AWD		30
	97-98 Pontiac Trans Sport Van All, Inc. Montana		30
49 60843	94-97 Honda Accord 2 & 4 Dr.	34	30
41 60845	92-01 Lexus ES 300 4 Dr.	32	30
	92-96 Toyota Camry 2 & 4 Dr.		30
42 60846	06-09 Ford Fusion	24	45
	07-09 Lincoln MKZ		45
	06 Lincoln Zephyr		45
	03-08 Mazda 6 4 Dr. Sedan		45
	04-08 Mazda 6 5 Dr. Hatchback		45
	06-09 Mercury Milan		45
21 60847	07-08 Honda Fit All, Inc. Sport	23	25
35 60848	06-10 KIA Magentis Canada Only	26	20
	09-10 KIA Optima		20
	06-08 KIA Optima New Body Style (App. starts with 2006-1/2)		20
23 60849	04-10 Chevrolet Aveo 5 Dr. Hatchback	18	30
	09 Pontiac G3 5 Dr.		30
	09 Pontiac G3 Wave 5 Dr. (Canada Only)		30
	04-08 Pontiac Wave 5 Dr. (Canada Only)		30
	04-09 Suzuki Swift+ 5 Dr. (Canada Only)		30
32 60850	01-06 Chrysler Sebring Convertible All Models	26	15
30 60852	04-10 Volvo S40 Sedan New Body Style (App. starts with 2004-1/2)	28	25
	05-10 Volvo V50 Wagon		25
23 60853	02-06 Acura RSX	17	30
	02-05 Honda Civic Si Models Only		30
19 60857	04-07 Mazda 6 Sport Wagon	24	25
30 60860	97-06 Jeep TJ Canada	23	15
	97 Jeep Wrangler		15
	98-06 Jeep Wrangler All, Inc. Unlimited		15
34 60861	02-05 Hyundai Sonata	25	15
29 60862	98 Chevrolet Tracker 2 & 4 Dr.	23	20
	89-97 GEO Tracker 2 & 4 Dr.		20
	89-95 Suzuki Sidekick 2 & 4 Dr.		20

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
29 60862	96-98 Suzuki Sidekick 2 & 4 Dr., Inc. JS 2WD, JX 4WD (Will Not Fit Sport Model)	23	20
	96-98 Suzuki X-90		20
39 60863	97-04 Toyota Camry 4 Dr.	31	15
	99-03 Toyota Salara		15
42 60864	03-05 Chevrolet Cavalier LS Sport	36	40
	95-99 Chevrolet Cavalier Z-24		40
	02 Chevrolet Cavalier Z-24		40
	03-05 Chevrolet Cavalier Z-24 (Canada Only)		40
	00-02 Pontiac Sunfire All Models		40
	95-99 Pontiac Sunfire GT		40
42 60865	93-01 Nissan Altima	27	20
19 60866	02-03 Mitsubishi Lancer	16	15
35 60867	01-05 Honda Civic 2 & 4 Dr.	24	15
37 60868	01-06 Hyundai Elantra All Models, Inc. GT	24	15
26 60869	07-11 Honda CR-V	23	20
28 60870	00-04 Ford Focus Sedan	20	20
	05-07 Ford Focus Sedan, Except w/Street Appearance Pkg.		20
	00-07 Ford Focus ZX3 3 Dr. Hatchback, Except SVT & w/Street Appearance Pkg.		20
	02-07 Ford Focus ZX5 5 Dr. Hatchback, Except SVT & w/Street Appearance Pkg.		20
25 60871	07-11 Nissan Sentra	25	30
31 60872	07-11 Hyundai Accent 3 Dr. Hatchback Only	28	25
	07-10 Hyundai Elantra 4 Dr. Sedan		25
	06-11 KIA Rio5 5 Dr. Hatchback Only		25
28 60873	07-11 Nissan Altima 4 Dr. Sedan	27	45
	09-11 Nissan Maxima All Models		45
30 60874	07-10 KIA Rondo	25	30
39 60875	07-11 Nissan Versa Hatchback	30	25
	07-11 Nissan Versa Sedan		25
36 60876	07-10 Chrysler Sebring All, Except Convertible	32	15
	07-10 Chrysler Sebring Convertible All Models		15
	08-10 Dodge Avenger		15
31 60877	08-11 Nissan Altima 2 Dr. Coupe	24	30
38 60881	97-03 Chevrolet Malibu 4 Dr.	30	15
	04-05 Chevrolet Malibu Classic 4 Dr. Old Body Style		15
	97-00 Oldsmobile Cutlass 4 Dr., FWD		15
40 60882	91-98 Toyota Tercel 2 & 4 Dr. Sedan	22	30
39 60883	86-91 Ford Taurus Sedan, All Models	34	20
	00-03 Ford Taurus Sedan, All Models		20
	96-99 Ford Taurus Sedan, Except SHO		20
	92-95 Ford Taurus Sedan, Inc. SHO		20
	86-03 Ford Taurus Wagon		20
	88-02 Lincoln Continental		20
	86-03 Mercury Sable Sedan, All Models		20
	86-03 Mercury Sable Wagon		20
30 60884	97-04 Buick Regal (App. begins with 97-1/2)	24	20
	97-08 Pontiac Grand Prix GT, Coupe & Sedan Inc. GTP Package		20
37 60886	08-10 Ford Focus Coupe	28	30
	08-11 Ford Focus Sedan		30
32 60887	94-98 Ford Mustang All Models	33	20
	99-04 Ford Mustang All, Except Cobra SVT		20
45 60889	93-02 Chevrolet Camaro Inc. Z-28 & SS, Except w/Dual Exhaust Pipes On Drivers Side	38	40
49 60890	93-02 Pontiac Firebird Includes Formula	38	40
	93-02 Pontiac Firebird Trans Am		40
26 60891	94-01 Acura Integra 2 Dr.	23	40
	94-01 Acura Integra 4 Dr.		40
25 60892	08-10 Honda Accord 2 Dr., 2.4L I4 Engine	20	30
	08-10 Honda Accord 2 Dr., 3.5L V6 Engine		45
	08-10 Honda Accord 4 Dr., 2.4L I4 Engine		30
	08-10 Honda Accord 4 Dr., 3.5L V6 Engine		45
31 60893	09-10 Subaru Forester	37	35
	08-10 Subaru Impreza 4 Dr. Sedan, Inc. WRX		35
27 60894	04-09 Toyota Prius	28	30
42 60895	08-09 Saturn Astra 3 Dr. Hatchback	31	25
	08-09 Saturn Astra 5 Dr. Hatchback		25
27 60896	06-10 Chevrolet Aveo 4 Dr. Sedan	24	20
31 60897	08-10 Volvo C30	31	45
31 60898	09-10 Pontiac Vibe All, Except GT Models	26	15
	03-08 Pontiac Vibe All, Inc. GT Models		15
	03-10 Toyota Matrix All Models		15
16 60899	08-11 Scion xB	23	15
42 60902	98-01 Volkswagen Beetle	25	20

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
	02-10 Volkswagen Beetle All, Except Turbo S		20
36 60905	03-07 Ford Focus Wagon Built After 11/1/02	39	20
	00-03 Ford Focus Wagon Built Before 11/1/02		20
20 60907	97-01 Honda CR-V	22	20
21 60913	01-03 Acura 3.2 CL	24	15
	99-03 Acura 3.2 TL		15
	98-02 Honda Accord 2 & 4 Dr.		15
37 60923	00-05 Toyota Echo All, Except Hatchback	29	15
35 60925	00-05 Chevrolet Monte Carlo Inc. SS (Will not fit SS Sport Appearance Pkg.)	16	20
17 60926	00-02 Saturn I Series All Models	14	35
	03-04 Saturn I Series Wagon Only		35
29 60927	99-03 Mazda Protege All Models	20	30
29 60933	96-03 Chrysler Town & Country All, Inc. 4 WD	31	25
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD		20
	01-03 Chrysler Voyager All, Inc. 4 WD		20
	96-00 Dodge Caravan All, Except Sport		25
	01-03 Dodge Caravan All, Inc. 2 & 4 WD		20
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD		20
	96-03 Dodge Grand Caravan All, Inc. 4 WD		25
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD		20
	96-00 Plymouth Grand Voyager All, Inc. 4 WD		25
	96-00 Plymouth Voyager All, Inc. 4 WD		25
13 60935	96-00 Honda Civic 3 Dr. Hatchback	11	20
32 60937	01-02 Chrysler Sebring 2 Dr. Except Convertible	29	30
	95-00 Chrysler Sebring All, Except Convertible		30
	95-00 Dodge Avenger		30
	01-02 Dodge Stratus 2 Dr. Only		30
34 60938	96-05 Toyota RAV4	26	15
32 60942	99-04 Chevrolet Tracker	19	15
	99-05 Suzuki Grand Vitara		15
	99-05 Suzuki Vitara		15
	01-06 Suzuki XL-7		15
42 60943	07-10 Volkswagen City Golf Canada Only	23	30
	99-06 Volkswagen Golf Except GTI V6		30
34 60944	02-06 Nissan Altima	33	30
	04-08 Nissan Maxima All Models		30
38 60945	95-03 Nissan Maxima Sedan	26	20
40 60947	01-06 Chrysler Sebring 4 Dr. Only	21	20
	01-06 Dodge Stratus 4 Dr. Only		20
41 60948	02-03 Mazda Protege 5	25	15
30 60952	02-06 Honda CR-V	26	20
34 60953	03-07 Honda Accord 2 Dr.	23	25
	03-07 Honda Accord 4 Dr., Including Hybrid		25
19 60958	03-08 Pontiac Vibe All, Inc. GT Models	18	10
	03-08 Toyota Matrix w/o Ground Effects		10
36 60963	07-09 Volkswagen City Jetta Sedan (Canada Only)	24	30
	99-04 Volkswagen Jetta Sedan, Except Wagon Models (App. starts w/ 99-1/2)		30
	05 Volkswagen Jetta Sedan, Except Wagon Models (Old Body Style)		30
33 60964	03-08 Toyota Corolla	18	10
19 60965	03-08 Toyota Matrix w/Ground Effects	15	10
35 60973	95-02 Chevrolet Cavalier All, Inc. RS & Z-24	24	25
	03-05 Chevrolet Cavalier LS Sport		25
	03-05 Chevrolet Cavalier Z-24 (Canada Only)		25
	03-05 Pontiac Sunfire All Models		25
	95-99 Pontiac Sunfire All, Except GT		25
23 60975	95-99 Dodge Neon 2 & 4 Dr.	23	30
	95-99 Plymouth Neon 2 & 4 Dr.		30
37 60979	95-00 Ford Contour All, Except SVT	26	30
	95-00 Mercury Mystique		35
42 60982	03-06 Subaru Baja	25	20
40 60984	03-06 Volkswagen Jetta Wagon	20	20
22 60985	03-04 Honda Element	24	20
	05-08 Honda Element All, Except SC		20
45 60987	04-05 Toyota Echo Hatchback 2 & 4 Dr., Except Turbo (Canada Only)	38	15
35 60989	03-07 Saturn Ion All, Except Redline & Models w/2.4 Liter Engine	43	35
43 60991	99-05 Volkswagen Passat All, Except 4 Motion & W8 Engine Models	19	40
43 60992	00-05 Hyundai Accent All Models	19	20
35 60996	05-09 KIA Spectra Except Spectra5	27	20
41 60997	05-06 Nissan X-Trail All Models (Canada Only)	32	45
CLASS I: INVISI-HITCH			
26 28501	04-07 Scion xB	21	25

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
36 36197	90-05 GMC Safari Extended Body 85-94 GMC Safari Standard Body	33	30 30
37 36198	90-05 Chevrolet Astro Extended Body 85-94 Chevrolet Astro Standard Body 90-05 GMC Safari Extended Body 85-94 GMC Safari Standard Body	38	30 30 30 30
39 36204	95-98 Honda Odyssey 96-99 Isuzu Oasis	28	30 30
51 36205	91-97 Toyota Previa All, Inc. Supercharged	34	30
38 36206	96-11 Chevrolet Express Van Full Size 96-11 GMC Savana Van Full Size	31	15 15
46 36210	91-96 Buick Park Ave. 91-96 Oldsmobile 98 Regency Includes Touring Sedan	47	40 40
53 36211	96-99 Oldsmobile Delta 88 96-99 Oldsmobile LSS 97-98 Oldsmobile Regency 96-99 Oldsmobile Royale 96-99 Pontiac Bonneville All, Except SLE, SSE & SSEi	40	30 30 30 30 30
52 36215	86-97 Ford Aerostar Van Extended Body 86-97 Ford Aerostar Van Standard Body	26	30 30
47 36216	92-99 Buick Centurion FWD 92-99 Buick Le Sabre FWD 92-95 Oldsmobile Delta 88 92-95 Oldsmobile LSS 92-95 Oldsmobile Royale 92-95 Pontiac Bonneville All, Except SSE & SSEi	32	40 40 40 40 40 40
42 36222	97-03 Infiniti QX4 96-04 Nissan Pathfinder 2 & 4 Dr.	36	20 20
46 36223	96-02 Toyota 4Runner	27	30
44 36226	96-04 Acura 3.5 RL	28	30
57 36232	97-03 Pontiac Grand Prix SE Sedan	42	30
44 36233	97-03 Chevrolet Malibu 4 Dr. 04-05 Chevrolet Malibu Classic 4 Dr. Old Body Style 97-00 Oldsmobile Cutlass 4 Dr., FWD	41	20 20 20
52 36234	90-99 Subaru Legacy Coupe & Sedan, Inc. Outback & SUS 96-99 Subaru Legacy Wagon All, Except Outback 90-95 Subaru Legacy Wagon All, Inc. Outback 96-99 Subaru Legacy Wagon Outback	42	25 20 20 20
32 36235	02-04 Dodge Dakota Pickup All, Except Quad Cab 95-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper 87-94 Dodge Dakota Pickup Inc. Extended Cab	34	40 40 40
32 36238	97-06 Jeep TJ Canada 97 Jeep Wrangler 98-06 Jeep Wrangler All, Inc. Unlimited	22	15 15 15
56 36241	97-04 Buick Regal (App. begins with 97-1/2) 97-08 Pontiac Grand Prix GT, Coupe & Sedan Inc. GTP Package	40	35 35
43 36243	98-04 Cadillac Seville All, Inc. SLS & STS	28	35
35 36244	95-05 Chevrolet Blazer Downsize, All Models 99-01 Chevrolet TrailBlazer 98-01 GMC Envoy 95-02 GMC Jimmy Downsize, All Models 96-01 Oldsmobile Bravada	29	15 15 15 15 15
51 36245	97-04 Buick Park Ave.	40	40
35 36246	91-00 Ford Explorer 2 & 4 Dr. 01-03 Ford Explorer 2 Dr. Sport 01 Ford Explorer 4 Dr. 91-94 Mazda Navajo 97-01 Mercury Mountaineer	32	15 15 15 15 15
32 36247	98-01 Honda Passport w/Door Mounted Spare 98-00 Isuzu Amigo w/Door Mounted Spare 98-01 Isuzu Rodeo w/Door Mounted Spare 01-03 Isuzu Rodeo Sport 2 Dr., w/Door Mounted Spare	32	15 15 15 15
39 36248	83-84 Chevrolet S-10 Pickup w/Standard Box & Step Bumper 85-97 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg. 98-04 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab 83-84 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper 85-97 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg. 98-04 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab 96-00 Isuzu Hombre w/Step Bumper	37	35 35 35 35 35 35 35
44 36252	86-91 Ford Taurus Sedan, All Models 00-03 Ford Taurus Sedan, All Models 96-99 Ford Taurus Sedan, Except SHO	39	20 20 20

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
92-95	Ford Taurus Sedan, Inc. SHO		20
96-99	Ford Taurus SHO		20
86-03	Ford Taurus Wagon		20
88-02	Lincoln Continental		20
86-03	Mercury Sable Sedan, All Models		20
86-03	Mercury Sable Wagon		20
32 36258	98-02 Mercedes-Benz ML320 03-05 Mercedes-Benz ML350 99-01 Mercedes-Benz ML430 02-05 Mercedes-Benz ML500	12	30 30 30 30
38 36260	84-01 Jeep Cherokee Downsize, All Models (Will Not Fit Grand Cherokee) 84-90 Jeep Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)	29	30 30
44 36261	93-98 Mercury Villager Mini Van 93-98 Nissan Quest Mini Van	34	15 15
47 36262	93-97 Volvo 850 Series Sedan, Inc. T5 94-97 Volvo 850 Series Wagon 98-04 Volvo C70 Convertible 98-02 Volvo C70 Coupe 98-00 Volvo S70 Sedan Inc. AWD 98-00 Volvo V70 Wagon All, Inc. AWD & XC	27	20 20 20 20 20 20
34 36263	94-98 Dodge Van, B-Series Full Size 99-03 Dodge Van, Ram Full Size	30	15 15
36 36266	95-02 KIA Sportage 2 & 4 Dr.	30	20
53 36267	97-99 Cadillac DeVille	38	20
44 36268	98-04 Chrysler Intrepid Canada Only 98-04 Dodge Intrepid	36	30 30
38 36269	98-02 Honda Passport w/Under Vehicle Spare 98-04 Isuzu Rodeo w/Under Vehicle Spare & Except Models Equipped w/3.5L	32	15 15
42 36270	98-01 Chrysler Concorde	34	35
42 36271	99-03 Lexus RX 300 01-03 Toyota Highlander	38	15 15
40 36274	02-04 Chrysler Concorde 99-01 Chrysler LHS	35	30 30
41 36275	99-01 Chrysler 300M 02-04 Chrysler 300M All, Except Special	37	30 30
41 36276	99-04 Jeep Grand Cherokee	42	15
42 36277	99-02 Mercury Villager Mini Van 99-02 Nissan Quest Mini Van	35	15 15
34 36278	99-06 Volvo S80 Sedan	33	40
38 36280	99-02 Saab 9-3 03 Saab 9-3 Convertible Only	35	30 30
39 36282	00-06 Lincoln LS	33	20
58 36284	00-04 Subaru Legacy Sedan, Except Outback 00-04 Subaru Legacy Wagon All, Except Outback 00-04 Subaru Outback Sedan, Except Sport 00-04 Subaru Outback Wagon All, Except Sport	42	20 20 20 20
45 36286	99-05 Saab 9-5	32	30
40 36287	00-05 Cadillac DeVille 06-11 Cadillac DTS	40	20 20
54 36288	99-04 Oldsmobile Alero 99-05 Pontiac Grand Am All, Inc. GT Models	48	20 20
48 36292	00-07 Chevrolet Monte Carlo Inc. SS (Will not fit SS Sport Appearance Pkg.)	38	30
47 36293	00-04 Toyota Avalon	27	20
32 36296	96-03 Chrysler Town & Country All, Inc. 4 WD 04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD 01-03 Chrysler Voyager All, Inc. 4 WD 96-03 Dodge Caravan All, Inc. 2 & 4 WD 04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD 96-03 Dodge Grand Caravan All, Inc. 4 WD 04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD 96-00 Plymouth Grand Voyager All, Inc. 4 WD 96-00 Plymouth Voyager All, Inc. 4 WD	27	30 30 30 30 30 30 30 30
42 36297	01-09 Volvo S60 Sedan 03-07 Volvo V70 Wagon All, Inc. AWD 01-02 Volvo V70 Wagon All, Inc. AWD & XC 03-07 Volvo XC70 Wagon AWD	35	15 15 15 15
38 36298	98-03 Toyota Sienna Van	30	15
45 36299	00-03 Mazda MPV Van w/o Ground Effects	33	15
43 36301	95-00 Chrysler Cirrus 01-06 Chrysler Sebring 4 Dr. Only 95-06 Dodge Stratus 4 Dr. Only 96-00 Plymouth Breeze	42	60 60 60 60
41 36303	02-07 Jeep Liberty	42	15
48 36305	02-05 KIA Sedona	31	20
48 36309	00-05 Buick Le Sabre All Models	35	30

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
48 36309	06-09 Buick Lucerne All, Except Super & Special Edition Models	35	30
	00-03 Oldsmobile Aurora	30	30
	00-05 Pontiac Bonneville All Models	30	30
44 36311	98-08 Subaru Forester All, Inc. XT	33	30
51 36313	00-06 Ford Taurus Sedan, All Models	38	40
	00-06 Ford Taurus Wagon	40	40
	00-05 Mercury Sable Sedan, All Models	40	40
	00-05 Mercury Sable Wagon	40	40
51 36317	04-07 Chevrolet Malibu 4 Dr. Sedan Only	51	40
	06-07 Chevrolet Malibu SS 4 Dr. Sedan Only	50	50
	08 Chevrolet Malibu Classic 4 Dr. Sedan Only (Old Body Style)	40	40
	08 Chevrolet Malibu Classic SS 4 Dr. Sedan Only (Old Body Style)	50	40
44 36318	04-07 Ford Freestar	36	25
	04-07 Mercury Monterey Van	25	25
48 36320	05-07 Chrysler Town & Country w/Stow & Go Seats, Inc. 4 WD	44	25
	05-07 Dodge Grand Caravan w/Stow & Go Seats, Inc. 4 WD	25	25
39 36325	05-10 Chrysler 300 All, Except 300C	35	30
	05-10 Chrysler 300C	30	30
	08-10 Dodge Challenger All Models	30	30
	06-10 Dodge Charger All Models	30	30
	05-08 Dodge Magnum All Models	30	30
39 36334	08-09 Subaru Legacy Sedan	32	25
	05-07 Subaru Legacy Sedan, Except Outback	25	25
	05-07 Subaru Legacy Wagon All, Except Outback	25	25
	05-07 Subaru Outback Sedan, Except Sport	25	25
	05-09 Subaru Outback Wagon All, Except Sport	25	25
45 36336	97-03 Lexus ES 300 4 Dr.	29	15
	04-06 Lexus ES 330 4 Dr.	15	15
	95-99 Toyota Avalon	15	15
	92-96 Toyota Camry 2 & 4 Dr.	15	15
	97-06 Toyota Camry 4 Dr.	15	15
	99-03 Toyota Solara	15	15
40 36360	05-07 Ford Five Hundred	40	30
	05-07 Ford Freestyle	30	30
	08-09 Ford Taurus Sedan, All Models	30	30
	08-09 Ford Taurus X	30	30
	05-07 Mercury Montego	30	30
	08-09 Mercury Sable Sedan, All Models	30	30
34 36361	05-07 Buick Terraza All, Inc. AWD	31	40
	05-08 Chevrolet Uplander All, Inc. AWD	40	40
	09 Chevrolet Uplander All, Inc. AWD (Canada Only)	40	40
	97-05 Chevrolet Venture All, Inc. AWD	40	40
	97-04 Oldsmobile Silhouette All, Inc. AWD	40	40
	99-05 Pontiac Montana All, Inc. AWD	40	40
	05-06 Pontiac Montana SV6 All, Inc. AWD	40	40
	07-09 Pontiac Montana SV6 All, Inc. AWD (Canada Only)	40	40
	97-98 Pontiac Trans Sport Van All, Inc. Montana	40	40
	05-07 Saturn Relay All, Inc. AWD	40	40
21 36362	06-10 Jeep Commander	15	20
	05-10 Jeep Grand Cherokee All, Except SRT-8 & Models w/OEM Tow Hook	20	20
	05-10 Jeep Grand Cherokee Models w/OEM Tow Hook	90	90
35 36363	05-09 Hyundai Tucson	31	25
	05-10 KIA Sportage 4 Cyl. Models	25	25
	05-10 KIA Sportage 6 Cyl. Models	25	25
46 36374	05-09 Buick Allure Canada Only	35	30
	97-05 Buick Century Sedan	30	30
	05-09 Buick La Crosse All, Except Super	30	30
	98-02 Oldsmobile Intrigue	30	30
42 36378	04-09 Toyota Solara	32	15
42 36379	04-05 Chevrolet Malibu Maxx	39	25
	06-07 Chevrolet Malibu Maxx All, Except SS	25	25
54 36407	00-11 Chevrolet Impala All Models	45	30
35 36408	05-09 Chevrolet Equinox	32	25
	10-11 Chevrolet Equinox All Models	25	25
	10-11 GMC Terrain All Models	25	25
	06-09 Pontiac Torrent	25	25
	02-07 Saturn Vue All, Except Redline	25	25
51 36415	04-06 KIA Amanti	32	40
38 36416	07-11 Toyota Camry 4 Dr., Except Hybrid	39	45
	07-11 Toyota Camry 4 Dr., Hybrid	45	45
39 36417	99-11 Honda Odyssey	41	20
37 36419	07-10 Mazda CX-7	31	40
29 36423	07-10 Jeep Compass	31	15
	07-10 Jeep Compass Rallye Edition	30	30
	07-11 Jeep Patriot	15	15
30 36424	07-11 Jeep Wrangler	22	20

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
37 36425	07-10 Jeep Wrangler Unlimited, 4 Dr.		20
	02-07 Buick Rendezvous All, Inc. Ultra	33	40
	01-05 Pontiac Aztek All, Inc. AWD	40	40
45 36426	05-09 Pontiac G6 All Models	38	30
26 36427	07-09 Acura RDX	33	15
57 36440	74-82 Volvo 140 Series	32	60
	74-82 Volvo 160 Series	60	60
	74-93 Volvo 240 Series	60	60
38 36447	07-10 Ford Edge All, Except Sport Models	38	45
	07-10 Lincoln MKX	45	45
39 36448	07-10 Chrysler Sebring All, Except Convertible	35	30
	08-10 Dodge Avenger	30	30
29 36450	08-09 Saturn Vue All, Inc. Redline	35	15
37 36451	08-11 Jeep Liberty	37	15
38 36455	08-10 Chrysler Town & Country	41	20
	08-10 Dodge Grand Caravan	20	20
	09-10 Volkswagen Routan	20	20
24 36465	07-09 KIA Amanti	22	20
28 36466	07-11 Volvo S80 Sedan	31	35
10 36474	09-11 Volkswagen Tiguan	9	20
33 36477	09-11 Lincoln MKS	49	30
40 36479	08-11 Chevrolet Malibu All, Except LTZ	39	45
	08-11 Chevrolet Malibu LTZ	45	45
	07-09 Saturn Aura	45	45
34 36486	09-11 Hyundai Genesis 4 Dr. Sedan	37	60
23 36490	06-11 Toyota RAV4	38	20
40 36492	10-11 Ford Taurus Sedan, Inc. SHO	44	30
38 36493	10-11 Subaru Legacy Sedan	39	45
	10-11 Subaru Outback Wagon All, Except Sport	45	45
31 36495	10-11 Hyundai Tucson	34	15
38 36501	05-11 Ford Escape All, Inc. Hybrid	37	20
	05-06 Mazda Tribute	20	20
	08-10 Mazda Tribute All, Inc. Hybrid	20	20
	05-11 Mercury Mariner All, Inc. Hybrid	20	20
48 36502	10-11 Buick Lucerne All Models	44	25
	08-09 Buick Lucerne Super & Special Edition Models	25	25
53 36503	10-11 Buick La Crosse CX	42	20
	10-11 Buick La Crosse CXL, AWD	20	20
	10-11 Buick La Crosse CXL, FWD	20	20
	10-11 Buick La Crosse CXS	20	20
	11 Buick Regal All Models	20	20
43 36505	85-90 Buick Electra FWD	34	30
	88-96 Buick Le Sabre FWD	30	30
	86-89 Oldsmobile 88 FWD	30	30
	90-95 Oldsmobile Delta 88	30	30
	86-89 Oldsmobile Delta 88 FWD	30	30
	92-95 Pontiac Bonneville All, Except SSE & SSEi	30	30
33 36506	10-11 Hyundai Tucson	35	15
	11 KIA Sportage	15	15
52 90018	92-98 Buick Skylark	32	40
	92-98 Oldsmobile Achieva	40	40
	92-98 Pontiac Grand Am All, Inc. GT Models	40	40
43 90020	85-90 Buick Electra FWD	34	30
	88-96 Buick Le Sabre FWD	30	30
	86-89 Oldsmobile 88 FWD	30	30
	90-95 Oldsmobile Delta 88	30	30
	86-89 Oldsmobile Delta 88 FWD	30	30
	92-95 Pontiac Bonneville All, Except SSE & SSEi	30	30
51 90022	97-99 Buick Park Ave.	32	25
	95-99 Buick Riviera	25	25
	95-99 Oldsmobile Aurora	25	25
54 90023	99-04 Oldsmobile Alero	34	15
	99-04 Pontiac Grand Am SE Only	15	15
52 90040	95-00 Chevrolet Lumina All Models	33	60
	95-99 Chevrolet Monte Carlo All, Inc. Z-34	60	60
38 90042	99-02 Saab 9-3	35	30
	03 Saab 9-3 Convertible Only	30	30
43 90043	98-04 Cadillac Seville All, Inc. SLS & STS	28	35
53 90044	97-99 Cadillac DeVille	38	20
57 90046	74-82 Volvo 140 Series	32	60
	74-82 Volvo 160 Series	60	60
	74-93 Volvo 240 Series	60	60
51 90047	90-93 Chrysler Imperial	36	40
	87-95 Chrysler Le Baron 2 Dr. Coupe, Inc. Convertible	40	40
	90-94 Chrysler Le Baron 4 Dr.	40	40

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
51 90047	86-88 Chrysler New Yorker All, Inc. Turbo	36	40
	90-93 Chrysler New Yorker Fifth Ave. FWD	40	40
	88-90 Chrysler New Yorker FWD Sedan, Inc. Landau	40	40
	90-93 Chrysler New Yorker Salon	40	40
	88-93 Dodge Dynasty	40	40
	89-95 Dodge Spirit	40	40
	89-95 Plymouth Acclaim	40	40
56 90048	94-96 Cadillac De Ville Inc. Concours	33	40
40 90054	02-04 Chrysler Concorde	35	30
	99-01 Chrysler LHS	30	30
59 90055	92-94 Cadillac Eldorado	34	40
	92-97 Cadillac Seville All, Inc. SLS & STS	40	40
57 90057	97-03 Pontiac Grand Prix SE Sedan	42	30
62 90058	89-93 Cadillac De Ville FWD	45	40
	89-93 Cadillac Fleetwood Coupe & Sedan FWD	40	40
45 90059	89-96 Buick Century Sedan	35	40
51 90061	95-02 Mazda Millenia	38	60
41 90062	99-04 Jeep Grand Cherokee	42	15
46 90063	91-96 Buick Park Ave.	47	40
	91-96 Oldsmobile 98 Regency Includes Touring Sedan	40	40
35 90064	96-99 Acura SLX	22	30
	92-02 Isuzu Trooper All Models	30	30
45 90066	85-96 Oldsmobile Cutlass Ciera FWD	37	40
	85-91 Pontiac 6000 All, Except AWD Models	40	40
32 90069	98-01 Honda Passport w/Door Mounted Spare	32	15
	98-00 Isuzu Amigo w/Door Mounted Spare	15	15
	98-01 Isuzu Rodeo w/Door Mounted Spare	15	15
	01-03 Isuzu Rodeo Sport 2 Dr., w/Door Mounted Spare	15	15
42 90072	99-02 Mercury Villager Mini Van	32	15
	99-02 Nissan Quest Mini Van	15	15
45 90073	03-07 Nissan Murano	30	30
57 90074	03-08 Infiniti FX35	44	45
	03-08 Infiniti FX45	45	45
40 90075	10-11 Ford Taurus Sedan, Inc. SHO	44	30
31 90077	10-11 Hyundai Tucson	34	15
44 90087	04-07 Ford Freestar	30	25
	04-07 Mercury Monterey Van	25	25
40 90090	05-07 Ford Five Hundred	40	30
	05-07 Ford Freestyle	30	30
	08-09 Ford Taurus Sedan, All Models	30	30
	08-09 Ford Taurus X	30	30
	05-07 Mercury Montego	30	30
	08-09 Mercury Sable Sedan, All Models	30	30
44 90092	96-97 Ford Thunderbird	40	15
	96-97 Mercury Cougar All Models	15	15
34 90097	95-98 Ford Windstar	34	30
	03 Ford Windstar Built After 11/2002	30	30
	99-03 Ford Windstar Built Before 11/2002	30	30
38 90108	05-11 Ford Escape All, Inc. Hybrid	37	20
	05-06 Mazda Tribute	20	20
	08-10 Mazda Tribute All, Inc. Hybrid	20	20
	05-11 Mercury Mariner All, Inc. Hybrid	20	20
21 90114	06-10 Jeep Commander	15	20
	05-10 Jeep Grand Cherokee All, Except SRT-8 & Models w/OEM Tow Hook	20	20
	05-10 Jeep Grand Cherokee Models w/OEM Tow Hook	90	90
48 90125	10-11 Buick Lucerne All Models	44	25
	08-09 Buick Lucerne Super & Special Edition Models	25	25
53 90126	10-11 Buick La Crosse CX	42	20
	10-11 Buick La Crosse CXL, AWD	20	20
	10-11 Buick La Crosse CXL, FWD	20	20
	10-11 Buick La Crosse CXS	20	20
	11 Buick Regal All Models	20	20
33 90129	10-11 Hyundai Tucson	35	15
	11 KIA Sportage	15	15
44 90131	97-03 Chevrolet Malibu 4 Dr.	33	20
	04-05 Chevrolet Malibu Classic 4 Dr. Old Body Style	20	20
	97-00 Oldsmobile Cutlass 4 Dr., FWD	20	20
51 90132	04-07 Chevrolet Malibu 4 Dr. Sedan Only	39	40
	06-07 Chevrolet Malibu SS 4 Dr. Sedan Only	50	50
	08 Chevrolet Malibu Classic 4 Dr. Sedan Only (Old Body Style)	40	40
	08 Chevrolet Malibu Classic SS 4 Dr. Sedan Only (Old Body Style)	50	50
42 90136	04-05 Chevrolet Malibu Maxx	39	25
	06-07 Chevrolet Malibu Maxx All, Except SS	25	25
54 90137	00-11 Chevrolet Impala All Models	45	30
39 90138	08-09 Subaru Legacy Sedan	24	25

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
	05-07 Subaru Legacy Sedan, Except Outback		25
	05-07 Subaru Legacy Wagon All, Except Outback		25
	05-07 Subaru Outback Sedan, Except Sport		25
	05-09 Subaru Outback Wagon All, Except Sport		25
42 90139	83-91 Ford LTD Country Squire Wagon Full Size	40	30
	83-09 Ford LTD Crown Victoria	30	30
	83-91 Ford LTD Crown Victoria Wagon Full Size	30	30
	79-82 Ford LTD, Custom & Galaxie Sedan	30	30
	79-82 Ford LTD, Custom & Galaxie Wagon	30	30
	80-83 Lincoln Mark VI	30	30
	80-10 Lincoln Town Car	30	30
	80-89 Lincoln Town Coupe	30	30
	83-91 Mercury Colony Park Wagon	30	30
	83-11 Mercury Grand Marquis	30	30
	83-91 Mercury Grand Marquis Wagon	30	30
	03-04 Mercury Marauder	30	30
	79-82 Mercury Marquis Sedan	30	30
79-82 Mercury Marquis Wagon	30	30	
79-82 Mercury Monterey Sedan	30	30	
48 90140	00-05 Buick Le Sabre All Models	35	30
	06-09 Buick Lucerne All, Except Super & Special Edition Models	30	30
	00-03 Oldsmobile Aurora	30	30
	00-05 Pontiac Bonneville All Models	30	30
40 90142	00-05 Cadillac De Ville	35	20
	06-11 Cadillac DTS	20	20
39 90143	00-06 Lincoln LS	33	20
34 90144	99-06 Volvo S80 Sedan	33	40
35 90145	05-09 Chevrolet Equinox	32	25
	10-11 Chevrolet Equinox All Models	25	25
	10-11 GMC Terrain All Models	25	25
	06-09 Pontiac Torrent	25	25
	02-07 Saturn Vue All, Except Redline	25	25
34 90148	05-07 Buick Terraza All, Inc. AWD	32	40
	05-08 Chevrolet Uplander All, Inc. AWD	40	40
	09 Chevrolet Uplander All, Inc. AWD (Canada Only)	40	40
	97-05 Chevrolet Venture All, Inc. AWD	40	40
	97-04 Oldsmobile Silhouette All, Inc. AWD	40	40
	99-05 Pontiac Montana All, Inc. AWD	40	40
	05-06 Pontiac Montana SV6 All, Inc. AWD	40	40
	07-09 Pontiac Montana SV6 All, Inc. AWD (Canada Only)	40	40
	97-98 Pontiac Trans Sport Van All, Inc. Montana	40	40
	05-07 Saturn Relay All, Inc. AWD	40	40
48 90150	00-07 Chevrolet Monte Carlo Inc. SS (Will not fit SS Sport Appearance Pkg.)	39	30
51 90151	04-06 KIA Amanti	32	40
38 90152	07-11 Toyota Camry 4 Dr., Except Hybrid	39	45
	07-11 Toyota Camry 4 Dr., Hybrid	45	45
39 90153	99-11 Honda Odyssey	41	20
37 90154	07-10 Mazda CX-7	31	40
29 90156	07-10 Jeep Compass	31	15
	07-10 Jeep Compass Rallye Edition	30	30
	07-11 Jeep Patriot	15	15
30 90157	07-11 Jeep Wrangler	22	20
	07-10 Jeep Wrangler Unlimited, 4 Dr.	20	20
37 90158	02-07 Buick Rendezvous All, Inc. Ultra	33	40
	01-05 Pontiac Aztek All, Inc. AWD	40	40
45 90159	05-09 Pontiac G6 All Models	38	30
26 90162	07-09 Acura RDX	33	15
38 90164	07-10 Ford Edge All, Except Sport Models	38	45
	07-10 Lincoln MKX	45	45
32 90165	96-03 Chrysler Town & Country All, Inc. 4 WD	27	30
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD	30	30
	01-03 Chrysler Voyager All, Inc. 4 WD	30	30
	96-03 Dodge Caravan All, Inc. 2 & 4 WD	30	30
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD	30	30
	96-03 Dodge Grand Caravan All, Inc. 4 WD	30	30
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD	30	30
	96-00 Plymouth Grand Voyager All, Inc. 4 WD	30	30
96-00 Plymouth Voyager All, Inc. 4 WD	30	30	
40 90166	07-10 Chrysler Sebring All, Except Convertible	35	30
	08-10 Dodge Avenger	30	30
29 90167	08-09 Saturn Vue All, Inc. Redline	35	15
37 90168	08-11 Jeep Liberty	37	15
38 90169	08-10 Chrysler Town & Country	41	20
	08-10 Dodge Grand Caravan	20	20
	09-10 Volkswagen Routan	20	20
24 90170	07-09 KIA Amanti	22	20

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
28 90171	07-11 Volvo S80 Sedan	31	35
47 90172	93-97 Chrysler Concorde	47	40
	93-97 Chrysler Intrepid Canada Only	40	
	94-97 Chrysler LHS	40	
	94-96 Chrysler New Yorker	40	
	93-97 Dodge Intrepid	40	
	93-97 Eagle Vision	40	
44 90173	86-91 Ford Taurus Sedan, All Models	39	20
	00-03 Ford Taurus Sedan, All Models	20	
	96-99 Ford Taurus Sedan, Except SHO	20	
	92-95 Ford Taurus Sedan, Inc. SHO	20	
	96-99 Ford Taurus SHO	20	
	86-03 Ford Taurus Wagon	20	
	88-02 Lincoln Continental	20	
	86-03 Mercury Sable Sedan, All Models	20	
	86-03 Mercury Sable Wagon	20	
45 90174	97-03 Lexus ES 300 4 Dr.	29	15
	04-06 Lexus ES 330 4 Dr.	15	
	95-99 Toyota Avalon	15	
	92-96 Toyota Camry 2 & 4 Dr.	15	
	97-06 Toyota Camry 4 Dr.	15	
	99-03 Toyota Solara	15	
52 90175	90-99 Subaru Legacy Coupe & Sedan, Inc. Outback & SUS	42	25
	96-99 Subaru Legacy Wagon All, Except Outback	20	
	90-95 Subaru Legacy Wagon All, Inc. Outback	20	
	96-99 Subaru Legacy Wagon Outback	20	
58 90176	00-04 Subaru Legacy Sedan, Except Outback	42	20
	00-04 Subaru Legacy Wagon All, Except Outback	20	
	00-04 Subaru Outback Sedan, Except Sport	20	
	00-04 Subaru Outback Wagon All, Except Sport	20	
42 90177	97-03 Infiniti QX4	36	20
	96-04 Nissan Pathfinder 2 & 4 Dr.	20	
38 90180	96-11 Chevrolet Express Van Full Size	31	15
	96-11 GMC Savana Van Full Size	15	
43 90181	94-96 Chevrolet Lumina APV Van	32	40
	94-96 Pontiac Trans Sport Van	40	
38 90182	84-01 Jeep Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	29	30
	84-90 Jeep Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)	30	
35 90183	95-05 Chevrolet Blazer Downsize, All Models	29	15
	99-01 Chevrolet TrailBlazer	15	
	98-01 GMC Envoy	15	
	95-02 GMC Jimmy Downsize, All Models	15	
	96-01 Oldsmobile Bravada	15	
39 90184	95-98 Honda Odyssey	28	30
	96-99 Isuzu Oasis	30	
36 90186	95-02 KIA Sportage 2 & 4 Dr.	30	20
42 90187	78-81 Buick Century Sedan	43	30
	78-81 Buick Century Estate Wagon RWD	30	
	78-81 Buick Century Wagon RWD	30	
	78-87 Buick Regal All Models	30	
	82-83 Buick Regal Estate Wagon	30	
	78-87 Chevrolet El Camino	30	
	78-83 Chevrolet Malibu All Models	30	
	78-83 Chevrolet Malibu Wagon	30	
	78-88 Chevrolet Monte Carlo	30	
	78-87 GMC Caballero	30	
	78-80 Oldsmobile Cutlass RWD	30	
	78-83 Oldsmobile Cutlass Ciera Cruiser Wagon RWD	30	
	81-88 Oldsmobile Cutlass Supreme 2 Dr. RWD	30	
	81-87 Oldsmobile Cutlass Supreme 4 Dr. RWD	30	
	82-86 Pontiac Bonneville Sedan	30	
	82-83 Pontiac Bonneville Wagon	30	
	78-80 Pontiac Grand Am All Models	30	
	78-80 Pontiac Grand Am w/Steel Bumper Reinforcement	30	
	78-87 Pontiac Grand Prix	30	
	78-81 Pontiac Le Mans All Models	30	
	78-81 Pontiac Le Mans w/Steel Bumper Reinforcement	30	
	78-81 Pontiac Le Mans Wagon	30	
47 90188	92-99 Buick Centurion FWD	32	40
	92-99 Buick Le Sabre FWD	40	
	92-95 Oldsmobile Delta 88	40	
	92-95 Oldsmobile LSS	40	
	92-95 Oldsmobile Royale	40	
	92-95 Pontiac Bonneville All, Except SSE & SSEi	40	
53 90189	96-99 Oldsmobile Delta 88	40	30
	96-99 Oldsmobile LSS	30	
	97-98 Oldsmobile Regency	30	

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
	96-99 Oldsmobile Royale	30	
	96-99 Pontiac Bonneville All, Except SSE & SSEi	30	
10 90191	09-11 Volkswagen Tiguan	9	20
33 90192	09-11 Lincoln MKS	49	30
40 90194	08-11 Chevrolet Malibu All, Except LTZ	39	45
	08-11 Chevrolet Malibu LTZ	45	
	07-09 Saturn Aura	45	
34 90196	09-11 Hyundai Genesis 4 Dr. Sedan	37	60
47 90198	00-04 Toyota Avalon	27	20
36 90200	Ford E-150 Econoline Van Full Size, All Models	23	20
	92-03 Ford E-250 Econoline Van Full Size, All Models	20	
	92-94 Ford E-350 Econoline Van Full Size, All Models	20	
	95-03 Ford E-350 Econoline Van Full Size, Inc. Super Wagon	20	
34 90201	94-98 Dodge Van, B-Series Full Size	30	15
	99-03 Dodge Van, Ram Full Size	15	
32 90202	02-04 Dodge Dakota Pickup All, Except Quad Cab	34	40
	95-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	40	
	87-94 Dodge Dakota Pickup Inc. Extended Cab	40	
47 90205	93-97 Volvo 850 Series Sedan, Inc. T5	27	20
	94-97 Volvo 850 Series Wagon	20	
	98-04 Volvo C70 Convertible	20	
	98-02 Volvo C70 Coupe	20	
	98-00 Volvo S70 Sedan Inc. AWD	20	
	98-00 Volvo V70 Wagon All, Inc. AWD & XC	20	
23 90207	06-11 Toyota RAV4	38	20
38 90208	10-11 Subaru Legacy Sedan	39	45
	10-11 Subaru Outback Wagon All, Except Sport	45	
36 90216	90-05 Chevrolet Astro Extended Body	33	30
	85-94 Chevrolet Astro Standard Body	30	
	90-05 GMC Safari Extended Body	30	
	85-94 GMC Safari Standard Body	30	
50 90224	77-90 Buick Estate Wagon Full Size	36	30
	77-90 Buick Le Sabre Wagon Full Size	30	
	91-96 Buick Roadmaster Estate Wagon Full Size	30	
	77-96 Chevrolet Caprice Estate Wagon	30	
	77-92 Oldsmobile Custom Cruiser Wagon Full Size	30	
	83-86 Pontiac Parisienne Wagon	30	
	77-89 Pontiac Safari Wagon Full Size	30	
37 90231	90-05 Chevrolet Astro Extended Body	38	30
	85-94 Chevrolet Astro Standard Body	30	
	90-05 GMC Safari Extended Body	30	
	85-94 GMC Safari Standard Body	30	
51 90309	00-06 Ford Taurus Sedan, All Models	38	40
	00-06 Ford Taurus Wagon	40	
	00-05 Mercury Sable Sedan, All Models	40	
	00-05 Mercury Sable Wagon	40	
62 90313	95-96 Buick Regal 2 & 4 Dr.	42	60
	91-92 Buick Regal GS	60	
	93-94 Buick Regal Limited	60	
	94-97 Oldsmobile Cutlass Supreme 2 Dr. FWD	60	
	92-93 Oldsmobile Cutlass Supreme 2 Dr. FWD w/Aero Sport Pkg.	60	
	90-91 Oldsmobile Cutlass Supreme 4 Dr. FWD	60	
	94-96 Pontiac Grand Prix 2 & 4 Dr.	60	
	91-96 Pontiac Grand Prix 2 Dr. SE w/Sport Appearance Package & GT Models	60	
	91-93 Pontiac Grand Prix 4 Dr. STE	60	
44 90333	98-04 Chrysler Intrepid Canada Only	35	30
	Dodge Intrepid	30	
42 90334	98-01 Chrysler Concorde	34	35
41 90338	99-01 Chrysler 300M	37	30
	02-04 Chrysler 300M All, Except Special	30	
39 90339	05-10 Chrysler 300 All, Except 300C	42	30
	05-10 Chrysler 300C	30	
	08-10 Dodge Challenger All Models	30	
	06-10 Dodge Charger All Models	30	
	05-08 Dodge Magnum All Models	30	
38 90498	98-02 Honda Passport w/Under Vehicle Spare	32	15
	98-04 Isuzu Rodeo w/Under Vehicle Spare & Except Models Equipped w/3.5L	15	
35 90500	94-97 Honda Passport	38	30
	91-97 Isuzu Rodeo	30	
46 90511	96-02 Toyota 4Runner	36	30
35 90621	05-09 Hyundai Tucson	31	25
	05-10 KIA Sportage 4 Cyl. Models	25	
	05-10 KIA Sportage 6 Cyl. Models	25	
39 90624	83-84 Chevrolet S-10 Pickup w/Standard Box & Step Bumper	43	35
	85-97 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.	35	

† = Available While Supply Lasts

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
39 90624	98-04 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab	43	35
	83-84 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper		35
	85-97 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.		35
	98-04 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab		35
	96-00 Isuzu Hombre w/Step Bumper		35
42 90635	01-04 Ford Escape	25	30
	01-04 Mazda Tribute		30
51 90637	91-97 Toyota Previa All, Inc. Supercharged	34	30
38 90638	98-03 Toyota Sienna Van	34	15
42 90652	04-09 Toyota Salara	32	15
32 90717	96-03 Chrysler Town & Country All, Inc. 4 WD	36	25
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD		20
	01-03 Chrysler Voyager All, Inc. 4 WD		20
	96-03 Dodge Caravan All, Inc. 2 & 4 WD		25
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD		20
	96-03 Dodge Grand Caravan All, Inc. 4 WD		25
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD		20
	96-00 Plymouth Grand Voyager All, Inc. 4 WD		25
	96-00 Plymouth Voyager All, Inc. 4 WD		25
48 90718	05-07 Chrysler Town & Country w/Stow & Go Seats, Inc. 4 WD	49	25
	05-07 Dodge Grand Caravan w/Stow & Go Seats, Inc. 4 WD		25
44 90757	98-08 Subaru Forester All, Inc. XT	28	30
49 90802	84-92 Volvo 740 Series	35	40
	84-90 Volvo 760 Series		40
	88-90 Volvo 780 Series 2 Dr. Coupe		40
	91-95 Volvo 940 Series		40
	92-94 Volvo 960 Series		40
42 90804	01-09 Volvo S60 Sedan	30	15
	03-07 Volvo V70 Wagon All, Inc. AWD		25
	01-02 Volvo V70 Wagon All, Inc. AWD & XC		25
	03-07 Volvo XC70 Wagon AWD		25
46 90981	05-09 Buick Allure Canada Only	35	30
	97-05 Buick Century Sedan		30
	05-09 Buick La Crosse All, Except Super		30
	98-02 Oldsmobile Intrigue		30
56 90993	97-04 Buick Regal (App. begins with 97-1/2)	40	35
	97-08 Pontiac Grand Prix GT, Coupe & Sedan Inc. GTP Package		35
44 98561	93-98 Mercury Villager Mini Van	34	15
	93-98 Nissan Quest Mini Van		15
CLASS III/IV: RECEIVER			
44 33006	93-98 Jeep Grand Cherokee	39	45
	93 Jeep Grand Wagoneer		45
42 33008	98-03 Toyota Sienna Van	38	30
50 33009	94-98 Dodge Van, B-Series Full Size	46	20
	99-03 Dodge Van, Ram Full Size		20
44 33012	95-98 Ford Windstar	43	45
	03 Ford Windstar Built After 11/2002		45
	99-03 Ford Windstar Built Before 11/2002		45
51 33013	96-02 Toyota 4Runner	40	30
40 33015	95-05 Chevrolet Blazer Downsize, All Models	37	15
	99-01 Chevrolet TrailBlazer		15
	98-01 GMC Envoy		15
	95-02 GMC Jimmy Downsize, All Models		15
	96-01 Oldsmobile Bravada		15
45 33018	99-04 Jeep Grand Cherokee	48	75
42 33019	00-04 Nissan Xterra	33	15
44 33020	01-05 Ford Explorer Sport Trac	42	15
40 33021	95-05 Chevrolet Blazer Downsize, All Models	34	20
	99-01 Chevrolet TrailBlazer		20
	98-01 GMC Envoy		20
	95-02 GMC Jimmy Downsize, All Models		20
	96-01 Oldsmobile Bravada		20
63 33024	84-95 Toyota Pickup All, Except T-100	47	60
47 33025	95-04 Toyota Tacoma Pickup All, 2 & 4 WD (App. starts with 95-1/2)	40	30
46 33027	98-02 Mercedes-Benz ML320	29	30
	03-05 Mercedes-Benz ML350		30
	99-01 Mercedes-Benz ML430		30
	02-05 Mercedes-Benz ML500		30
51 33028	01-06 Mitsubishi Montero Does Not Inc. Montero Sport	47	25
52 33031	02-05 Ford Explorer 4 Dr.	41	20
	03-05 Lincoln Aviator		20

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
	02-05 Mercury Mountaineer		20
35 33036	97-06 Jeep TJ Canada	31	15
	97 Jeep Wrangler		15
	98-06 Jeep Wrangler All, Inc. Unlimited		15
51 33037	01-06 Hyundai Santa Fe	33	35
36 33038	99-04 Chevrolet Tracker	29	15
	99-05 Suzuki Grand Vitara		15
	99-05 Suzuki Vitara		15
	01-06 Suzuki XL-7		15
43 33039	01-04 Ford Escape	29	35
	01-04 Mazda Tribute		40
40 33040	94-97 Honda Passport	34	45
	91-97 Isuzu Rodeo		45
40 33041	98-02 Honda Passport w/Under Vehicle Spare	36	15
	02-03 Isuzu Axiom w/Under Vehicle Spare		20
	98-04 Isuzu Rodeo w/Under Vehicle Spare & Except Models Equipped w/3.5L		15
45 33044	97-04 Mitsubishi Montero Sport	33	20
38 33045	96-03 Chrysler Town & Country All, Inc. 4 WD	45	30
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD		30
	01-03 Chrysler Voyager All, Inc. 4 WD		30
	96-03 Dodge Caravan All, Inc. 2 & 4 WD		30
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD		30
	96-03 Dodge Grand Caravan All, Inc. 4 WD		30
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD		30
	96-00 Plymouth Grand Voyager All, Inc. 4 WD		30
	96-00 Plymouth Voyager All, Inc. 4 WD		30
47 33047	83-09 Ford LTD Crown Victoria	53	30
	79-82 Ford LTD, Custom & Galaxie Sedan		30
	80-83 Lincoln Mark VI		30
	80-10 Lincoln Town Car		30
	80-89 Lincoln Town Coupe		30
	83-11 Mercury Grand Marquis		30
	03-04 Mercury Marauder		30
	79-82 Mercury Marquis Sedan		30
	79-82 Mercury Monterey Sedan		30
49 33048	98-04 Nissan Frontier Pickup All, Inc. Desert Runner	47	30
	88-97 Nissan Pickup		30
51 33049	00-06 Toyota Tundra	55	20
46 33050	97-03 Infiniti QX4	32	20
	96-04 Nissan Pathfinder 2 & 4 Dr.		20
41 33051	91-00 Ford Explorer 2 & 4 Dr.	30	20
	01-03 Ford Explorer 2 Dr. Sport		20
	01 Ford Explorer 4 Dr.		20
	91-94 Mazda Navajo		20
	97-01 Mercury Mountaineer		20
47 33052	97-02 Ford Expedition	48	20
	98-02 Lincoln Navigator		20
45 33053	83-84 Chevrolet S-10 Pickup w/Standard Box & Step Bumper	38	45
	85-97 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.		45
	83-84 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper		45
	85-97 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.		45
	96-97 Isuzu Hombre w/Step Bumper		45
49 33056	98-03 Dodge Durango	52	30
51 33057	90-05 Chevrolet Astro Extended Body	52	45
	85-94 Chevrolet Astro Standard Body		45
	90-05 GMC Safari Extended Body		45
	85-94 GMC Safari Standard Body		45
38 33058	93-11 Ford Ranger Pickup	36	20
	83-92 Ford Ranger Pickup All, Except GT		20
	94-09 Mazda Pickup B-Series All Models		20
39 33060	96-05 Toyota RAV4	29	20
54 33061	02-07 Buick Rendezvous All, Inc. Ultra	50	55
	01-05 Pontiac Aztek All, Inc. AWD		55
51 33062	02-05 KIA Sedona	35	30
40 33065	67-87 Chevrolet Pickup, C/K Series w/6 ft. Bed	41	30
	63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed		30
	88-91 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		30
	63-72 Ford F-100, F-150, F-250, F-350		30
	67-87 GMC Pickup, C/K Series w/6 ft. Bed		30
	63-87 GMC Pickup, C/K Series w/8 ft. Bed		30
	88-91 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		30
	69-75 International Pickup, Full Size		30
45 33069	03-07 Nissan Murano	32	30
51 33070	04-10 Toyota Sienna Van All Models	36	30

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
16 33072	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	16	20
	04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10		20
	06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10		20
	06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab		20
	03-05 Dodge Pickup, Ram, Full Size 2500 HD		20
	06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab		20
	03-05 Dodge Pickup, Ram, Full Size 3500 HD		20
	06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab		20
49 33073	03-11 Volvo XC90	29	25
49 33075	04-06 Lexus RX 330 All, Inc. Models w/18" Spare Tire	36	20
	07-09 Lexus RX 350		20
	06-09 Lexus RX 400h Hybrid		20
	04-07 Toyota Highlander All, Inc. Hybrid		20
57 33079	04-09 Nissan Quest Mini Van	58	20
51 33080	04-05 Mitsubishi Endeavor	32	20
43 33082	07-09 Chrysler Aspen	0	50
	04-09 Dodge Durango		50
59 33086	04-09 Cadillac SRX All, Except Models w/Sport Package Fascia	56	60
55 33089	03-06 Dodge Sprinter All 41" Wide Frames, Except 118" Wheelbase & Factory Metal Step Platform	41	20
	03-06 Freightliner Sprinter All 41" Wide Frames, Except 118" Wheelbase & Factory Metal Step Platform		20
47 33090	05-11 Toyota Tacoma Pickup All, Except X-Runner	43	30
40 33092	05-10 Dodge Dakota Pickup All Models	42	20
	06-09 Mitsubishi Raider		20
32 33093	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	40	15
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		15
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD		15
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)		15
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD		15
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		15
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD		15
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)		15
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD		15
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		15
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD		15
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		15
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD		15
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)		15
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD		15
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		15
99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD		15	
07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		15	
07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)		15	
99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		15	
99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		15	
39 33094	05-07 Buick Terraza All, Inc. AWD	39	40
	05-08 Chevrolet Uplander All, Inc. AWD		40
	09 Chevrolet Uplander All, Inc. AWD (Canada Only)		40
	97-05 Chevrolet Venture All, Inc. AWD		40
	97-04 Oldsmobile Silhouette All, Inc. AWD		40
	99-05 Pontiac Montana All, Inc. AWD		40
	05-06 Pontiac Montana SV6 All, Inc. AWD		40
	07-09 Pontiac Montana SV6 All, Inc. AWD (Canada Only)		40
	97-98 Pontiac Trans Sport Van All, Inc. Montana		40
	05-07 Saturn Relay All, Inc. AWD		40
	28 33095	06-10 Jeep Commander	23
05-10 Jeep Grand Cherokee All, Except SRT-8 & Models w/OEM Tow Hook			20
05-10 Jeep Grand Cherokee Models w/OEM Tow Hook			20
05-10 Jeep Grand Cherokee Models w/OEM Tow Hook			20
37 44006	96-03 Chrysler Town & Country All, Inc. 4 WD	37	30
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD		30
	01-03 Chrysler Voyager All, Inc. 4 WD		30
	96-03 Dodge Caravan All, Inc. 2 & 4 WD		30
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD		30
	96-03 Dodge Grand Caravan All, Inc. 4 WD		30
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD		30
	96-00 Plymouth Grand Voyager All, Inc. 4 WD		30
	96-00 Plymouth Voyager All, Inc. 4 WD		30

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
41 44007	97-03 Ford F-150 Light Duty Flareside	49	20
	97-03 Ford F-150 Light Duty Styleside		20
	04 Ford F-150 Light Duty Heritage Flareside (Old Body Style)		20
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)		20
	00-03 Ford F-150 SuperCrew		20
	97-99 Ford F-250 Light Duty Styleside		20
51 44010	90-05 Chevrolet Astro Extended Body	50	30
	90-05 GMC Safari Extended Body		30
53 44011	96 Chevrolet Van, G-Series Classic & Sport Full Size w/Lo-Mount Taillights	50	45
	78-95 Chevrolet Van, G-Series Full Size		45
	78-95 GMC Van, G-Series Full Size		45
	96 GMC Van, G-Series Vandura & Rally Full Size w/Lo-Mount Taillights		45
54 44026	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	47	30
	87-91 Ford F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab		30
	92-96 Ford F-150 Styleside/Flareside, All Models Inc. SuperCab		30
	92-96 Ford F-250 All Models Inc. SuperCab		30
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab		30
	92-96 Ford F-350 All Models Inc. SuperCab		30
44 44027	75-83 Ford E-100 Econoline Van Full Size, All Models	43	30
	75-03 Ford E-150 Econoline Van Full Size, All Models		30
	75-03 Ford E-250 Econoline Van Full Size, All Models		30
	75-94 Ford E-350 Econoline Van Full Size, All Models		30
	95-03 Ford E-350 Econoline Van Full Size, Inc. Super Wagon		30
43 44028	96-11 Chevrolet Express Van Full Size	47	30
	96-11 GMC Savana Van Full Size		30
48 44032	97-02 Ford Expedition	56	20
	98-02 Lincoln Navigator		20
47 44051	95-04 Toyota Tacoma Pickup All, 2 & 4 WD (App. starts with 95-1/2)	40	40
51 44054	00-06 Toyota Tundra	61	20
44 44062	98-04 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab	44	20
	98-04 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab		20
	98-00 Isuzu Hombre w/Step Bumper		20
48 44064	98-03 Dodge Durango	49	20
45 44067	91-00 Ford Explorer 2 & 4 Dr.	38	45
	01-03 Ford Explorer 2 Dr. Sport		45
	01 Ford Explorer 4 Dr.		45
	91-94 Mazda Navajo		45
	97-01 Mercury Mountaineer		45
	97-01 Mercury Mountaineer		45
44 44076	99-03 Lexus RX 300	43	15
	01-03 Toyota Highlander		15
45 44082	02-07 Jeep Liberty	42	20
44 44088	84-01 Jeep Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	30	40
	84-90 Jeep Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)		40
62 44089	01-07 Toyota Sequoia	44	25
44 44092	99-04 Jeep Grand Cherokee	37	20
44 44093	93-98 Jeep Grand Cherokee	42	20
	93 Jeep Grand Wagoneer		20
54 44094	71-98 Dodge Van, B-Series Full Size	40	30
	99-03 Dodge Van, Ram Full Size		30
44 44095	02 Cadillac Escalade All, Inc. EXT	40	20
	02-06 Chevrolet Avalanche		15
	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals		20
	00-06 Chevrolet Tahoe New Body Style w/Amber Turn Signals		20
	00-06 GMC Yukon New Body Style w/Amber Turn Signals		20
	01-02 GMC Yukon Denali New Body Style w/Amber Turn Signals		20
	00-06 GMC Yukon XL		20
	01-02 GMC Yukon XL Denali		20
38 44096	99-00 Cadillac Escalade Old Body Style	34	30
	92-94 Chevrolet Blazer Full Size		30
	92-99 Chevrolet Suburban Old Body Style		30
	95-00 Chevrolet Tahoe Old Body Style		30
	92-94 GMC Jimmy Full Size		30
	92-99 GMC Suburban		30
43 44097	92-00 GMC Yukon Old Body Style	30	30
	99-00 GMC Yukon Denali Old Body Style		30
	99-00 GMC Yukon Denali Old Body Style		30
40 44098	95-98 Ford Windstar	34	45
	03 Ford Windstar Built After 11/2002		45
	99-03 Ford Windstar Built Before 11/2002		45
40 44098	95-05 Chevrolet Blazer Downsize, All Models	33	20
	99-01 Chevrolet TrailBlazer		20
	98-01 GMC Envoy		20

† = Available While Supply Lasts

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
40 44098	95-02 GMC Jimmy Downsize, All Models 96-01 Oldsmobile Bravada	33	20 20
45 44100	91-00 Ford Explorer 2 & 4 Dr. 01-03 Ford Explorer 2 Dr. Sport 01 Ford Explorer 4 Dr. 91-94 Mazda Navajo 97-01 Mercury Mountaineer	40	20 20 20 20 20
37 44101	93-11 Ford Ranger Pickup 83-92 Ford Ranger Pickup All, Except GT 94-09 Mazda Pickup B-Series All Models	30	20 20 20
38 44102	02-04 Dodge Dakota Pickup All, Except Quad Cab 95-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper 87-94 Dodge Dakota Pickup Inc. Extended Cab	33	30 30 30
43 44103	94-01 Dodge Pickup, Ram, Full Size 02 Dodge Pickup, Ram, Full Size 2500 Only 02 Dodge Pickup, Ram, Full Size 3500 Only	47	20 20 20
57 44105	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders 88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs 92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab 88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders 88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs 92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	44	25 25 25 25 25 25
53 44108	73-87 Chevrolet Pickup, C/K Series w/6 ft. Bed 88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders 73-87 Chevrolet Pickup, C/K Series w/8 ft. Bed 88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs 88-91 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab 71-93 Dodge Pickup, D/W Series, Full Size 94-98 Dodge Pickup, Ram, Full Size 78-96 Ford Bronco Full Size 73-79 Ford F-100, F-150, F-250, F-350 80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia 87-91 Ford F-100, F-150, F-250, F-350 Styleside/Floreside, All Models Inc. SuperCab 92-96 Ford F-150 Styleside/Floreside, All Models Inc. SuperCab 92-96 Ford F-250 All Models Inc. SuperCab 97 Ford F-250 Heavy Duty All Models Inc. SuperCab 92-96 Ford F-350 All Models Inc. SuperCab 97 Ford F-350 Heavy Duty All Models Inc. SuperCab 73-87 GMC Pickup, C/K Series w/6 ft. Bed 88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders 73-87 GMC Pickup, C/K Series w/8 ft. Bed 88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs 88-91 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	48	30 30 30 30 35 25 25 45 40 40 40 40 40 40 40 40 40 40 40 30 30 30 35
46 44129	04-07 Ford Freestar 04-07 Mercury Monterey Van	33	30 30
57 44131	04-05 Ford F-150 Floreside (New Body Style) 04-05 Ford F-150 Styleside (New Body Style) 04-05 Ford F-150 SuperCrew New Body Style, w/5.5 ft. Bed 06 Lincoln Mark LT Built Before 8/2005	48	30 30 30 30
46 44132	97-03 Infiniti QX4 96-04 Nissan Pathfinder 2 & 4 Dr.	38	20 20
47 44141	99-07 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis 99-07 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	47	20 20
51 44148	98-04 Nissan Frontier Pickup All, Inc. Desert Runner 88-97 Nissan Pickup	38	30 30
42 44152	87-95 Nissan Pathfinder 2 & 4 Dr.	39	40
34 44173	07-09 Chrysler Aspen 04-09 Dodge Durango	7	30 30
41 44174	99-11 Honda Odyssey	44	15
47 44175	04-06 Dodge Durango	44	20
55 44176	05-07 Chrysler Town & Country w/Stow & Go Seats, Inc. 4 WD 05-07 Dodge Grand Caravan w/Stow & Go Seats, Inc. 4 WD	47	25 25
44 44177	06-10 Hummer H3	35	25
35 44178	00-06 BMW X5	26	60
44 44525	05-07 Ford Five Hundred 05-07 Ford Freestyle 08-09 Ford Taurus Sedan, All Models 08-09 Ford Taurus X 05-07 Mercury Montego 08-09 Mercury Sable Sedan, All Models	42	30 30 30 30 30 30

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
37 44526	05-11 Nissan Frontier Pickup 09-10 Suzuki Equator	35	30 30
49 44528	06-11 Honda Ridgeline	40	20
45 44529	05-11 Nissan Xterra	28	30
56 44530	04-10 Volkswagen Touareg	34	90
38 44531	04-10 BMW X3	25	100
51 44534	07-08 Mercedes-Benz ML320 CDI 06-11 Mercedes-Benz ML350 06-07 Mercedes-Benz ML500 08-10 Mercedes-Benz ML550	41	50 50 50 50
34 44535	06-10 Subaru B9 Tribeca All Models	32	35
47 44536	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002 04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10 06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10 06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab 03-05 Dodge Pickup, Ram, Full Size 2500 HD 06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab 03-05 Dodge Pickup, Ram, Full Size 3500 HD 06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab	49	25 25 25 25 25 25
46 44537	07-09 Hyundai Entourage 06-11 KIA Sedona 118.9" Long Wheelbase Only	35	20 20
42 44538	02-07 Buick Rendezvous All, Inc. Ultra 01-05 Pontiac Aztek All, Inc. AWD	33	40 40
47 44540	06-11 Toyota RAV4	35	20
47 44542	06-10 Ford Explorer Models w/1-1/4" Receivers Only 06-10 Mercury Mountaineer Models w/1-1/4" Receivers Only	34	25 25
39 44543	06-10 Suzuki Grand Vitara	30	20
55 44545	07-10 Toyota FJ Cruiser	34	30
46 44546	98-07 Lexus LX 470 98-07 Toyota LandCruiser	36	20 20
53 44547	09 Mercedes-Benz R320 BlueTEC 09 Mercedes-Benz R320 BlueTEC w/Panoramic Roof Package 07-08 Mercedes-Benz R320 CDI 07-08 Mercedes-Benz R320 CDI w/Panoramic Roof Package 06-10 Mercedes-Benz R350 06-10 Mercedes-Benz R350 w/Panoramic Roof Package 06-07 Mercedes-Benz R500 06-07 Mercedes-Benz R500 w/Panoramic Roof Package	45	25 50 25 50 25 25 50
52 44548	03-09 Lexus GX 470 03-09 Toyota 4Runner	31	35 35
46 44549	07-09 Hyundai Santa Fe	43	20
39 44552	06-08 Ford F-150 Floreside (New Body Style) 06-08 Ford F-150 Styleside (New Body Style) 06-08 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds 06-08 Lincoln Mark LT Built After 8/2005	36	20 20 20 20
54 44553	04-06 Mazda MPV Van All Models 00-03 Mazda MPV Van w/Ground Effects	44	20 20
44 44554	07-10 Mazda CX-7	32	40
34 44555	07-10 Jeep Compass 07-10 Jeep Compass Rallye Edition 07-11 Jeep Patriot	29	15 30 15
34 44557	07-11 Jeep Wrangler 07-10 Jeep Wrangler Unlimited, 4 Dr.	15	20 20
37 44558	03-09 KIA Sorento	37	15
40 44559	07-10 Dodge Nitro	39	20
44 44561	06-08 Mitsubishi Endeavor	34	25
38 44563	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD 07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic) 04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD 07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic) 07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style) 99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD 07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic) 07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style) 99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD 07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic) 07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style) 99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD 99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD 01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD 07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic) 04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	42	15 15

† = Available While Supply Lasts

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
38 44563	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	42	15
	07-11 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	15	15
	07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	15	15
32 44564	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	41	15
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	15
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	15	15
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	15	15
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	15	15
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	15
99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	15	
99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	15	15	
35 44565	97-06 Jeep TJ Canada	31	15
	97 Jeep Wrangler	15	15
	98-06 Jeep Wrangler All, Inc. Unlimited	15	15
44 44566	04-08 Chrysler Pacifica	35	45
47 44567	07-10 Ford Edge All, Except Sport Models	34	45
	07-10 Lincoln MKX	45	45
45 44568	07-10 Toyota Tundra See Footnote CP	32	20
32 44569	08-11 Buick Enclave	24	25
	09-11 Chevrolet Traverse	25	25
	07-11 GMC Acadia	25	25
	07-09 Saturn Outlook	25	25
34 44570	07-09 Suzuki XL-7	26	30
41 44572	07-10 Mazda CX-9	27	15
54 44573	07-10 Hyundai Veracruz	51	30
41 44574	05-07 Buick Terraza All, Inc. AWD	39	40
	05-08 Chevrolet Uplander All, Inc. AWD	40	40
	09 Chevrolet Uplander All, Inc. AWD (Canada Only)	40	40
	97-05 Chevrolet Venture All, Inc. AWD	40	40
	97-04 Oldsmobile Silhouette All, Inc. AWD	40	40
	99-05 Pontiac Montana All, Inc. AWD	40	40
	05-06 Pontiac Montana SV6 All, Inc. AWD	40	40
	07-09 Pontiac Montana SV6 All, Inc. AWD (Canada Only)	40	40
	97-98 Pontiac Trans Sport Van All, Inc. Montana	40	40
	05-07 Saturn Relay All, Inc. AWD	40	40
	44 44575	07-11 Honda CR-V	33
54 44576	07-09 Dodge Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	40	20
	07-09 Freightliner Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	20	20
47 44577	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	40	20
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	20	20
	07-10 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	20	20
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	20	20
	07-10 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
	07-10 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	07-10 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD	20	20
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	20	20
	01-06 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD	20	20
	07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	20	20
	07-10 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD	20	20
	07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	20	20
	07-10 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	07-10 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	01-06 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD	20	20
	07 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	20	20
46 44578	KIA Sedona 113.8" Short Wheelbase Only	41	25
52 44579	07-10 Mitsubishi Outlander	39	25
34 44580	08-09 Saturn Vue All, Inc. Redline	32	15
46 44581	08-09 Subaru Legacy Sedan	25	25
	05-07 Subaru Legacy Sedan, Except Outback	25	25
	05-07 Subaru Legacy Wagon All, Except Outback	25	25
	05-07 Subaru Outback Sedan, Except Sport	25	25
	05-09 Subaru Outback Wagon All, Except Sport	25	25
35 44582	05-09 Hyundai Tucson	29	25
	05-10 KIA Sportage 4 Cyl. Models	25	25
	05-10 KIA Sportage 6 Cyl. Models	25	25
45 44583	03-07 Nissan Murano	32	30
42 44584	07-09 Acura RDX	27	30
45 44585	08-11 Jeep Liberty	36	20
42 44586	08-10 Chrysler Town & Country	45	20
	08-10 Dodge Grand Caravan	20	20
	09-10 Volkswagen Routan	20	20
42 44587	08-11 Toyota Highlander All, Inc. Hybrid	45	25
46 44589	01-06 Acura MDX	40	30
	03-08 Honda Pilot	30	30
	07-11 BMW X5	41	75
53 44591	07-09 Dodge Sprinter w/Factory Step Bumper	50	30
	07-09 Freightliner Sprinter w/Factory Step Bumper	30	30
34 44592	08-11 Nissan Rogue All, Except Krom	29	20
41 44593	04-10 Chevrolet Colorado All Models	42	25
	04-10 GMC Canyon All Models	25	25
	06-08 Isuzu Pickup I-Series All Models	25	25
48 44594	07-11 Acura MDX	29	35
42 44596	08-11 Nissan Armada	39	15
31 44600	09-11 Nissan Murano	28	35
34 44601	09-10 Dodge Journey	28	25
18 44603	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	16	20
	09-11 Dodge Pickup, Ram, Full Size 1500 Only	20	20
	04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10	20	20
	06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10	20	20
	06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab	20	20
	03-05 Dodge Pickup, Ram, Full Size 2500 HD	20	20
	06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab	20	20
03-05 Dodge Pickup, Ram, Full Size 3500 HD	20	20	
06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab	20	20	
42 44604	09-11 Toyota Venza	39	20
46 44605	73-91 Chevrolet Suburban	34	40
	73-91 GMC Suburban	40	40
37 44607	09-10 Subaru Forester	36	35
42 44610	09-10 Infiniti FX35	38	40
	09-10 Infiniti FX50	40	40
11 44611	09-11 Volkswagen Tiguan	9	20
	03-04 Honda Element	23	30
41 44612	05-10 Honda Element All, Except SC	30	30
	05-10 Honda Element SC Models Only	35	35
	96-98 Mazda MPV Van 2 & 4 WD	40	50
51 44618	91-95 Dodge Caravan Short Wheelbase, 2 & 4 WD	37	30
	91-95 Dodge Caravan Cargo Van Short Wheelbase, 2 & 4 WD	30	30
	91-95 Plymouth Voyager Short Wheelbase, 2 & 4 WD	30	30
45 44619	01-05 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	46	15
	04-05 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	15
	99-05 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
	99-05 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	15	15
	99-05 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	15	15

† = Available While Supply Lasts

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME	
45 44619	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	46	15	
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		15	
	01-05 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD		15	
	04-05 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD		15	
	99-05 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD		15	
	99-05 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD		15	
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		15	
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		15	
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		15	
40 44621	98-01 Honda Passport w/Door Mounted Spare	34	15	
	98-01 Isuzu Rodeo w/Door Mounted Spare		15	
51 44622	97-02 Ford Expedition	54	15	
	98-02 Lincoln Navigator		15	
38 44624	02 Cadillac Escalade All, Inc. EXT	36	15	
	02-06 Chevrolet Avalanche		15	
	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals		15	
	00-06 Chevrolet Tahoe New Body Style w/Amber Turn Signals		15	
	00-06 GMC Yukon New Body Style w/Amber Turn Signals		15	
	01-02 GMC Yukon Denali New Body Style w/Amber Turn Signals		15	
	00-06 GMC Yukon XL		15	
	01-02 GMC Yukon XL Denali		15	
	37 44629	10-11 Volvo XC60	30	45
	45 44631	10-11 Subaru Legacy Sedan	37	45
10-11 Subaru Outback Wagon All, Except Sport			45	
46 44632	10-11 Ford Taurus Sedan, Inc. SHO	42	30	
32 44633	10-11 Lexus RX 350	30	30	
	10 Lexus RX 450h Hybrid		30	
34 44634	10 Ford Transit Connect	31	20	
48 44636	09-11 Ford Flex All, Inc. EcoBoost	37	30	
	10-11 Lincoln MKT All Models		30	
48 44637	05-09 Chevrolet Equinox	35	30	
	10-11 Chevrolet Equinox All Models		30	
	10-11 GMC Terrain All Models		30	
	06-09 Pontiac Torrent		30	
	02-07 Saturn Vue All, Except Redline		30	
31 44638	10-11 Cadillac SRX	18	15	
45 44639	10 Hyundai Santa Fe	46	15	
	11 KIA Sorento All, Except SX V6		15	
	11 KIA Sorento SX V6		15	
36 44640	08-10 Land Rover LR2	24	20	
47 44641	09-10 Ford Edge Sport	29	45	
35 44643	02-06 Honda CR-V	37	30	
24 44644	10 Lexus GX 460	9	15	
33 44645	09-10 Ford F-150 Flareside (New Body Style)	42	20	
	09-10 Ford F-150 Styleside (New Body Style)		20	
	09-10 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds		20	
39 44646	10-11 Acura RDX	28	30	
44 44647	05-11 Ford Escape All, Inc. Hybrid	34	25	
	05-06 Mazda Tribute		25	
	08-10 Mazda Tribute All, Inc. Hybrid		25	
	05-11 Mercury Mariner All, Inc. Hybrid		25	
48 44648	11 Toyota Sienna Van All Models	37	45	
57 44649	10 Mercedes-Benz GLK350 All Models	39	20	
29 44650	11 Jeep Grand Cherokee All, Except Models w/OEM Tow Hook	32	20	
	11 Jeep Grand Cherokee Models w/OEM Tow Hook		40	
39 44652	75-83 Ford E-100 Econoline Van Full Size, All Models	33	20	
	75-11 Ford E-150 Econoline Van Full Size, All Models		20	
	75-11 Ford E-250 Econoline Van Full Size, All Models		20	
	75-11 Ford E-350 Econoline Van Full Size, All Models		20	
	75-11 Ford E-350 Econoline Van Full Size, All Models		20	
57 44653	11 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	51	20	
	11 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 GMC Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20	
	11 GMC Pickup, Sierra Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20	
55 44654	09-11 Audi Q5	33	30	
	04-05 Ford F-150 Flareside (New Body Style)	50	30	
	04-05 Ford F-150 Styleside (New Body Style)		30	
	04-05 Ford F-150 SuperCrew New Body Style, w/5.5 ft. Bed		30	
	06 Lincoln Mark LT Built Before 8/2005		30	

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
38 44656	99-00 Cadillac Escalade Old Body Style	40	30
	92-94 Chevrolet Blazer Full Size		30
	92-99 Chevrolet Suburban Old Body Style		30
	95-00 Chevrolet Tahoe Old Body Style		30
	92-94 GMC Jimmy Full Size		30
	92-99 GMC Suburban		30
	92-00 GMC Yukon Old Body Style		30
	99-00 GMC Yukon Denali Old Body Style		30
	99-00 GMC Yukon Denali Old Body Style		30
47 44657	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	54	20
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		20
47 44658	11 Ford Edge All, Except Sport Models	34	45
	11 Lincoln MKX		45
35 44660	10-11 Hyundai Tucson	32	15
	11 KIA Sportage		15
40 70181	99-11 Ford Ranger Pickup	30	10
	99-09 Mazda Pickup B-Series All Models		10
40 70498	98-02 Honda Passport w/Under Vehicle Spare	28	15
	02-03 Isuzu Axiom w/Under Vehicle Spare		15
	98-04 Isuzu Rodeo w/Under Vehicle Spare & Except Models Equipped w/3.5L		15
42 70529	00-04 Nissan Xterra	35	20
47 70530	04-11 Nissan Titan Pickup Crew Cab 5.6 ft. Bed	40	15
	04-11 Nissan Titan Pickup Crew Cab 7.25 ft. Bed		15
	04-11 Nissan Titan Pickup King Cab 6.5 ft. Bed		15
	04-11 Nissan Titan Pickup King Cab 8 ft. Bed		15
45 70534	97-04 Mitsubishi Montero Sport	34	20
48 70583	00-03 Mazda MPV Van w/o Ground Effects	25	20
45 70594	99-04 Jeep Grand Cherokee	45	20
46 70609	97-03 Infiniti QX4	32	20
	96-04 Nissan Pathfinder 2 & 4 Dr.		20
45 70611	04-07 Infiniti QX56	35	15
	04-07 Nissan Armada		15
43 70636	01-04 Ford Escape	33	35
	01-04 Mazda Tribute		35
41 70647	91-00 Ford Explorer 2 & 4 Dr.	30	15
	01-03 Ford Explorer 2 Dr. Sport		15
	01 Ford Explorer 4 Dr.		15
	91-94 Mazda Navajo		15
97-01 Mercury Mountaineer		15	
47 70648	06-10 Ford Explorer Models w/1-1/4" Receivers Only	34	25
	06-10 Mercury Mountaineer Models w/1-1/4" Receivers Only		25
47 70751	04-06 Dodge Durango	44	20
49 70754	06-11 Honda Ridgeline	40	20
51 70759	04-05 Mitsubishi Endeavor	27	20
45 70760	05-11 Nissan Xterra	28	30
46 70761	07-09 Hyundai Entourage	35	20
	06-11 KIA Sedona 118.9" Long Wheelbase Only		20
47 70777	99-03 Lexus RX 300	45	45
	01-03 Toyota Highlander		45
49 70778	04-06 Lexus RX 330 All, Inc. Models w/18" Spare Tire	36	20
	07-09 Lexus RX 350		20
	06-09 Lexus RX 400h Hybrid		20
	04-07 Toyota Highlander All, Inc. Hybrid		20
52 70779	03-09 Lexus GX 470	31	35
	03-09 Toyota 4Runner		35
47 70785	06-11 Toyota RAV4	35	20
42 75020	87-95 Nissan Pathfinder 2 & 4 Dr.	39	40
51 75022	85-94 Chevrolet Astro Standard Body	46	40
	85-94 GMC Safari Standard Body		40
74 75023	87-92 Toyota 4Runner	56	40
63 75031	84-95 Toyota Pickup All, Except T-100	60	60
43 75033	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	42	20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		20
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		20

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
43 75033	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	42	20
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20	
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20	
40 75034	67-87 Chevrolet Pickup, C/K Series w/6 ft. Bed	36	30
	63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed	30	
	88-91 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	30	
	63-72 Ford F-100, F-150, F-250, F-350	30	
	67-87 GMC Pickup, C/K Series w/6 ft. Bed	30	
	63-87 GMC Pickup, C/K Series w/8 ft. Bed	30	
	88-91 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	30	
	69-75 International Pickup, Full Size	30	
38 75037	99-00 Cadillac Escalade Old Body Style	40	30
	92-94 Chevrolet Blazer Full Size	30	
	92-99 Chevrolet Suburban Old Body Style	30	
	95-00 Chevrolet Tahoe Old Body Style	30	
	92-94 GMC Jimmy Full Size	30	
	92-99 GMC Suburban	30	
	92-00 GMC Yukon Old Body Style	30	
	99-00 GMC Yukon Denali Old Body Style	30	
35 75038	02-04 Dodge Dakota Pickup All Models	36	30
	97-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	30	
	67-93 Dodge Pickup, D/W Series, Full Size	30	
	78-96 Ford Bronco Full Size	30	
	73-79 Ford F-100, F-150, F-250, F-350	30	
	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	30	
	87-91 Ford F-100, F-150, F-250, F-350 Styleside/Fleaside, All Models Inc. SuperCab	30	
	93-95 Ford F-150 Lightning Pickup	30	
	92-96 Ford F-150 Styleside/Fleaside, All Models Inc. SuperCab	30	
	92-96 Ford F-250 All Models Inc. SuperCab	30	
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab	30	
	92-96 Ford F-350 All Models Inc. SuperCab	30	
	97 Ford F-350 Heavy Duty All Models Inc. SuperCab	30	
44 75041	93-98 Jeep Grand Cherokee	42	40
	93 Jeep Grand Wagoneer	40	
51 75043	96-99 Acura SLX	41	40
	92-02 Isuzu Trooper All Models	40	
40 75049	94-97 Honda Passport	34	40
	91-97 Isuzu Rodeo	40	
45 75051	83-84 Chevrolet S-10 Pickup w/Standard Box & Step Bumper	37	40
	85-97 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.	40	
	83-84 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper	40	
	85-97 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.	40	
	96-97 Isuzu Hombre w/Step Bumper	40	
44 75054	84-01 Jeep Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	36	40
	84-90 Jeep Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)	40	
44 75055	95-98 Ford Windstar	38	40
	03 Ford Windstar Built After 11/2002	40	
	99-03 Ford Windstar Built Before 11/2002	40	
39 75065	97-03 Ford F-150 Light Duty Fleaside	46	30
	97-03 Ford F-150 Light Duty Styleside	30	
	04 Ford F-150 Light Duty Heritage Fleaside (Old Body Style)	30	
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)	30	
	00-03 Ford F-150 SuperCrew	30	
	97-99 Ford F-250 Light Duty Styleside	30	
56 75068	96-98 Mazda MPV Van 2 & 4 WD	40	50
47 75071	97-02 Ford Expedition	47	15
	98-02 Lincoln Navigator	15	
40 75073	02-04 Dodge Dakota Pickup All Models	39	15
	95-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	30	
	87-94 Dodge Dakota Pickup Inc. Extended Cab	30	
45 75075	97-04 Mitsubishi Montero Sport	34	20
46 75077	97-03 Infiniti QX4	32	20
	96-04 Nissan Pathfinder 2 & 4 Dr.	20	
47 75078	95-04 Toyota Tacoma Pickup All, 2 & 4 WD (App. starts with 95-1/2)	42	40
40 75079	95-05 Chevrolet Blazer Downsize, All Models	29	15
	99-01 Chevrolet TrailBlazer	15	
	98-01 GMC Envoy	15	
	95-02 GMC Jimmy Downsize, All Models	15	
	96-01 Oldsmobile Bravada	15	
49 75081	98-03 Dodge Durango	46	15
38 75082	93-11 Ford Ranger Pickup	31	20
	83-92 Ford Ranger Pickup All, Except GT	20	

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
	94-09 Mazda Pickup B-Series All Models		20
41 75083	91-00 Ford Explorer 2 & 4 Dr.	30	15
	01-03 Ford Explorer 2 Dr. Sport	15	
	01 Ford Explorer 4 Dr.	15	
	91-94 Mazda Navajo	15	
	97-01 Mercury Mountaineer	15	
45 75085	96-04 Chevrolet S-10 Pickup w/Sportside Box & Non-Towing Bumper	35	40
	98-04 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab	40	
	96-04 GMC S-15 & Sonoma Pickup w/Sportside Box & Non-Towing Bumper	40	
	98-04 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab	40	
	98-00 Isuzu Hombre w/Step Bumper	40	
46 75087	98-02 Mercedes-Benz ML320	23	30
	03-05 Mercedes-Benz ML350	30	
	99-01 Mercedes-Benz ML430	30	
	02-05 Mercedes-Benz ML500	30	
49 75089	93-98 Mercury Villager Mini Van	37	15
	93-98 Nissan Quest Mini Van	15	
50 75090	94-98 Dodge Van, B-Series Full Size	41	20
	99-03 Dodge Van, Ram Full Size	20	
51 75091	96-02 Toyota 4Runner	40	30
40 75092	98-01 Honda Passport w/Door Mounted Spare	34	15
	98-01 Isuzu Rodeo w/Door Mounted Spare	15	
40 75093	98-02 Honda Passport w/Under Vehicle Spare	30	15
	02-03 Isuzu Axiom w/Under Vehicle Spare	20	
	98-04 Isuzu Rodeo w/Under Vehicle Spare & Except Models Equipped w/3.5L	15	
46 75095	98-07 Lexus LX 470	36	20
	98-07 Toyota LandCruiser	20	
45 75096	91-00 Ford Explorer 2 & 4 Dr.	40	30
	01-03 Ford Explorer 2 Dr. Sport	15	
	01 Ford Explorer 4 Dr.	15	
	91-94 Mazda Navajo	30	
	97-01 Mercury Mountaineer	15	
39 75099	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	48	20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20	
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20	
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	20	
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20	
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20	
42 75101	94-01 Dodge Pickup, Ram, Full Size	41	15
	02 Dodge Pickup, Ram, Full Size 2500 Only	15	
	02 Dodge Pickup, Ram, Full Size 3500 Only	15	
47 75102	99-02 Mercury Villager Mini Van	32	15
	99-02 Nissan Quest Mini Van	15	
51 75105	00-06 Toyota Tundra	50	15
42 75107	00-04 Nissan Xterra	28	15
48 75108	00-03 Mazda MPV Van w/o Ground Effects	49	15
38 75110	02 Cadillac Escalade All, Inc. EXT	36	15
	02-06 Chevrolet Avalanche	15	
	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals	15	
	00-06 Chevrolet Tahoe New Body Style w/Amber Turn Signals	15	
	00-06 GMC Yukon New Body Style w/Amber Turn Signals	15	
	01-02 GMC Yukon Denali New Body Style w/Amber Turn Signals	15	
	00-06 GMC Yukon XL	15	
	01-02 GMC Yukon XL Denali	15	
44 75112	01-05 Ford Explorer Sport Trac	38	15
51 75116	01-06 Mitsubishi Montero Does Not Inc. Montero Sport	40	20
43 75118	01-04 Ford Escape	31	35
	01-04 Mazda Tribute	35	
38 75119	96-03 Chrysler Town & Country All, Inc. 4 WD	43	30
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD	30	
	01-03 Chrysler Voyager All, Inc. 4 WD	30	
	96-03 Dodge Caravan All, Inc. 2 & 4 WD	30	
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD	30	
	96-03 Dodge Grand Caravan All, Inc. 4 WD	30	
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD	30	
	96-00 Plymouth Grand Voyager All, Inc. 4 WD	30	
	96-00 Plymouth Voyager All, Inc. 4 WD	30	
42 75120	98-03 Toyota Sienna Van	33	30
48 75121	96 Chevrolet Van, G-Series Classic & Sport Full Size w/Lo-Mount Taillights	45	40
	78-95 Chevrolet Van, G-Series Full Size	40	
	78-95 GMC Van, G-Series Full Size	40	
	96 GMC Van, G-Series Vandura & Rally Full Size w/Lo-Mount Taillights	40	

† = Available While Supply Lasts

RECEIVER HITCHES

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
51 75122	90-05 Chevrolet Astro Extended Body	47	30
	90-05 GMC Safari Extended Body		30
42 75123	84-91 Chevrolet S-10 Blazer Downsize, 2 Dr.	32	60
	84-91 Chevrolet S-10 Blazer Downsize, 4 Dr.		60
	83 Chevrolet S-10 Blazer Downsize, All Models		60
	92-94 Chevrolet S-10 Blazer Downsize, All Models		60
	84-91 GMC S-15 Jimmy Downsize, 2 Dr.		60
	84-91 GMC S-15 Jimmy Downsize, 4 Dr.		60
	83 GMC S-15 Jimmy Downsize, All Models		60
	92-94 GMC S-15 Jimmy Downsize, All Models		60
	91-94 Oldsmobile Bravada		60
39 75125	96-05 Toyota RAV4	25	15
62 75126	01-07 Toyota Sequoia	42	20
45 75128	02-07 Jeep Liberty	43	15
45 75129	73-91 Chevrolet Blazer Full Size	34	30
	73-91 GMC Jimmy Full Size		30
51 75131	02-05 KIA Sedona	33	30
52 75132	02-05 Ford Explorer 4 Dr.	38	20
	03-05 Lincoln Aviator		20
	02-05 Mercury Mountaineer		20
16 75135	02-03 Dodge Pickup, Ram, Full Size 1500 Only Built Before 11/2002	22	15
52 75137	02-05 Land Rover Freelander	29	20
54 75138	02-07 Buick Rendezvous All, Inc. Ultra	39	55
	01-05 Pontiac Aztek All, Inc. AWD		55
45 75139	99-04 Jeep Grand Cherokee	43	15
54 75140	78-98 Dodge Van, B-Series Full Size	41	30
	99-03 Dodge Van, Ram Full Size		30
51 75141	91-95 Dodge Caravan Short Wheelbase, 2 & 4 WD	37	30
	91-95 Dodge Caravan Cargo Van Short Wheelbase, 2 & 4 WD		30
	91-95 Plymouth Voyager Short Wheelbase, 2 & 4 WD		30
60 75144	93-98 Toyota T-100 Pickup All Models	49	45
55 75145	92-95 Toyota 4Runner	52	40
53 75146	78-85 Buick Centurion RWD	43	30
	78-84 Buick Electra RWD		30
	78-84 Buick Electra Park Ave. RWD		30
	78-85 Buick Le Sabre RWD		30
	78 Buick Riviera		30
	91-96 Buick Roadmaster 4 Dr. Sedan		30
	78-84 Cadillac Calais RWD		30
	78-84 Cadillac DeVille RWD		30
	78-96 Cadillac Fleetwood Brougham		30
	78-81 Chevrolet Bel Air		30
	78-96 Chevrolet Caprice		30
	78-85 Chevrolet Impala		30
	94-96 Chevrolet Impala SS		30
	78-85 Oldsmobile 88 RWD		30
	78-84 Oldsmobile 98		30
	78-84 Oldsmobile 98 Regency		30
	78-85 Oldsmobile Delta 88		30
	78-81 Pontiac Bonneville		30
	78-81 Pontiac Catalina		30
	83-86 Pontiac Parisienne		30
45 75148	03-07 Nissan Murano	32	30
51 75149	04-10 Toyota Sienna Van All Models	36	30
16 75151	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	14	20
	04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10		20
	06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10		20
	06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab		20
	03-05 Dodge Pickup, Ram, Full Size 2500 HD		20
	06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab		20
	03-05 Dodge Pickup, Ram, Full Size 3500 HD		20
	06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab		20
49 75152	03-11 Volvo XC90	29	25
49 75153	04-06 Lexus RX 330 All, Inc. Models w/18" Spare Tire	37	20
	07-09 Lexus RX 350		20
	06-09 Lexus RX 400h Hybrid		20
	04-07 Toyota Highlander All, Inc. Hybrid		20
52 75155	03-09 Lexus GX 470	31	35
	03-09 Toyota 4Runner		35
56 75156	04-05 Ford F-150 Flareside (New Body Style)	48	30
	04-05 Ford F-150 Styleside (New Body Style)		30
	04-05 Ford F-150 SuperCrew New Body Style, w/5.5 ft. Bed		30
	06 Lincoln Mark LT Built Before 8/2005		30
46 75158	04-07 Ford Freestar	33	30
	04-07 Mercury Monterey Van		30

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
57 75159	04-09 Nissan Quest Mini Van	46	20
45 75161	01-05 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	46	15
	04-05 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD		15
	99-05 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD		15
	99-05 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD		15
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD		15
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		15
	01-05 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD		15
	04-05 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD		15
	99-05 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD		15
	99-05 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD		15
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		15
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		15
43 75162	07-09 Chrysler Aspen	25	50
	04-09 Dodge Durango		50
51 75163	04-05 Mitsubishi Endeavor	27	20
56 75172	03-06 Cadillac Escalade All, Inc. EXT & ESV	31	30
59 75174	04-09 Cadillac SRX All, Except Models w/Sport Package Fascia	56	60
47 75176	90-95 Chrysler Town & Country Mini Van, 2 WD Long Wheelbase	29	30
	84-95 Dodge Caravan Short Wheelbase, 2 WD Only		30
	91-93 Dodge Caravan Cargo Van Long Wheelbase, 2 WD Only		30
	94-95 Dodge Caravan Cargo Van Long Wheelbase, 2 WD Only, Except LE		30
	91-95 Dodge Caravan Cargo Van Short Wheelbase, 2 WD Only		30
	84-93 Dodge Grand Caravan Long Wheelbase, 2 WD Only		30
	94-95 Dodge Grand Caravan Long Wheelbase, 2 WD Only, Except LE		30
	84-88 Dodge Mini-Ram		30
	84-90 Plymouth Grand Voyager		30
	91-95 Plymouth Grand Voyager Long Wheelbase, 2 WD Only		30
	84-90 Plymouth Voyager		30
	91-95 Plymouth Voyager Short Wheelbase, 2 WD Only		30
51 75186	98-04 Nissan Frontier Pickup All, Inc. Desert Runner	49	30
	88-97 Nissan Pickup		30
41 75189	96-11 Chevrolet Express Van Full Size	39	15
	96-11 GMC Savana Van Full Size		15
35 75193	97-06 Jeep TJ Canada	31	15
	97 Jeep Wrangler		15
	98-06 Jeep Wrangler All, Inc. Unlimited		15
55 75210	03-06 Dodge Sprinter All 41" Wide Frames, Except 118" Wheelbase & Factory Metal Step Platform	41	20
	03-06 Freightliner Sprinter All 41" Wide Frames, Except 118" Wheelbase & Factory Metal Step Platform		20
62 75212	84-90 Ford Bronco II	32	30
45 75226	99-07 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	47	20
	99-07 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis		20
47 75236	05-11 Toyota Tacoma Pickup All, Except X-Runner	37	30
40 75251	05-10 Dodge Dakota Pickup All Models	36	20
	06-09 Mitsubishi Raider		20
41 75270	99-11 Honda Odyssey	44	15
41 75278	05-07 Buick Terraza All, Inc. AWD	39	40
	05-08 Chevrolet Uplander All, Inc. AWD		40
	09 Chevrolet Uplander All, Inc. AWD (Canada Only)		40
	97-05 Chevrolet Venture All, Inc. AWD		40
	97-04 Oldsmobile Silhouette All, Inc. AWD		40
	99-05 Pontiac Montana All, Inc. AWD		40
	05-06 Pontiac Montana SV6 All, Inc. AWD		40
	07-09 Pontiac Montana SV6 All, Inc. AWD (Canada Only)		40
	97-98 Pontiac Trans Sport Van All, Inc. Montana		40
	05-07 Saturn Relay All, Inc. AWD		40
49 75280	06-11 Honda Ridgeline	38	20
37 75282	05-11 Nissan Frontier Pickup	40	30
	09-10 Suzuki Equator		30
45 75291	05-11 Nissan Xterra	28	30
47 75292	04-06 Dodge Durango	44	20
44 75299	05-07 Ford Five Hundred	42	30
	05-07 Ford Freestyle		30
	08-09 Ford Taurus Sedan, All Models		30
	08-09 Ford Taurus X		30
	05-07 Mercury Montego		30
	08-09 Mercury Sable Sedan, All Models		30
55 75305	05-07 Chrysler Town & Country w/Stow & Go Seats, Inc. 4 WD	47	25
	05-07 Dodge Grand Caravan w/Stow & Go Seats, Inc. 4 WD		25
28 75338	06-10 Jeep Commander	26	20
	05-10 Jeep Grand Cherokee All, Except SRT-8 & Models w/OEM Tow Hook		20
	05-10 Jeep Grand Cherokee Models w/OEM Tow Hook		90
32 75362	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	40	15
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		15

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
32 75362	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	40	15
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	15	
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	15	
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	15	
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	15	
	07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	15	
56 75363	04-10 Volkswagen Touareg	34	90
38 75371	04-10 BMW X3	25	100
51 75376	07-08 Mercedes-Benz ML320 CDI	41	50
	06-11 Mercedes-Benz ML350	50	
	06-07 Mercedes-Benz ML500	50	
	08-10 Mercedes-Benz ML550	50	
44 75382	06-10 Hummer H3	35	25
34 75401	06-10 Subaru B9 Tribeca All Models	32	35
47 75420	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	49	25
	04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10	25	
	06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10	25	
	06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab	25	
	03-05 Dodge Pickup, Ram, Full Size 2500 HD	25	
	06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab	25	
	03-05 Dodge Pickup, Ram, Full Size 3500 HD	25	
	06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab	25	
46 75421	07-09 Hyundai Entourage	35	20
	06-11 KIA Sedona 118.9" Long Wheelbase Only	20	
42 75430	02-07 Buick Rendezvous All, Inc. Ultra	33	40
	01-05 Pontiac Aztek All, Inc. AWD	40	
47 75432	06-11 Toyota RAV4	35	20
47 75437	06-10 Ford Explorer Models w/1-1/4" Receivers Only	34	25
	06-10 Mercury Mountaineer Models w/1-1/4" Receivers Only	25	
39 75448	06-10 Suzuki Grand Vitara	30	20
55 75461	07-10 Toyota FJ Cruiser	34	30
53 75470	09 Mercedes-Benz R320 BlueTEC	45	25
	09 Mercedes-Benz R320 BlueTEC w/Panoramic Roof Package	50	
	07-08 Mercedes-Benz R320 CDI	25	
	07-08 Mercedes-Benz R320 CDI w/Panoramic Roof Package	50	
	06-10 Mercedes-Benz R350	25	
	06-10 Mercedes-Benz R350 w/Panoramic Roof Package	50	
	06-07 Mercedes-Benz R500	25	
	06-07 Mercedes-Benz R500 w/Panoramic Roof Package	50	
46 75471	07-09 Hyundai Santa Fe	43	20
35 75492	00-06 BMW X5	26	60
46 75500	73-91 Chevrolet Suburban	34	40
	73-91 GMC Suburban	40	
39 75506	06-08 Ford F-150 Flareside (New Body Style)	36	20
	06-08 Ford F-150 Styleside (New Body Style)	20	
	06-08 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds	20	
	06-08 Lincoln Mark LT Built After 8/2005	20	
54 75507	04-06 Mazda MPV Van All Models	44	20
	00-03 Mazda MPV Van w/Ground Effects	20	
44 75512	07-10 Mazda CX-7	32	40
34 75513	07-10 Jeep Compass	29	15
	07-10 Jeep Compass Rallye Edition	30	
	07-11 Jeep Patriot	15	
34 75515	07-11 Jeep Wrangler	15	20

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
	07-10 Jeep Wrangler Unlimited, 4 Dr.		20
37 75516	03-09 KIA Sorento	37	15
40 75517	07-10 Dodge Nitro	39	20
44 75519	06-08 Mitsubishi Endeavor	34	25
38 75521	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	42	15
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	15	
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	15	
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	15	
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	15	
	07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	
	07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	15	
44 75522	04-08 Chrysler Pacifica	35	45
47 75526	07-10 Ford Edge All, Except Sport Models	34	45
	07-10 Lincoln MKX	45	
45 75527	07-10 Toyota Tundra See Footnote CP	32	20
32 75528	08-11 Buick Enclave	24	25
	09-11 Chevrolet Traverse	25	
	07-11 GMC Acadia	25	
	07-09 Saturn Outlook	25	
34 75529	07-09 Suzuki XL-7	26	30
41 75531	07-10 Mazda CX-9	27	15
54 75532	07-10 Hyundai Veracruz	51	30
44 75547	07-11 Honda CR-V	33	25
54 75549	07-09 Dodge Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	40	20
	07-09 Freightliner Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	20	
47 75550	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	40	20
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	20	
	07-10 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	20	
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	20	
	07-10 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	
	07-10 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	
	07-10 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD	20	
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	20	
	01-06 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD	20	
	07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	20	
	07-10 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	
	01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD	20	
	07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	20	
	07-10 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	
	07-10 GMC Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	
	07-10 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	
	01-06 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD	20	
	07 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	20	
46 75551	07-10 KIA Sedona 113.8" Short Wheelbase Only	41	25
52 75555	07-10 Mitsubishi Outlander	39	25
34 75556	08-09 Saturn Vue All, Inc. Redline	32	15
46 75560	08-09 Subaru Legacy Sedan	25	25

† = Available While Supply Lasts

RECEIVER HITCHES

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
46 75560	05-07 Subaru Legacy Sedan, Except Outback	25	25
	05-07 Subaru Legacy Wagon All, Except Outback		25
	05-07 Subaru Outback Sedan, Except Sport		25
	05-09 Subaru Outback Wagon All, Except Sport		25
35 75561	05-09 Hyundai Tucson	29	25
	05-10 KIA Sportage 4 Cyl. Models		25
	05-10 KIA Sportage 6 Cyl. Models		25
42 75563	07-09 Acura RDX	27	30
45 75578	08-11 Jeep Liberty	36	20
42 75579	08-10 Chrysler Town & Country	45	20
	08-10 Dodge Grand Caravan		20
	09-10 Volkswagen Routan		20
42 75586	08-11 Toyota Highlander All, Inc. Hybrid	45	25
46 75599	01-06 Acura MDX	40	30
	03-08 Honda Pilot		30
52 75600	07-11 BMW X5	41	75
53 75601	07-09 Dodge Sprinter w/Factory Step Bumper	50	30
	07-09 Freightliner Sprinter w/Factory Step Bumper		30
34 75606	08-11 Nissan Rogue All, Except Krom	29	20
41 75607	04-10 Chevrolet Colorado All Models	42	25
	04-10 GMC Canyon All Models		25
	06-08 Isuzu Pickup I-Series All Models		25
48 75614	07-11 Acura MDX	29	35
42 75644	08-11 Nissan Armada	39	15
34 75645	08-10 Volvo V70 Wagon All, Inc. AWD	31	70
	08-11 Volvo XC70 Wagon AWD		70
31 75647	09-11 Nissan Murano	28	35
34 75648	09-10 Dodge Journey	28	25
23 75649	08-10 Toyota Sequoia	21	40
37 75650	09-10 Subaru Forester	36	35
42 75657	09-10 Infiniti FX35	38	40
	09-10 Infiniti FX50		40
11 75658	09-11 Volkswagen Tiguan	9	20
41 75659	03-04 Honda Element	23	30
	05-10 Honda Element All, Except SC		30
	05-10 Honda Element SC Models Only		35
18 75662	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	16	20
	09-11 Dodge Pickup, Ram, Full Size 1500 Only		20
	04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10		20
	06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10		20
	06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab		20
	03-05 Dodge Pickup, Ram, Full Size 2500 HD		20
	06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab		20
	03-05 Dodge Pickup, Ram, Full Size 3500 HD		20
	06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab		20
42 75663	09-11 Toyota Venza	39	20
46 75670	10-11 Ford Taurus Sedan, Inc. SHO	42	30
37 75671	10-11 Volvo XC60	30	45
45 75673	10-11 Subaru Legacy Sedan	37	45
	10-11 Subaru Outback Wagon All, Except Sport		45
32 75676	10-11 Lexus RX 350	30	30
	10 Lexus RX 450h Hybrid		30
34 75678	10 Ford Transit Connect	31	20
48 75679	09-11 Ford Flex All, Inc. EcoBoost	37	30
	10-11 Lincoln MKT All Models		30
48 75681	05-09 Chevrolet Equinox	35	30
	10-11 Chevrolet Equinox All Models		30
	10-11 GMC Terrain All Models		30
	06-09 Pontiac Torrent		30
	02-07 Saturn Vue All, Except Redline		30
31 75682	10-11 Cadillac SRX	18	15
45 75684	10 Hyundai Santa Fe	46	15
	11 KIA Sorento All, Except SX V6		15
	11 KIA Sorento SX V6		15
24 75685	10 Lexus GX 460	9	15
47 75686	09-10 Ford Edge Sport	29	45
36 75688	08-10 Land Rover LR2	24	20
35 75690	02-06 Honda CR-V	37	30
33 75691	09-10 Ford F-150 Flareside (New Body Style)	42	20
	09-10 Ford F-150 Styleside (New Body Style)		20
	09-10 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds		20
39 75692	10-11 Acura RDX	28	30
44 75693	05-11 Ford Escape All, Inc. Hybrid	34	25

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
	05-06 Mazda Tribute		25
	08-10 Mazda Tribute All, Inc. Hybrid		25
	05-11 Mercury Mariner All, Inc. Hybrid		25
48 75696	11 Toyota Sienna Van All Models	37	45
57 75698	10 Mercedes-Benz GLK350 All Models	39	20
29 75699	11 Jeep Grand Cherokee All, Except Models w/OEM Tow Hook	32	20
	11 Jeep Grand Cherokee Models w/OEM Tow Hook		40
39 75703	75-83 Ford E-100 Econoline Van Full Size, All Models	33	20
	75-11 Ford E-150 Econoline Van Full Size, All Models		20
	75-11 Ford E-250 Econoline Van Full Size, All Models		20
	75-11 Ford E-350 Econoline Van Full Size, All Models		20
57 75707	11 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	51	20
	11 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
	11 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
	11 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
	11 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
	11 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
	11 GMC Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
	11 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
	11 GMC Pickup, Sierra Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
55 75708	09-11 Audi Q5	33	30
47 75709	11 Ford Edge All, Except Sport Models	34	45
	11 Lincoln MKX		45
35 75711	10-11 Hyundai Tucson	32	15
	11 KIA Sportage		15
56 82301	04-10 Volkswagen Touareg	34	90
58 82531	94-01 Dodge Pickup, Ram, Full Size	36	30
	02 Dodge Pickup, Ram, Full Size 2500 Only		30
	02 Dodge Pickup, Ram, Full Size 3500 Only		30
47 82534	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	49	25
	04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10		25
	06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10		25
	06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab		25
	03-05 Dodge Pickup, Ram, Full Size 2500 HD		25
	06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab		25
	03-05 Dodge Pickup, Ram, Full Size 3500 HD		25
	06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab		25
56 82547	98 Dodge Van, B-Series Full Size	50	15
	99-03 Dodge Van, Ram Full Size		15
51 82560	97-02 Ford Expedition	54	15
	98-02 Lincoln Navigator		15
55 82563	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	46	40
	87-91 Ford F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab		40
	92-96 Ford F-150 Styleside/Flareside, All Models Inc. SuperCab		40
	92-96 Ford F-250 All Models Inc. SuperCab		40
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab		40
	92-96 Ford F-350 All Models Inc. SuperCab		40
	97 Ford F-350 Heavy Duty All Models Inc. SuperCab		40
45 82571	83-04 Chevrolet S-10 Pickup w/Rear Fascia & No Step Bumper	32	15
	83-04 GMC S-15 & Sonoma Pickup w/Rear Fascia & No Step Bumper		15
	92-93 GMC Sonoma GT		15
	96-00 Isuzu Hombre w/Rear Fascia & No Step Bumper		15
45 82574	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed Equipped w/Aftermarket Roll Pan	35	25
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed Equipped w/Aftermarket Roll Pan		25
	88-00 GMC Pickup, C/K Series w/6 ft. Bed Equipped w/Aftermarket Roll Pan		25
	88-00 GMC Pickup, C/K Series w/8 ft. Bed Equipped w/Aftermarket Roll Pan		25
46 82575	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	35	25
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)		25
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan		25
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)		25
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan		25
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)		25

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS) TIME
46 82575	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	35 25
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	25
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	25
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	25
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	25
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	25
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	25
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	25
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	25
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	25
	99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan	25
	07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD w/Aftermarket Roll Pan (Classic)	25
43 82580	96-11 Chevrolet Express Van Full Size	42 15
	96-11 GMC Savana Van Full Size	15
42 82583	97-03 Ford F-150 Light Duty Flareside	45 10
	97-03 Ford F-150 Light Duty Styleside	10
	04 Ford F-150 Light Duty Heritage Flareside (Old Body Style)	10
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)	10
	00-03 Ford F-150 SuperCrew	10
	97-99 Ford F-250 Light Duty Styleside	10
45 82584	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	41 20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	20
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20
57 82595	04-05 Ford F-150 Flareside (New Body Style)	58 30
	04-05 Ford F-150 Styleside (New Body Style)	30
	04-05 Ford F-150 SuperCrew New Body Style, w/5.5 ft. Bed	30
	06 Lincoln Mark LT Built Before 8/2005	30
47 82597	99-07 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	61 30
	99-07 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	30
56 82660	03-06 Cadillac Escalade All, Inc. EXT & ESV	39 30
	03-06 Chevrolet Avalanche	30
34 87001	76-86 Jeep CJ-5 Except w/Optional 20 Gallon Gas Tank	38 15
	76-86 Jeep CJ-7 Except w/Optional 20 Gallon Gas Tank	15
	81-86 Jeep Scrambler Except w/Optional 20 Gallon Gas Tank	15
43 87002	97-06 Jeep TJ Canada	35 20
	87-90 Jeep Wrangler	20
	97 Jeep Wrangler	20
	91-95 Jeep Wrangler All, Except Renegade	20
	98-06 Jeep Wrangler Except Unlimited	20
	87-95 Jeep YJ Canada	20
42 87004	02-07 Buick Rendezvous All, Inc. Ultra	33 40
	01-05 Pontiac Aztek All, Inc. AWD	40
36 87005	99-04 Chevrolet Tracker	24 15
	99-05 Suzuki Grand Vitara	15
	99-05 Suzuki Vitara	15
	01-06 Suzuki XL-7	15
45 87006	02-07 Jeep Liberty	40 15
39 87007	06-10 Suzuki Grand Vitara	30 20
44 87008	01-05 Ford Explorer Sport Trac	40 15
40 87034	85-87 Chevrolet Pickup, C/K Series w/6 ft. Bed	35 30
	63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed	30
	63-72 Ford F-100, F-150, F-250, F-350	30
	85-87 GMC Pickup, C/K Series w/6 ft. Bed	30
	63-87 GMC Pickup, C/K Series w/8 ft. Bed	30
	69-75 International Pickup, Full Size	30
46 87107	04-07 Ford Freestar	33 30

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS) TIME
	04-07 Mercury Monterey Van	30
44 87108	05-07 Ford Five Hundred	42 30
	05-07 Ford Freestyle	30
	08-09 Ford Taurus Sedan, All Models	30
	08-09 Ford Taurus X	30
	05-07 Mercury Montego	30
	08-09 Mercury Sable Sedan, All Models	30
42 87131	94-01 Dodge Pickup, Ram, Full Size	36 30
	02 Dodge Pickup, Ram, Full Size 2500 Only	30
	02 Dodge Pickup, Ram, Full Size 3500 Only	30
38 87161	93-11 Ford Ranger Pickup	31 20
	83-92 Ford Ranger Pickup All, Except GT	20
	94-09 Mazda Pickup B-Series All Models	20
41 87180	96-11 Chevrolet Express Van Full Size	39 15
	96-11 GMC Savana Van Full Size	15
39 87183	97-03 Ford F-150 Light Duty Flareside	46 30
	97-03 Ford F-150 Light Duty Styleside	30
	04 Ford F-150 Light Duty Heritage Flareside (Old Body Style)	30
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)	30
	00-03 Ford F-150 SuperCrew	30
	97-99 Ford F-250 Light Duty Styleside	30
39 87184	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	30 20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	20
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20
32 87186	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	40 15
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	15
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	15
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	15
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	15
99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	15	
01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	15	
07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	
07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	
07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	
07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	
99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	
07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	
07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	
99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	15	
07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	
07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	
99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	
99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	15	
56 87195	04-05 Ford F-150 Flareside (New Body Style)	39 30
	04-05 Ford F-150 Styleside (New Body Style)	30
	04-05 Ford F-150 SuperCrew New Body Style, w/5.5 ft. Bed	30
	06 Lincoln Mark LT Built Before 8/2005	30
38 87403	04-10 BMW X3	25 100
35 87405	00-06 BMW X5	26 60
44 87406	06-10 Hummer H3	35 25
34 87407	06-10 Subaru B9 Tribeca All Models	32 35
47 87408	83-09 Ford LTD Crown Victoria	49 30
	79-82 Ford LTD, Custom & Galaxie Sedan	30
	80-83 Lincoln Mark VI	30
	80-10 Lincoln Town Car	30
	80-89 Lincoln Town Coupe	30
	83-11 Mercury Grand Marquis	30
	03-04 Mercury Marauder	30
	79-82 Mercury Marquis Sedan	30
	79-82 Mercury Monterey Sedan	30
46 87409	98-07 Lexus LX 470	36 20
	98-07 Toyota LandCruiser	20

† = Available While Supply Lasts

RECEIVER HITCHES

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME	
41 87410	05-07 Buick Terraza All, Inc. AWD	41	40	
	05-08 Chevrolet Uplander All, Inc. AWD		40	
	09 Chevrolet Uplander All, Inc. AWD (Canada Only)		40	
	97-05 Chevrolet Venture All, Inc. AWD		40	
	97-04 Oldsmobile Silhouette All, Inc. AWD		40	
	99-05 Pontiac Montana All, Inc. AWD		40	
	05-06 Pontiac Montana SV6 All, Inc. AWD		40	
	07-09 Pontiac Montana SV6 All, Inc. AWD (Canada Only)		40	
	97-98 Pontiac Trans Sport Van All, Inc. Montana		40	
	05-07 Saturn Relay All, Inc. AWD		40	
	55 87412	07-10 Toyota FJ Cruiser	34	30
	53 87413	09 Mercedes-Benz R320 BlueTEC	45	25
		09 Mercedes-Benz R320 BlueTEC w/Panoramic Roof Package		50
07-08 Mercedes-Benz R320 CDI			25	
07-08 Mercedes-Benz R320 CDI w/Panoramic Roof Package			50	
06-10 Mercedes-Benz R350			25	
06-10 Mercedes-Benz R350 w/Panoramic Roof Package			50	
06-07 Mercedes-Benz R500			25	
06-07 Mercedes-Benz R500 w/Panoramic Roof Package			50	
46 87414	07-09 Hyundai Santa Fe	43	20	
51 87415	04-10 Toyota Sienna Van All Models	36	30	
52 87417	02-05 Ford Explorer 4 Dr.	38	20	
	03-05 Lincoln Aviator		20	
	02-05 Mercury Mountaineer		20	
39 87418	06-08 Ford F-150 Flareside (New Body Style)	36	20	
	06-08 Ford F-150 Styleside (New Body Style)		20	
	06-08 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds		20	
	06-08 Lincoln Mark LT Built After 8/2005		20	
51 87419	01-06 Hyundai Santa Fe	28	35	
54 87420	04-06 Mazda MPV Van All Models	44	20	
	00-03 Mazda MPV Van w/Ground Effects		20	
44 87421	07-10 Mazda CX-7	32	40	
34 87422	07-10 Jeep Compass	29	15	
	07-10 Jeep Compass Rallye Edition		30	
	07-11 Jeep Patriot		15	
34 87424	07-11 Jeep Wrangler	15	20	
	07-10 Jeep Wrangler Unlimited, 4 Dr.		20	
37 87425	03-09 KIA Sorento	37	15	
40 87426	07-10 Dodge Nitro	39	20	
44 87428	06-08 Mitsubishi Endeavor	34	25	
38 87430	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	42	15	
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		15	
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD		15	
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)		15	
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD		15	
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		15	
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD		15	
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		15	
	07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)		15	
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD		15	
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		15	
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD		15	
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		15	
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD		15	
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		15	
	07-11 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)		15	
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD		15	
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		15	
	07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)		15	
99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD		15		
07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		15		
07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)		15		
99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		15		
99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		15		
35 87431	97-06 Jeep TJ Canada	31	15	
	97 Jeep Wrangler		15	
	98-06 Jeep Wrangler All, Inc. Unlimited		15	
44 87432	04-08 Chrysler Pacifica	35	45	
47 87433	07-10 Ford Edge All, Except Sport Models	34	45	
	07-10 Lincoln MKX		45	
45 87434	07-10 Toyota Tundra See Footnote CP	32	20	

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
32 87435	08-11 Buick Enclave	24	25
	09-11 Chevrolet Traverse		25
	07-11 GMC Acadia		25
	07-09 Saturn Outlook		25
34 87436	07-09 Suzuki XL-7	26	30
41 87438	07-10 Mazda CX-9	27	15
54 87439	07-10 Hyundai Veracruz	51	30
44 87440	07-11 Honda CR-V	33	25
54 87441	07-09 Dodge Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper	40	20
	07-09 Freightliner Sprinter 144" & 170" Wheelbase Models Only, Except w/Factory Step Bumper		20
47 87442	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	40	20
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	07-10 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		20
	07-10 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
	07-10 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
	07-10 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	07-10 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD		20	
07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		20	
07-10 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20	
07-10 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20	
01-06 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD		20	
07 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		20	
46 87443	07-10 KIA Sedona 113.8" Short Wheelbase Only	41	25
52 87444	07-10 Mitsubishi Outlander	39	25
34 87445	08-09 Saturn Vue All, Inc. Redline	32	15
46 87446	08-09 Subaru Legacy Sedan	25	25
	05-07 Subaru Legacy Sedan, Except Outback		25
	05-07 Subaru Legacy Wagon All, Except Outback		25
	05-07 Subaru Outback Sedan, Except Sport		25
	05-09 Subaru Outback Wagon All, Except Sport		25
35 87447	05-09 Hyundai Tucson	29	25
	05-10 KIA Sportage 4 Cyl. Models		25
	05-10 KIA Sportage 6 Cyl. Models		25
45 87448	03-07 Nissan Murano	32	30
42 87449	07-09 Acura RDX	27	30
45 87450	08-11 Jeep Liberty	36	20
42 87451	08-10 Chrysler Town & Country	45	20
	08-10 Dodge Grand Caravan		20
	09-10 Volkswagen Routan		20
42 87452	08-11 Toyota Highlander All, Inc. Hybrid	45	25
46 87454	01-06 Acura MDX	40	30
	03-08 Honda Pilot		30
52 87455	07-11 BMW X5	41	75
53 87456	07-09 Dodge Sprinter w/Factory Step Bumper	50	30
	07-09 Freightliner Sprinter w/Factory Step Bumper		30
34 87457	08-11 Nissan Rogue All, Except Krom	29	20
41 87458	04-10 Chevrolet Colorado All Models	42	25
	04-10 GMC Canyon All Models		25
	06-08 Isuzu Pickup 1-Series All Models		25
45 87459	02 Cadillac Escalade All, Inc. EXT	41	15
	02-06 Chevrolet Avalanche		15
	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals		15
	00-06 Chevrolet Tahoe New Body Style w/Amber Turn Signals		15
	00-06 GMC Yukon New Body Style w/Amber Turn Signals		15
	01-02 GMC Yukon Denali New Body Style w/Amber Turn Signals		15
	00-06 GMC Yukon XL		15
01-02 GMC Yukon XL Denali		15	
45 87464	96-04 Chevrolet S-10 Pickup w/Sportside Box & Non-Towing Bumper	35	40
	98-04 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab		40
	96-04 GMC S-15 & Sonoma Pickup w/Sportside Box & Non-Towing Bumper		40

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
45 87464	98-04 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab 98-00 Isuzu Hombre w/Step Bumper	35	40
42 87468	99-00 Cadillac Escalade Old Body Style 92-94 Chevrolet Blazer Full Size 92-99 Chevrolet Suburban Old Body Style 95-00 Chevrolet Tahoe Old Body Style 92-94 GMC Jimmy Full Size 92-99 GMC Suburban 92-00 GMC Yukon Old Body Style 99-00 GMC Yukon Denali Old Body Style	46	30
46 87469	98-02 Mercedes-Benz ML320 03-05 Mercedes-Benz ML350 99-01 Mercedes-Benz ML430 02-05 Mercedes-Benz ML500	23	30
35 87471	02-04 Dodge Dakota Pickup All Models 97-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper 67-93 Dodge Pickup, D/W Series, Full Size 78-96 Ford Bronco Full Size 73-79 Ford F-100, F-150, F-250, F-350 80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia 87-91 Ford F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab 93-95 Ford F-150 Lightning Pickup 92-96 Ford F-150 Styleside/Flareside, All Models Inc. SuperCab 92-96 Ford F-250 All Models Inc. SuperCab 97 Ford F-250 Heavy Duty All Models Inc. SuperCab 92-96 Ford F-350 All Models Inc. SuperCab 97 Ford F-350 Heavy Duty All Models Inc. SuperCab	36	30
63 87472	84-95 Toyota Pickup All, Except T-100	60	60
40 87473	98-01 Honda Passport w/Door Mounted Spare 98-01 Isuzu Rodeo w/Door Mounted Spare	34	15
48 87474	07-11 Acura MDX	29	35
42 87476	08-11 Nissan Armada	39	15
51 87477	96-02 Toyota 4Runner	40	30
40 87478	95-05 Chevrolet Blazer Downsize, All Models 99-01 Chevrolet TrailBlazer 98-01 GMC Envoy 95-02 GMC Jimmy Downsize, All Models 96-01 Oldsmobile Bravada	29	15
41 87479	99-11 Honda Odyssey	44	15
60 87480	88-91 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab w/Deep Drop Bumper 63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper 67-93 Dodge Pickup, D/W Series, Full Size w/Deep Drop Bumper 02 Dodge Pickup, Ram, Full Size 2500 Only, w/Deep Drop Bumper 02 Dodge Pickup, Ram, Full Size 3500 Only, w/Deep Drop Bumper 94-01 Dodge Pickup, Ram, Full Size w/Deep Drop Bumper 74-88 Dodge Ramcharger w/Deep Drop Bumper, Except w/Skid Shield 78-86 Ford Bronco Full Size w/Deep Drop Bumper 63-79 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper 87-91 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper, Inc. SuperCab 80-86 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper, Inc. SuperCab, Will Not Fit Custom Fascia 92-96 Ford F-150 w/Deep Drop Bumper, Inc. SuperCab 92-96 Ford F-250 w/Deep Drop Bumper, Inc. SuperCab 97 Ford F-250 Heavy Duty w/Deep Drop Bumper, Inc. SuperCab 92-96 Ford F-350 w/Deep Drop Bumper, Inc. SuperCab 97 Ford F-350 Heavy Duty w/Deep Drop Bumper, Inc. SuperCab 99-00 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames & w/Deep Drop Bumper 89-97 Ford F-Series Super Duty Cab & Chassis w/34" Wide Frames & 16" Wheelbase & w/Deep Drop Bumper 88-91 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab w/Deep Drop Bumper 63-87 GMC Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper 69-75 International Pickup, Full Size w/Deep Drop Bumper 74-88 Plymouth Trailduster w/Deep Drop Bumper, Except w/Skid Shield	67	40
54 87481	96 Chevrolet Van, G-Series Classic & Sport Full Size w/Lo-Mount Taillights 78-95 Chevrolet Van, G-Series Full Size 78-95 GMC Van, G-Series Full Size 96 GMC Van, G-Series Vandura & Rally Full Size w/Lo-Mount Taillights	51	30
42 87482	87-95 Nissan Pathfinder 2 & 4 Dr.	39	40
34 87484	08-10 Volvo V70 Wagon All, Inc. AWD 08-11 Volvo XC70 Wagon AWD	31	70
31 87486	09-11 Nissan Murano	28	35

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
34 87487	09-10 Dodge Journey	28	25
23 87488	08-10 Toyota Sequoia	21	40
60 87490	93-98 Toyota T-100 Pickup All Models	49	45
51 87491	98-04 Nissan Frontier Pickup All, Inc. Desert Runner 88-97 Nissan Pickup	49	30
54 87492	78-98 Dodge Van, B-Series Full Size 99-03 Dodge Van, Ram Full Size	41	30
37 87493	09-10 Subaru Forester	36	35
45 87495	73-91 Chevrolet Blazer Full Size 73-91 GMC Jimmy Full Size	34	30
42 87498	09-10 Infiniti FX35 09-10 Infiniti FX50	38	40
42 87501	84-91 Chevrolet S-10 Blazer Downsize, 2 Dr. 84-91 Chevrolet S-10 Blazer Downsize, 4 Dr. 83 Chevrolet S-10 Blazer Downsize, All Models 92-94 Chevrolet S-10 Blazer Downsize, All Models 84-91 GMC S-15 Jimmy Downsize, 2 Dr. 84-91 GMC S-15 Jimmy Downsize, 4 Dr. 83 GMC S-15 Jimmy Downsize, All Models 92-94 GMC S-15 Jimmy Downsize, All Models 91-94 Oldsmobile Bravada	32	60
41 87506	03-04 Honda Element 05-10 Honda Element All, Except SC 05-10 Honda Element SC Models Only	23	30
44 87507	95-98 Ford Windstar 03 Ford Windstar Built After 11/2002 99-03 Ford Windstar Built Before 11/2002	38	25
51 87516	90-05 Chevrolet Astro Extended Body 85-94 Chevrolet Astro Standard Body 90-05 GMC Safari Extended Body 85-94 GMC Safari Standard Body	46	30
42 87521	09-11 Toyota Venza	39	20
49 87522	98-03 Dodge Durango	46	15
45 87525	83-84 Chevrolet S-10 Pickup w/Standard Box & Step Bumper 85-97 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg. 98-04 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab 83-84 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper 85-97 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg. 98-04 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab 96-00 Isuzu Hombre w/Step Bumper	38	35
18 87530	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002 09-11 Dodge Pickup, Ram, Full Size 1500 Only 04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10 06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10 06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab 03-05 Dodge Pickup, Ram, Full Size 2500 HD 06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab 03-05 Dodge Pickup, Ram, Full Size 3500 HD 06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab	16	20
16 87532	02-03 Dodge Pickup, Ram, Full Size 1500 Only Built Before 11/2002	20	15
16 87533	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002 04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10 06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10 06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab 03-05 Dodge Pickup, Ram, Full Size 2500 HD 06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab 03-05 Dodge Pickup, Ram, Full Size 3500 HD 06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab	14	20
51 87535	01-06 Mitsubishi Montero Does Not Inc. Montero Sport	43	25
56 87536	96-98 Mazda MPV Van 2 & 4 WD	40	50
37 87539	05-10 Nissan Frontier Pickup 09-10 Suzuki Equator	36	30
45 87541	01-05 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD 04-05 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD 99-05 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD 99-05 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD 99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD 99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD 01-05 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD 04-05 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	46	15

† = Available While Supply Lasts

RECEIVER HITCHES

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME	
45 87541	99-05 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	46	15	
	99-05 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	15	15	
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	15	
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	15	15	
51 87542	91-95 Dodge Caravan Short Wheelbase, 2 & 4 WD	37	30	
	91-95 Dodge Caravan Cargo Van Short Wheelbase, 2 & 4 WD	30	30	
	91-95 Plymouth Voyager Short Wheelbase, 2 & 4 WD	30	30	
	91-95 Plymouth Voyager Long Wheelbase, 2 & 4 WD	30	30	
62 87543	84-90 Ford Bronco II	32	30	
	96-99 Acura SLX	41	40	
	92-02 Isuzu Trooper All Models	40	40	
38 87546	99-00 Cadillac Escalade Old Body Style	40	30	
	92-94 Chevrolet Blazer Full Size	30	30	
	92-99 Chevrolet Suburban Old Body Style	30	30	
	95-00 Chevrolet Tahoe Old Body Style	30	30	
	92-94 GMC Jimmy Full Size	30	30	
	92-99 GMC Suburban	30	30	
	92-00 GMC Yukon Old Body Style	30	30	
	99-00 GMC Yukon Denali Old Body Style	30	30	
	38 87548	02 Cadillac Escalade All, Inc. EXT	36	15
		02-06 Chevrolet Avalanche	15	15
00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals		15	15	
00-06 Chevrolet Tahoe New Body Style w/Amber Turn Signals		15	15	
00-06 GMC Yukon New Body Style w/Amber Turn Signals		15	15	
01-02 GMC Yukon Denali New Body Style w/Amber Turn Signals		15	15	
00-06 GMC Yukon XL		15	15	
01-02 GMC Yukon XL Denali		15	15	
55 87549		96-97 Lexus LX 450	40	30
		91-97 Toyota LandCruiser	30	30
51 87550	02-05 KIA Sedona	33	30	
52 87551	02-05 Land Rover Freelander	29	20	
47 87553	90-95 Chrysler Town & Country Mini Van, 2 WD Long Wheelbase	29	30	
	84-95 Dodge Caravan Short Wheelbase, 2 WD Only	30	30	
	91-93 Dodge Caravan Cargo Van Long Wheelbase, 2 WD Only	30	30	
	94-95 Dodge Caravan Cargo Van Long Wheelbase, 2 WD Only, Except LE	30	30	
	91-95 Dodge Caravan Cargo Van Short Wheelbase, 2 WD Only	30	30	
	84-93 Dodge Grand Caravan Long Wheelbase, 2 WD Only	30	30	
	94-95 Dodge Grand Caravan Long Wheelbase, 2 WD Only, Except LE	30	30	
	84-88 Dodge Mini-Ram	30	30	
	84-90 Plymouth Grand Voyager	30	30	
	91-95 Plymouth Grand Voyager Long Wheelbase, 2 WD Only	30	30	
	84-90 Plymouth Voyager	30	30	
	91-95 Plymouth Voyager Short Wheelbase, 2 WD Only	30	30	
	40 87554	02-04 Dodge Dakota Pickup All Models	39	15
		95-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	30	30
87-94 Dodge Dakota Pickup Inc. Extended Cab		30	30	
43 87562	07-09 Chrysler Aspen	17	50	
	04-09 Dodge Durango	50	50	
46 87565	10-11 Ford Taurus Sedan, Inc. SHO	42	30	
37 87566	10-11 Volvo XC60	30	45	
44 87567	93-98 Jeep Grand Cherokee	39	35	
	93 Jeep Grand Wagoneer	35	35	
45 87568	10-11 Subaru Legacy Sedan	37	45	
	10-11 Subaru Outback Wagon All, Except Sport	45	45	
32 87569	10-11 Lexus RX 350	30	30	
	10 Lexus RX 450h Hybrid	30	30	
34 87570	10 Ford Transit Connect	31	20	
48 87571	09-11 Ford Flex All, Inc. EcoBoost	37	30	
	10-11 Lincoln MKT All Models	30	30	
48 87572	05-09 Chevrolet Equinox	35	30	
	10-11 Chevrolet Equinox All Models	30	30	
	10-11 GMC Terrain All Models	30	30	
	06-09 Pontiac Torrent	30	30	
	02-07 Saturn Vue All, Except Redline	30	30	
31 87573	10-11 Cadillac SRX	18	15	
	10-11 Cadillac SRX	18	15	
45 87574	10 Hyundai Santa Fe	46	15	
	11 KIA Sorento All, Except SX V6	15	15	
	11 KIA Sorento SX V6	15	15	
36 87575	08-10 Land Rover LR2	24	20	
47 87576	09-10 Ford Edge Sport	29	45	
35 87578	02-06 Honda CR-V	37	30	
47 87579	95-97 Toyota Tacoma Pickup 4 WD Only (App. starts with 95-1/2)	40	20	
	98-04 Toyota Tacoma Pickup All, 2 & 4 WD Including PreRunner	20	20	
24 87580	10 Lexus GX 460	9	15	
47 87581	05-11 Toyota Tacoma Pickup All, Except X-Runner	41	30	
33 87583	09-10 Ford F-150 Flareside (New Body Style)	42	20	

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
09-10	Ford F-150 Styleside (New Body Style)	20	20
	Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds	20	20
39 87584	10-11 Acura RDX	28	30
44 87585	05-11 Ford Escape All, Inc. Hybrid	34	25
	05-06 Mazda Tribute	25	25
	08-10 Mazda Tribute All, Inc. Hybrid	25	25
	05-11 Mercury Mariner All, Inc. Hybrid	25	25
48 87586	11 Toyota Sienna Van All Models	37	45
51 87588	00-06 Toyota Tundra	50	15
44 87591	84-01 Jeep Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	36	40
	84-90 Jeep Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)	40	40
57 87593	10 Mercedes-Benz GLK350 All Models	39	20
29 87595	11 Jeep Grand Cherokee All, Except Models w/OEM Tow Hook	32	20
	11 Jeep Grand Cherokee Models w/OEM Tow Hook	40	40
45 87597	99-07 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	59	20
	99-07 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	20	20
39 87599	75-83 Ford E-100 Econoline Van Full Size, All Models	33	20
	75-11 Ford E-150 Econoline Van Full Size, All Models	20	20
	75-11 Ford E-250 Econoline Van Full Size, All Models	20	20
	75-11 Ford E-350 Econoline Van Full Size, All Models	20	20
11 87600	09-11 Volkswagen Tiguan	9	20
45 87601	99-04 Jeep Grand Cherokee	43	15
57 87602	11 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	51	20
	11 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	11 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	11 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	11 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	11 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20
55 87603	09-11 Audi Q5	33	30
47 87604	11 Ford Edge All, Except Sport Models	34	45
	11 Lincoln MKX	45	45
35 87605	10-11 Hyundai Tucson	32	15
	11 KIA Sportage	15	15
42 87638	98-03 Toyota Sienna Van	33	30
55 87647	03-06 Dodge Sprinter All 41" Wide Frames, Except 118" Wheelbase & Factory Metal Step Platform	41	20
	03-06 Freightliner Sprinter All 41" Wide Frames, Except 118" Wheelbase & Factory Metal Step Platform	20	20
59 87661	04-09 Cadillac SRX All, Except Models w/Sport Package Fascia	56	60
49 87668	93-98 Mercury Villager Mini Van	40	25
	93-98 Nissan Quest Mini Van	25	25
57 87670	04-09 Nissan Quest Mini Van	58	20
38 87717	96-03 Chrysler Town & Country All, Inc. 4 WD	32	25
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD	20	20
	01-03 Chrysler Voyager All, Inc. 4 WD	20	20
	96-03 Dodge Caravan All, Inc. 2 & 4 WD	25	25
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD	20	20
	96-03 Dodge Grand Caravan All, Inc. 4 WD	25	25
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD	20	20
	96-00 Plymouth Grand Voyager All, Inc. 4 WD	25	25
96-00 Plymouth Voyager All, Inc. 4 WD	25	25	
55 87719	05-07 Chrysler Town & Country w/Stow & Go Seats, Inc. 4 WD	47	25
	05-07 Dodge Grand Caravan w/Stow & Go Seats, Inc. 4 WD	25	25
28 87752	06-10 Jeep Commander	23	20
	05-10 Jeep Grand Cherokee All, Except SRT-8 & Models w/OEM Tow Hook	20	20
	05-10 Jeep Grand Cherokee Models w/OEM Tow Hook	90	90
40 87753	05-10 Dodge Dakota Pickup All Models	38	20
	06-09 Mitsubishi Raider	20	20
51 87755	07-08 Mercedes-Benz ML320 CDI	41	50
	06-11 Mercedes-Benz ML350	50	50
	06-07 Mercedes-Benz ML500	50	50
	08-10 Mercedes-Benz ML550	50	50
62 87780	01-07 Toyota Sequoia	38	20
49 87810	03-11 Volvo XC90	29	25

CLASS III/IV: HD RECEIVER

54 35365	96 Chevrolet Van, G-Series Classic & Sport Full Size w/Lo-Mount Taillights	54	30
	78-95 Chevrolet Van, G-Series Full Size	30	30

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
47 41116	79-82 Mercury Marquis Sedan	49	30
	79-82 Mercury Monterey Sedan		30
54 41121	96 Chevrolet Van, G-Series Classic & Sport Full Size w/Lo-Mount Taillights	51	30
	78-95 Chevrolet Van, G-Series Full Size		30
	78-95 GMC Van, G-Series Full Size		30
	96 GMC Van, G-Series Vandura & Rally Full Size w/Lo-Mount Taillights		30
60 41504	88-91 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab w/Deep Drop Bumper	67	40
	63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper		40
	67-93 Dodge Pickup, D/W Series, Full Size w/Deep Drop Bumper		40
	02 Dodge Pickup, Ram, Full Size 2500 Only, w/Deep Drop Bumper		40
	02 Dodge Pickup, Ram, Full Size 3500 Only, w/Deep Drop Bumper		40
	94-01 Dodge Pickup, Ram, Full Size w/Deep Drop Bumper		40
	74-88 Dodge Ramcharger w/Deep Drop Bumper, Except w/Skid Shield		40
	78-86 Ford Bronco Full Size w/Deep Drop Bumper		40
	63-79 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper		40
	87-91 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper, Inc. SuperCab		40
	80-86 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper, Inc. SuperCab, Will Not Fit Custom Fascia		40
	92-96 Ford F-150 w/Deep Drop Bumper, Inc. SuperCab		40
	92-96 Ford F-250 w/Deep Drop Bumper, Inc. SuperCab		40
	97 Ford F-250 Heavy Duty w/Deep Drop Bumper, Inc. SuperCab		40
	92-96 Ford F-350 w/Deep Drop Bumper, Inc. SuperCab		40
	97 Ford F-350 Heavy Duty w/Deep Drop Bumper, Inc. SuperCab		40
	99-00 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames & w/Deep Drop Bumper		40
	89-97 Ford F-Series Super Duty Cab & Chassis w/34" Wide Frames & 16" Wheelbase & w/Deep Drop Bumper		40
	88-91 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab w/Deep Drop Bumper		40
	63-87 GMC Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper		40
	69-75 International Pickup, Full Size w/Deep Drop Bumper		40
	74-88 Plymouth Trailduster w/Deep Drop Bumper, Except w/Skid Shield		40
65 41509	91-96 Buick Roadmaster Estate Wagon Full Size	58	40
	91-96 Chevrolet Caprice Estate Wagon		40
	91-92 Oldsmobile Custom Cruiser Wagon Full Size		40
42 41511	99-00 Cadillac Escalade Old Body Style	46	30
	92-94 Chevrolet Blazer Full Size		30
	92-99 Chevrolet Suburban Old Body Style		30
	95-00 Chevrolet Tahoe Old Body Style		30
	92-94 GMC Jimmy Full Size		30
	92-99 GMC Suburban		30
	92-00 GMC Yukon Old Body Style		30
	99-00 GMC Yukon Denali Old Body Style		30
45 41516	94-99 Chevrolet S-10 Pickup w/Rear Fascia & No Step Bumper	34	40
	94-99 GMC S-15 & Sonoma Pickup w/Rear Fascia & No Step Bumper		40
	92-93 GMC Sonoma GT		40
	96-00 Isuzu Hombre w/Rear Fascia & No Step Bumper		40
42 41520	97-03 Ford F-150 Light Duty Flareside	51	30
	97-03 Ford F-150 Light Duty Styleside		30
	04 Ford F-150 Light Duty Heritage Flareside (Old Body Style)		30
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)		30
	00-03 Ford F-150 SuperCrew		30
	97-99 Ford F-250 Light Duty Styleside		30
43 41521	96-11 Chevrolet Express Van Full Size	42	15
	96-11 GMC Savana Van Full Size		15
45 41522	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed Equipped w/Aftermarket Roll Pan	27	40
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed Equipped w/Aftermarket Roll Pan		40
	88-00 GMC Pickup, C/K Series w/6 ft. Bed Equipped w/Aftermarket Roll Pan		40
	88-00 GMC Pickup, C/K Series w/8 ft. Bed Equipped w/Aftermarket Roll Pan		40
45 41524	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	48	20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		20
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		20
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders		20
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		20
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		20
54 41525	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	53	20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		20
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		20
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders		20
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		20
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		20

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
51 41527	97-02 Ford Expedition	54	15
	98-02 Lincoln Navigator		15
55 41528	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed Regular & Extended Cabs, Inc. Sportside Fenders w/10" Deep Drop Bumper	50	20
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab, w/10" Deep Drop Bumper		20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed Regular & Extended Cabs, w/10" Deep Drop Bumper		20
	88-00 GMC Pickup, C/K Series w/6 ft. Bed Regular & Extended Cabs, Inc. Sportside Fenders w/10" Deep Drop Bumper		20
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab, w/10" Deep Drop Bumper		20
	88-00 GMC Pickup, C/K Series w/8 ft. Bed Regular & Extended Cabs, w/10" Deep Drop Bumper		20
43 41531	97-06 Jeep TJ Canada	26	15
	97 Jeep Wrangler		15
	98-06 Jeep Wrangler All, Inc. Unlimited		15
56 41533	94-98 Dodge Van, B-Series Full Size	50	20
	99-03 Dodge Van, Ram Full Size		20
56 41534	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	54	20
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		20
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		20
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD		20
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		20
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		20
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		20
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		20
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		20
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		20
58 41536	94-01 Dodge Pickup, Ram, Full Size	46	15
	02 Dodge Pickup, Ram, Full Size 2500 Only		15
	02 Dodge Pickup, Ram, Full Size 3500 Only		15
36 41537	99-04 Chevrolet Tracker	29	15
	99-05 Suzuki Grand Vitara		15
	99-05 Suzuki Vitara		15
	01-06 Suzuki XL-7		15
45 41540	02 Cadillac Escalade All, Inc. EXT	41	15
	02-06 Chevrolet Avalanche		15
	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals		15
	00-06 Chevrolet Tahoe New Body Style w/Amber Turn Signals		15
	00-06 GMC Yukon New Body Style w/Amber Turn Signals		15
	01-02 GMC Yukon Denali New Body Style w/Amber Turn Signals		15
	00-06 GMC Yukon XL		15
	01-02 GMC Yukon XL Denali		15
44 41541	99-03 Lexus RX 300	34	15
	01-03 Toyota Highlander		15
51 41543	01-06 Hyundai Santa Fe	28	35
47 41544	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	55	20
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		20
	01-06 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		20
63 41547	99-00 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames	60	60
	99-11 Ford F-450 Super Duty Cab & Chassis w/34" Wide Frames		60
	99-11 Ford F-550 Super Duty Cab & Chassis w/34" Wide Frames		60
57 41549	04-05 Ford F-150 Flareside (New Body Style)	55	30
	04-05 Ford F-150 Styleside (New Body Style)		30
	04-05 Ford F-150 SuperCrew New Body Style, w/5.5 ft. Bed		30
	06 Lincoln Mark LT Built Before 8/2005		30
45 41550	04-07 Infiniti QX56	35	15

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS) TIME
45 41550	04-07 Nissan Armada	35 15
47 41551	04-11 Nissan Titan Pickup Crew Cab 5.6 ft. Bed	40 15
	04-11 Nissan Titan Pickup Crew Cab 7.25 ft. Bed	15
	04-11 Nissan Titan Pickup King Cab 6.5 ft. Bed	15
	04-11 Nissan Titan Pickup King Cab 8 ft. Bed	15
47 41552	99-07 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	52 30
	99-07 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	30
CLASS III/IV: MULTI-FIT		
56 37034	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	63 40
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	40
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	40
	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	25
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	25
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	25
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	25
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	25
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	25
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	25
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	25
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	25
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	25
	71-93 Dodge Pickup, D/W Series, Full Size	25
	94-01 Dodge Pickup, Ram, Full Size	40
	02 Dodge Pickup, Ram, Full Size 2500 Only	40
	02 Dodge Pickup, Ram, Full Size 3500 Only	40
	73-79 Ford F-100, F-150, F-250, F-350	35
	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	35
	87-91 Ford F-100, F-150, F-250, F-350 Styleside/Floreside, All Models Inc. SuperCab	35
	92-96 Ford F-150 Styleside/Floreside, All Models Inc. SuperCab	35
	97-03 Ford F-150 Light Duty Floreside	25
	97-03 Ford F-150 Light Duty Styleside	25
	04 Ford F-150 Light Duty Heritage Floreside (Old Body Style)	25
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)	25
	00-03 Ford F-150 SuperCrew	25
	92-96 Ford F-250 All Models Inc. SuperCab	35
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab	35
	97-99 Ford F-250 Light Duty Styleside	25
	99-04 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	30
	92-96 Ford F-350 All Models Inc. SuperCab	35
	97 Ford F-350 Heavy Duty All Models Inc. SuperCab	35
	99-04 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	30
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	40
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	40
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	40
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	25
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	25
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	25
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	25
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	25
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	25
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	25
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	25
	00-06 Toyota Tundra	30
56 37051	95-05 Chevrolet Blazer Downsize, All Models	42 30
	96-11 Chevrolet Express Van Full Size	35
	99-01 Chevrolet TrailBlazer	30
	92-11 Ford E-150 Econoline Van Full Size, All Models	20
	92-03 Ford E-250 Econoline Van Full Size, All Models	20
	04-11 Ford E-250 Econoline Van Full Size, Except E-250 Super Wagon Cargo Van Models	20
	92-94 Ford E-350 Econoline Van Full Size, All Models	20
	95-03 Ford E-350 Econoline Van Full Size, Inc. Super Wagon	25
	91-00 Ford Explorer 2 & 4 Dr.	20
	01-03 Ford Explorer 2 Dr. Sport	30
	01 Ford Explorer 4 Dr.	30
	98-01 GMC Envoy	30
	95-02 GMC Jimmy Downsize, All Models	30
	96-11 GMC Savana Van Full Size	35
	91-94 Mazda Navajo	25
	97-01 Mercury Mountaineer	30
	96-01 Oldsmobile Bravada	30

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS) TIME
51 37069	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	47 40
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	40
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	40
	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	25
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	25
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	25
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	25
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	25
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	25
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	25
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	25
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	25
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	25
	71-93 Dodge Pickup, D/W Series, Full Size	25
	94-01 Dodge Pickup, Ram, Full Size	40
	02 Dodge Pickup, Ram, Full Size 2500 Only	40
	02 Dodge Pickup, Ram, Full Size 3500 Only	40
	73-79 Ford F-100, F-150, F-250, F-350	35
	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	35
	87-91 Ford F-100, F-150, F-250, F-350 Styleside/Floreside, All Models Inc. SuperCab	35
	04-05 Ford F-150 Floreside (New Body Style)	45
	04-05 Ford F-150 Styleside (New Body Style)	45
	92-96 Ford F-150 Styleside/Floreside, All Models Inc. SuperCab	35
	97-03 Ford F-150 Light Duty Floreside	25
	97-03 Ford F-150 Light Duty Styleside	25
	04 Ford F-150 Light Duty Heritage Floreside (Old Body Style)	25
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)	25
	00-03 Ford F-150 SuperCrew	25
	92-96 Ford F-250 All Models Inc. SuperCab	35
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab	35
	97-99 Ford F-250 Light Duty Styleside	25
	99-04 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	30
	92-96 Ford F-350 All Models Inc. SuperCab	35
	97 Ford F-350 Heavy Duty All Models Inc. SuperCab	35
	99-04 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	30
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	40
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	40
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	40
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	25
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	25
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	25
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	25
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	25
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	25
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	25
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	25
	00-06 Toyota Tundra	35
52 37152	90-05 Chevrolet Astro Extended Body	58 0
	92-94 Chevrolet Blazer Full Size	30
	90-11 Chevrolet Express Van Full Size	30
	83-84 Chevrolet S-10 Pickup w/Standard Box & Step Bumper	30
	85-97 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.	30
	98-04 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab	30
	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals	30
	92-99 Chevrolet Suburban Old Body Style	30
	00-06 Chevrolet Tahoe New Body Style w/Amber Turn Signals	30
	95-00 Chevrolet Tahoe Old Body Style	30
	96-03 Chrysler Town & Country All, Inc. 4 WD	40
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD	40
	90-95 Chrysler Town & Country Mini Van, 2 WD Long Wheelbase	40
	01-03 Chrysler Voyager All, Inc. 4 WD	40
	96-03 Dodge Caravan All, Inc. 2 & 4 WD	40
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD	40
	84-95 Dodge Caravan Short Wheelbase, 2 WD Only	40
	91-95 Dodge Caravan Cargo Van Short Wheelbase, 2 WD Only	30
	02-04 Dodge Dakota Pickup All, Except Quad Cab	35
	95-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	35
	87-94 Dodge Dakota Pickup Inc. Extended Cab	35
	96-03 Dodge Grand Caravan All, Inc. 4 WD	40
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD	40
	84-93 Dodge Grand Caravan Long Wheelbase, 2 WD Only	30

† = Available While Supply Lasts

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME	
52 37152	94-95 Dodge Grand Caravan Long Wheelbase, 2 WD Only, Except LE	58	30	
	82-93 Dodge Ramcharger		30	
	86-97 Ford Aerostar Van Extended Body		40	
	82-96 Ford Bronco Full Size		30	
	84-90 Ford Bronco II		30	
	01-04 Ford Escape		60	
	98-11 Ford Ranger Pickup All, Except Flareside or w/Rear Fascia		40	
	83-97 Ford Ranger Pickup All, Except w/Rear Fascia		40	
	03 Ford Windstar Built After 11/2002		40	
	99-03 Ford Windstar Built Before 11/2002		40	
	92-94 GMC Jimmy Full Size		30	
	83-84 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper		40	
	85-97 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.		40	
	98-04 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2, Highlander Pkg. & Crew Cab		40	
	90-05 GMC Safari Extended Body		0	
	96-11 GMC Savana Van Full Size		30	
	92-99 GMC Suburban		30	
	00-06 GMC Yukon New Body Style w/Amber Turn Signals		30	
	92-00 GMC Yukon Old Body Style		30	
	01-02 GMC Yukon Denali New Body Style w/Amber Turn Signals		30	
	99-00 GMC Yukon Denali Old Body Style		30	
	00-06 GMC Yukon XL		30	
	01-02 GMC Yukon XL Denali		30	
	98-00 Isuzu Hombre w/Step Bumper		40	
	84-01 Jeep Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)		35	
	93-98 Jeep Grand Cherokee		35	
	02-07 Jeep Liberty		35	
	90-09 Mazda Pickup B-Series All Models		30	
	01-04 Mazda Tribute		60	
	98-04 Nissan Frontier Pickup All, Inc. Desert Runner		35	
	88-97 Nissan Pickup		30	
	86-87 Nissan Pickup (App. starts with 86-1/2)		30	
	84-90 Plymouth Grand Voyager		30	
	96-00 Plymouth Grand Voyager All, Inc. 4 WD		40	
	91-95 Plymouth Grand Voyager Long Wheelbase, 2 WD Only		30	
	84-95 Plymouth Voyager		30	
	96-00 Plymouth Voyager All, Inc. 4 WD		40	
	58 40050	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	59	40
		63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed		40
		88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		40
		92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		40
		67-93 Dodge Pickup, D/W Series, Full Size		40
		94-01 Dodge Pickup, Ram, Full Size		40
		02 Dodge Pickup, Ram, Full Size 2500 Only		40
		02 Dodge Pickup, Ram, Full Size 3500 Only		40
		74-88 Dodge Ramcharger All, Except w/Skid Shield		40
		78-96 Ford Bronco Full Size		40
		63-79 Ford F-100, F-150, F-250, F-350		40
		80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia		40
		87-91 Ford F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab		40
93-95 Ford F-150 Lightning Pickup			40	
92-96 Ford F-150 Styleside/Flareside, All Models Inc. SuperCab			40	
92-96 Ford F-250 All Models Inc. SuperCab			40	
97 Ford F-250 Heavy Duty All Models Inc. SuperCab			40	
92-96 Ford F-350 All Models Inc. SuperCab			40	
97 Ford F-350 Heavy Duty All Models Inc. SuperCab			40	
99-00 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames			40	
89-97 Ford F-Series Super Duty Cab & Chassis w/34" Wide Frames & 16" Wheelbase			40	
88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders			40	
63-87 GMC Pickup, C/K Series w/8 ft. Bed			40	
88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs			40	
92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab			40	
74-88 Plymouth Trailduster All, Except w/Skid Shield			40	
58 82000		88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	59	40
		63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed		40
		88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		40
		92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		40
	67-93 Dodge Pickup, D/W Series, Full Size		40	
	94-01 Dodge Pickup, Ram, Full Size		40	
	02 Dodge Pickup, Ram, Full Size 2500 Only		40	
	02 Dodge Pickup, Ram, Full Size 3500 Only		40	

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
	74-88 Dodge Ramcharger All, Except w/Skid Shield		40
	78-96 Ford Bronco Full Size		40
	63-79 Ford F-100, F-150, F-250, F-350		40
	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia		40
	87-91 Ford F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab		40
	93-95 Ford F-150 Lightning Pickup		40
	92-96 Ford F-150 Styleside/Flareside, All Models Inc. SuperCab		40
	92-96 Ford F-250 All Models Inc. SuperCab		40
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab		40
	92-96 Ford F-350 All Models Inc. SuperCab		40
	97 Ford F-350 Heavy Duty All Models Inc. SuperCab		40
	99-00 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames		40
	89-97 Ford F-Series Super Duty Cab & Chassis w/34" Wide Frames & 16" Wheelbase		40
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders		40
	63-87 GMC Pickup, C/K Series w/8 ft. Bed		40
88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		40	
92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		40	
74-88 Plymouth Trailduster All, Except w/Skid Shield		40	
CLASS V: 2" RECEIVER			
53 41901	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	73	30
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		30
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		30
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		30
54 41902	67-93 Dodge Pickup, D/W Series, Full Size	77	40
60 41904	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	75	30
	87-91 Ford F-100, F-150, F-250, F-350 Styleside, All Models Inc. SuperCab		30
	92-96 Ford F-150 Styleside, All Models Inc. SuperCab		30
	92-96 Ford F-250 All Models Inc. SuperCab		30
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab		30
	92-96 Ford F-350 All Models Inc. SuperCab		30
97 Ford F-350 Heavy Duty All Models Inc. SuperCab		30	
54 41906	92-11 Ford E-150 Econoline Van Full Size, All Models	62	30
	92-11 Ford E-250 Econoline Van Full Size, All Models		30
	92-94 Ford E-350 Econoline Van Full Size, All Models		30
	04-11 Ford E-350 Econoline Van Full Size, All Models		30
	95-03 Ford E-350 Econoline Van Full Size, Inc. Super Wagon		30
75 41909	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Extended Cab, Inc. Sportside Fenders	68	30
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Extended Cab, Inc. Sportside Fenders		30
65 41910	78-98 Dodge Van, B-Series Full Size	68	35
	01-03 Dodge Van, Ram All, Except 109.3" Wheelbase		35
	99-00 Dodge Van, Ram Full Size		35
50 41920	97-03 Ford F-150 Light Duty Flareside	72	30
	97-03 Ford F-150 Light Duty Styleside		30
	04 Ford F-150 Light Duty Heritage Flareside (Old Body Style)		30
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)		30
	00-03 Ford F-150 SuperCrew		30
97-99 Ford F-250 Light Duty Styleside		30	
47 41921	96-11 Chevrolet Express Van Full Size	63	35
	96-11 GMC Savana Van Full Size		35
62 41922	99-04 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	72	15
	99-04 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis		15
60 41923	94-01 Dodge Pickup, Ram, Full Size	69	35
	02 Dodge Pickup, Ram, Full Size 2500 Only		35
	02 Dodge Pickup, Ram, Full Size 3500 Only		35
54 41926	00-11 Ford E-150 Econoline Van Full Size, All Models	51	30
	00-11 Ford E-250 Econoline Van Full Size, Inc. E-250 Super Wagon Cargo Van		30
	00-11 Ford E-350 Econoline Van Full Size, All Models		30
64 41927	99-11 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames	0	40
	99-11 Ford F-450 Super Duty Cab & Chassis w/34" Wide Frames		40
	99-11 Ford F-550 Super Duty Cab & Chassis w/34" Wide Frames		40
65 41929	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	70	35
	04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10		35
	06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab		35
	03-05 Dodge Pickup, Ram, Full Size 2500 HD		35
	06-10 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab		35
	03-05 Dodge Pickup, Ram, Full Size 3500 HD		35
	06-10 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab		35

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
64 41930	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals	59	35
	00-06 GMC Yukon XL		35
	01-02 GMC Yukon XL Denali		35
64 41931	99-11 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	73	30
	99-11 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis		30
65 41932	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	73	20
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		20
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD		20
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		20
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD		20
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		20
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		20
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD		20
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		20
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		20
	71 41933	06-08 Ford F-150 Flareside (New Body Style)	67
06-08 Ford F-150 Styleside (New Body Style)			20
06-08 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds			20
06-08 Lincoln Mark LT Built After 8/2005			20
73 41935	07-10 Toyota Tundra See Footnote CP	84	30
39 41936	07-11 Chevrolet Pickup, Silverado, Cab & Chassis 3500 HD w/34" Wide Frames (New Body Style)	55	30
	01-07 Chevrolet Pickup, Silverado, Cab & Chassis 3500 Series w/34" Wide Frames (Classic)		30
	07-10 Dodge Pickup, Ram, Full Size 3500 HD Chassis Cab		30
	08-10 Dodge Pickup, Ram, Full Size 4500 HD Chassis Cab		30
	08-10 Dodge Pickup, Ram, Full Size 5500 HD Chassis Cab		30
	07-11 GMC Pickup, Sierra, Cab & Chassis 3500 HD w/34" Wide Frames (New Body Style)		30
	01-07 GMC Pickup, Sierra, Cab & Chassis 3500 Series w/34" Wide Frames (Classic)		30
	08-09 Sterling Pickup, Bullet, Full Size 4500 HD Chassis Cab		30
	08-09 Sterling Pickup, Bullet, Full Size 5500 HD Chassis Cab		30
	60 41938	63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed	73
88-91 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab			40
85-00 Chevrolet Pickup, C/K Series, Cab & Chassis w/34" Wide Frames			40
07-11 Chevrolet Pickup, Silverado, Cab & Chassis 3500 HD w/34" Wide Frames (New Body Style)			40
01-07 Chevrolet Pickup, Silverado, Cab & Chassis 3500 Series w/34" Wide Frames (Classic)			40
99-00 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames			40
63-87 GMC Pickup, C/K Series w/8 ft. Bed			40
88-91 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab			40
85-00 GMC Pickup, C/K Series, Cab & Chassis w/34" Wide Frames			40
07-11 GMC Pickup, Sierra, Cab & Chassis 3500 HD w/34" Wide Frames (New Body Style)			40
01-07 GMC Pickup, Sierra, Cab & Chassis 3500 Series w/34" Wide Frames (Classic)		40	
64 41939	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	68	25
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		25
	07-10 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		25
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD		25
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		25
	07-10 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25
	07-10 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		25
	07-10 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD		25
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		25
01-06 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD		25	
07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		25	
07-10 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		25	
01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD		25	
07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		25	
07-10 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25	

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME	
68 41940	07-10 GMC Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	25		
	07-10 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25	
	01-06 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD		25	
	07 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		25	
68 41940	99-10 Chevrolet Kodiak C4500, Cab & Chassis w/34" Wide Frames	80	35	
	99-10 Chevrolet Kodiak C5500, Cab & Chassis w/34" Wide Frames		35	
	99-10 Chevrolet Kodiak C6500, Cab & Chassis w/34" Wide Frames		35	
	99-10 Chevrolet Kodiak C7500, Cab & Chassis w/34" Wide Frames		35	
	99-10 Chevrolet Kodiak C8500, Cab & Chassis w/34" Wide Frames		35	
	63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed		35	
	88-91 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		35	
	85-00 Chevrolet Pickup, C/K Series, Cab & Chassis w/34" Wide Frames		35	
	07-11 Chevrolet Pickup, Silverado, Cab & Chassis 3500 HD w/34" Wide Frames (New Body Style)		35	
	01-07 Chevrolet Pickup, Silverado, Cab & Chassis 3500 Series w/34" Wide Frames (Classic)		35	
	07-10 Dodge Pickup, Ram, Full Size 3500 HD Chassis Cab		35	
	08-10 Dodge Pickup, Ram, Full Size 4500 HD Chassis Cab		35	
	08-10 Dodge Pickup, Ram, Full Size 5500 HD Chassis Cab		35	
	99-11 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames		35	
	99-11 Ford F-450 Super Duty Cab & Chassis w/34" Wide Frames		35	
	99-11 Ford F-550 Super Duty Cab & Chassis w/34" Wide Frames		35	
	63-87 GMC Pickup, C/K Series w/8 ft. Bed		35	
	88-91 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		35	
	85-00 GMC Pickup, C/K Series, Cab & Chassis w/34" Wide Frames		35	
	07-11 GMC Pickup, Sierra, Cab & Chassis 3500 HD w/34" Wide Frames (New Body Style)		35	
	01-07 GMC Pickup, Sierra, Cab & Chassis 3500 Series w/34" Wide Frames (Classic)		35	
	99-10 GMC Topkick C4500, Cab & Chassis w/34" Wide Frames		35	
	99-10 GMC Topkick C5500, Cab & Chassis w/34" Wide Frames		35	
	99-10 GMC Topkick C6500, Cab & Chassis w/34" Wide Frames		35	
	99-10 GMC Topkick C7500, Cab & Chassis w/34" Wide Frames		35	
	99-10 GMC Topkick C8500, Cab & Chassis w/34" Wide Frames		35	
	08-09 Sterling Pickup, Bullet, Full Size 4500 HD Chassis Cab		35	
	08-09 Sterling Pickup, Bullet, Full Size 5500 HD Chassis Cab		35	
	65 41942	11 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	67	20
		11 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
		11 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
		11 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
		11 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
		11 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20
		11 GMC Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		20
11 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)			20	
11 GMC Pickup, Sierra Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)			20	
11 GMC Pickup, Sierra Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)			20	
CLASS V: 2-1/2" RECEIVER				
74 45002	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	63	45	
	87-91 Ford F-100, F-150, F-250, F-350 Styleside, All Models Inc. SuperCab		45	
	92-96 Ford F-250 All Models Inc. SuperCab		45	
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab		45	
	92-96 Ford F-350 All Models Inc. SuperCab		45	
97 Ford F-350 Heavy Duty All Models Inc. SuperCab		45		
72 45005	71-93 Dodge Pickup, D/W Series, Full Size	68	45	
	94-98 Dodge Pickup, Ram, Full Size		45	
74 45006	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	64	45	
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		45	
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		45	
	92-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		45	
73 45007	96-11 Chevrolet Express Van Full Size	56	45	
	96-11 GMC Savana Van Full Size		45	
69 45008	99-11 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	64	20	
	99-11 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis		20	
71 45009	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	70	20	
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		20	
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		20	
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		20	
70 45010	99-01 Dodge Pickup, Ram, Full Size	65	30	
	02 Dodge Pickup, Ram, Full Size 2500 Only		30	
	02 Dodge Pickup, Ram, Full Size 3500 Only		30	
74 45012	99-04 Ford F-250 Super Duty w/Deep Drop Bumper	66	20	
	99-04 Ford F-350 Super Duty w/Deep Drop Bumper		20	

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME		
79 45013	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals	60	50		
	00-06 GMC Yukon XL		50		
	01-02 GMC Yukon XL Denali		50		
70 45014	99-00 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames	63	60		
	99-11 Ford F-450 Super Duty Cab & Chassis w/34" Wide Frames		60		
	99-11 Ford F-550 Super Duty Cab & Chassis w/34" Wide Frames		60		
72 45022	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	62	25		
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		25		
	07-10 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		25		
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD		25		
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		25		
	07-10 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25		
	07-10 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		25		
	07-10 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25		
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD		25		
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		25		
	01-06 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD		25		
	07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		25		
	07-10 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		25		
	01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD		25		
	07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		25		
	07-10 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25		
	07-10 GMC Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		25		
	07-10 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25		
	01-06 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD		25		
	07 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		25		
	74 45288	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	75	35	
		04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10		35	
		06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10		35	
		03-05 Dodge Pickup, Ram, Full Size 2500 HD		35	
		06-10 Dodge Pickup, Ram, Full Size 2500 HD, Except Mega Cab		35	
		03-05 Dodge Pickup, Ram, Full Size 3500 HD		35	
		06-10 Dodge Pickup, Ram, Full Size 3500 HD, Except Mega Cab		35	
		74 45293	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	69	25
			07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		25
			07-10 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		25
	07-10 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)			25	
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD			25	
07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)			25		
01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD			25		
07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)			25		
07-10 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)			25		
07-10 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)			25		
74 45297	99-11 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	86	50		
	99-11 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis		50		
	08-11 Ford F-450 Super Duty Pickups Only - Will Not Fit Cab & Chassis		50		
79 45299	03-05 Dodge Pickup, Ram, Full Size 2500 HD	90	95		
	06-10 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab		95		
	03-05 Dodge Pickup, Ram, Full Size 3500 HD		95		
	06-10 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab		95		
78 45300	11 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	78	60		
	11 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		30		
	11 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		60		
	11 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20		
	11 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		60		
	11 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20		
	11 GMC Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		60		
	11 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		20		
	11 GMC Pickup, Sierra Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		60		

PRO SERIES RECEIVERS

28 51001	84-01 Jeep Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	30	40
	84-90 Jeep Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)		40
28 51003	96 Chevrolet Van, G-Series Classic & Sport Full Size w/Lo-Mount Taillights	47	30

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME	
87-95	Chevrolet Van, G-Series Full Size		30	
	GMC Van, G-Series Full Size		30	
	96 GMC Van, G-Series Vandura & Rally Full Size w/Lo-Mount Taillights		30	
23 51007	75-83 Ford E-100 Econoline Van Full Size, All Models	35	30	
	75-03 Ford E-150 Econoline Van Full Size, All Models		30	
	75-03 Ford E-250 Econoline Van Full Size, All Models		30	
	75-03 Ford E-350 Econoline Van Full Size, All Models		30	
22 51009	80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia	47	30	
	87-91 Ford F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab		30	
	93-95 Ford F-150 Lightning Pickup		30	
	92-96 Ford F-150 Styleside/Flareside, All Models Inc. SuperCab		30	
	92-96 Ford F-250 All Models Inc. SuperCab		30	
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab		30	
	92-96 Ford F-350 All Models Inc. SuperCab		30	
	97 Ford F-350 Heavy Duty All Models Inc. SuperCab		30	
	29 51010	93-98 Jeep Grand Cherokee	34	20
		93 Jeep Grand Wagoneer		20
22 51012	99-00 Cadillac Escalade Old Body Style	34	30	
	92-94 Chevrolet Blazer Full Size		30	
	92-99 Chevrolet Suburban Old Body Style		30	
	95-00 Chevrolet Tahoe Old Body Style		30	
	92-94 GMC Jimmy Full Size		30	
	92-99 GMC Suburban		30	
	92-00 GMC Yukon Old Body Style		30	
	99-00 GMC Yukon Denali Old Body Style		30	
	25 51016	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	53	40
		63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed		40
88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs			40	
88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab			40	
67-93 Dodge Pickup, D/W Series, Full Size			40	
94-01 Dodge Pickup, Ram, Full Size			40	
02 Dodge Pickup, Ram, Full Size 2500 Only			40	
02 Dodge Pickup, Ram, Full Size 3500 Only			40	
63-79 Ford F-100, F-150, F-250, F-350			40	
80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia			40	
87-91 Ford F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab			40	
93-96 Ford F-150 Lightning Pickup			40	
92-96 Ford F-150 Styleside/Flareside, All Models Inc. SuperCab			40	
92-96 Ford F-250 All Models Inc. SuperCab			40	
97 Ford F-250 Heavy Duty All Models Inc. SuperCab			40	
92-96 Ford F-350 All Models Inc. SuperCab			40	
97 Ford F-350 Heavy Duty All Models Inc. SuperCab			40	
88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders			40	
63-87 GMC Pickup, C/K Series w/8 ft. Bed			40	
88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs			40	
88-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab			40	
32 51017		88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	52	40
		63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed		40
		88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		40
		88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		40
		67-93 Dodge Pickup, D/W Series, Full Size		40
		94-01 Dodge Pickup, Ram, Full Size		40
		02 Dodge Pickup, Ram, Full Size 2500 Only		40
		02 Dodge Pickup, Ram, Full Size 3500 Only		40
		63-79 Ford F-100, F-150, F-250, F-350		40
		80-86 Ford F-100, F-150, F-250, F-350 All, Inc. SuperCab, Will Not Fit Custom Fascia		40
		87-91 Ford F-100, F-150, F-250, F-350 Styleside/Flareside, All Models Inc. SuperCab		40
	93-96 Ford F-150 Lightning Pickup		40	
	92-96 Ford F-150 Styleside/Flareside, All Models Inc. SuperCab		40	
	92-96 Ford F-250 All Models Inc. SuperCab		40	
	97 Ford F-250 Heavy Duty All Models Inc. SuperCab		40	
	92-96 Ford F-350 All Models Inc. SuperCab		40	
97 Ford F-350 Heavy Duty All Models Inc. SuperCab		40		
88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders		40		
63-87 GMC Pickup, C/K Series w/8 ft. Bed		40		
88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs		40		
88-00 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab		40		
23 51020	97-03 Ford F-150 Light Duty Flareside	38	15	

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
23 51020	97-03 Ford F-150 Light Duty Styleside	38	15
	04 Ford F-150 Light Duty Heritage Flareside (Old Body Style)	15	15
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)	15	15
	00-03 Ford F-150 SuperCrew	15	15
	97-99 Ford F-250 Light Duty Styleside	15	15
25 51021	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	49	20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20	20
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20	20
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	20	20
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20	20
23 51022	88-00 Chevrolet Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	44	20
	88-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20	20
	92-00 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab	20	20
	88-00 GMC Pickup, C/K Series w/6 ft. Bed 2 Dr. Regular & Extended Cabs, Inc. Sportside Fenders	20	20
	88-00 GMC Pickup, C/K Series w/8 ft. Bed 2 Dr. Regular & Extended Cabs	20	20
29 51023	96-11 Chevrolet Express Van Full Size	39	15
	96-11 GMC Savana Van Full Size	15	15
33 51024	97-02 Ford Expedition	54	15
	98-02 Lincoln Navigator	15	15
29 51025	02-04 Dodge Dakota Pickup All, Except Quad Cab	33	30
	95-01 Dodge Dakota Pickup All, Inc. RT & Dakota Sport w/Step Bumper	30	30
	87-94 Dodge Dakota Pickup Inc. Extended Cab	30	30
29 51027	95-98 Ford Windstar	34	40
	03 Ford Windstar Built After 11/2002	40	40
	99-03 Ford Windstar Built Before 11/2002	40	40
27 51029	90-05 Chevrolet Astro Extended Body	44	30
	90-05 GMC Safari Extended Body	30	30
19 51031	95-05 Chevrolet Blazer Downsize, All Models	29	15
	99-01 Chevrolet TrailBlazer	15	15
	98-01 GMC Envoy	15	15
	95-02 GMC Jimmy Downsize, All Models	15	15
	96-01 Oldsmobile Bravada	15	15
19 51032	93-11 Ford Ranger Pickup	30	20
	83-92 Ford Ranger Pickup All, Except GT	20	20
	94-09 Mazda Pickup B-Series All Models	20	20
29 51033	91-00 Ford Explorer 2 & 4 Dr.	33	15
	01-03 Ford Explorer 2 Dr. Sport	15	15
	01 Ford Explorer 4 Dr.	15	15
	91-94 Mazda Navajo	15	15
	97-01 Mercury Mountaineer	15	15
33 51035	98-03 Dodge Durango	36	15
	98-03 Dodge Van, B-Series Full Size	40	30
28 51037	99-03 Dodge Van, Ram Full Size	30	30
	99-03 Dodge Van, Full Size	30	30
23 51039	94-01 Dodge Pickup, Ram, Full Size	43	15
	02 Dodge Pickup, Ram, Full Size 2500 Only	15	15
	02 Dodge Pickup, Ram, Full Size 3500 Only	15	15
28 51041	02 Cadillac Escalade All, Inc. EXT	36	15
	02-06 Chevrolet Avalanche	15	15
	00-06 Chevrolet Suburban New Body Style w/Amber Turn Signals	15	15
	00-06 Chevrolet Tahoe New Body Style w/Amber Turn Signals	15	15
	00-06 GMC Yukon New Body Style w/Amber Turn Signals	15	15
	01-02 GMC Yukon Denali New Body Style w/Amber Turn Signals	15	15
	00-06 GMC Yukon XL	15	15
	01-02 GMC Yukon XL Denali	15	15
	01-02 GMC Yukon XL Denali	15	15
32 51046	97-03 Infiniti QX4	38	20
	96-04 Nissan Pathfinder 2 & 4 Dr.	20	20
28 51047	00-06 Toyota Tundra	51	15
30 51050	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	55	20
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	20	20
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	20	20
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	20	20
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD	20	20
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	20	20
	01-06 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD	20	20
	07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	20	20
	01-06 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD	20	20
	07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	20	20
	01-06 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD	20	20
	07 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	20	20
	01-06 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD	20	20
21 51054	02-07 Jeep Liberty	43	20
	99-04 Jeep Grand Cherokee	37	15

Part PC No.	YEAR MAKE/MODEL	WT. INST. (LBS)	INST. TIME
28 51062	96-03 Chrysler Town & Country All, Inc. 4 WD	38	30
	04-07 Chrysler Town & Country Except Stow & Go Seats, Inc. 4 WD	30	30
	01-03 Chrysler Voyager All, Inc. 4 WD	30	30
	96-03 Dodge Caravan All, Inc. 2 & 4 WD	30	30
	04-07 Dodge Caravan Except Stow & Go Seats, Inc. 2 & 4 WD	30	30
	96-03 Dodge Grand Caravan All, Inc. 4 WD	30	30
	04-07 Dodge Grand Caravan Except Stow & Go Seats, Inc. 4 WD	30	30
	96-00 Plymouth Grand Voyager All, Inc. 4 WD	30	30
	96-00 Plymouth Voyager All, Inc. 4 WD	30	30
	28 51063	98-04 Chevrolet S-10 Pickup All, Except Sportside Box w/Non-Towing Bumper & Standard Box w/Rear Fascia	49
98-04 GMC S-15 & Sonoma Pickup All, Except Sportside Box w/Non-Towing Bumper & Standard Box w/Rear Fascia		20	20
98-00 Isuzu Hombre w/Step Bumper		20	20
34 51064	04-05 Ford F-150 Flareside (New Body Style)	48	30
	04-05 Ford F-150 Styleside (New Body Style)	30	30
	04-05 Ford F-150 SuperCrew New Body Style, w/5.5 ft. Bed	30	30
18 51067	07-09 Chrysler Aspen	7	30
	04-09 Dodge Durango	30	30
28 51068	99-07 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	47	20
	99-07 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	20	20
23 51072	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	41	15
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	15
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	15	15
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	15	15
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	15	15
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	15	15
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	15	15
	07-11 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	15	15
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	15	15
07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	15	15	
07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	15	15	
99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	15	15	
07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	15	15	
07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	15	15	
99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	15	15	
99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	15	15	
21 51073	01-06 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	39	20
	07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	20	20
	07-10 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	01-06 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	20	20
	07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	20	20
	07-10 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	07-10 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	07-10 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	20	20
	01-06 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD	20	20
	07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	20	20
21 51074	04-10 Chevrolet Colorado All Models	42	25
	04-10 GMC Canyon All Models	25	25
	06-08 Isuzu Pickup I-Series All Models	25	25

† = Available While Supply Lasts

RECEIVER HITCHES

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
23 51075	06-08 Ford F-150 Flareside (New Body Style)	36	20
	06-08 Ford F-150 Styleside (New Body Style)		20
	06-08 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds		20
	06-08 Lincoln Mark LT Built After 8/2005		20
34 51076	07-09 Hyundai Santa Fe	43	20
19 51077	07-11 Jeep Wrangler	15	20
	07-10 Jeep Wrangler Unlimited, 4 Dr.		20
18 51079	05-07 Buick Terraza All, Inc. AWD	39	40
	05-08 Chevrolet Uplander All, Inc. AWD		40
	09 Chevrolet Uplander All, Inc. AWD (Canada Only)		40
	97-05 Chevrolet Venture All, Inc. AWD		40
	97-04 Oldsmobile Silhouette All, Inc. AWD		40
	99-05 Pontiac Montana All, Inc. AWD		40
	05-06 Pontiac Montana SV6 All, Inc. AWD		40
	07-09 Pontiac Montana SV6 All, Inc. AWD (Canada Only)		40
	97-98 Pontiac Trans Sport Van All, Inc. Montana		40
	05-07 Saturn Relay All, Inc. AWD		40
	04-10 Toyota Sienna Van All Models	36	30
23 51081	01-06 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	42	15
	07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		15
	04-06 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD		15
	07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)		15
	99-06 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD		15
	07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		15
	99-06 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD		15
	07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)		15
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD		15
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		15
	01-06 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD		15
	07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		15
	04-06 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD		15
	07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)		15
	07-11 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)		15
	99-06 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD		15
	07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		15
07-11 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		15	
99-06 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD		15	
07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		15	
07-11 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)		15	
99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		15	
99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		15	
26 51082	03-09 KIA Sorento	37	15
22 51083	08-11 Buick Enclave	24	25
	09-11 Chevrolet Traverse		25
	07-11 GMC Acadia		25
	07-09 Saturn Outlook		25
34 51084	04-08 Chrysler Pacifica	35	45
21 51085	07-10 Jeep Compass	29	15
	07-10 Jeep Compass Rallye Edition		30
	07-11 Jeep Patriot		15
28 51087	07-10 Toyota FJ Cruiser	34	30
21 51088	01-06 Hyundai Santa Fe	28	35
28 51089	07-10 Dodge Nitro	39	20
22 51090	07-10 Ford Edge All, Except Sport Models	34	45
	07-10 Lincoln MKX		45
20 51091	07-10 Toyota Tundra See Footnote CP	32	20
34 51092	04-06 Mazda MPV Van All Models	44	20
	00-03 Mazda MPV Van w/Ground Effects		20
21 51093	00-06 BMW X5	26	60
28 51094	00-11 Ford E-150 Econoline Van Full Size, All Models	29	15
	00-11 Ford E-250 Econoline Van Full Size, Except E-250 Super Wagon Cargo Van Models		15
	00-11 Ford E-350 Econoline Van Full Size, All Models		15
19 51095	97-03 Ford F-150 Light Duty Flareside	42	20
	97-03 Ford F-150 Light Duty Styleside		20
	04 Ford F-150 Light Duty Heritage Flareside (Old Body Style)		20
	04 Ford F-150 Light Duty Heritage Styleside (Old Body Style)		20
	00-03 Ford F-150 SuperCrew		20
	97-99 Ford F-250 Light Duty Styleside		20
	99-07 Ford F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis		20
	99-07 Ford F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis		20

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME	
20 51096	06-08 Ford F-150 Flareside (New Body Style)	35	20	
	06-08 Ford F-150 Styleside (New Body Style)		20	
	06-08 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds		20	
	06-08 Lincoln Mark LT Built After 8/2005		20	
	06-08 Lincoln Mark LT Built After 8/2005		20	
20 51097	09-10 Ford F-150 Flareside (New Body Style)	38	15	
	09-10 Ford F-150 Styleside (New Body Style)		15	
	09-10 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds		15	
21 51099	00-05 Chevrolet Impala All Models	19	20	
38 51101	00-06 Ford Taurus Sedan, All Models	38	40	
	00-06 Ford Taurus Wagon		40	
	00-05 Mercury Sable Sedan, All Models		40	
	00-05 Mercury Sable Wagon		40	
24 51102	05-07 Buick Terraza All, Inc. AWD	31	40	
	05-08 Chevrolet Uplander All, Inc. AWD		40	
	09 Chevrolet Uplander All, Inc. AWD (Canada Only)		40	
	97-05 Chevrolet Venture All, Inc. AWD		40	
	97-04 Oldsmobile Silhouette All, Inc. AWD		40	
	99-05 Pontiac Montana All, Inc. AWD		40	
	05-06 Pontiac Montana SV6 All, Inc. AWD		40	
	07-09 Pontiac Montana SV6 All, Inc. AWD (Canada Only)		40	
	97-98 Pontiac Trans Sport Van All, Inc. Montana		40	
	05-07 Saturn Relay All, Inc. AWD		40	
	35 51103	83-09 Ford LTD Crown Victoria	49	30
79-82 Ford LTD, Custom & Galaxie Sedan			30	
80-83 Lincoln Mark VI			30	
80-10 Lincoln Town Car			30	
80-89 Lincoln Town Coupe			30	
83-11 Mercury Grand Marquis			30	
03-04 Mercury Marauder			30	
79-82 Mercury Marquis Sedan			30	
79-82 Mercury Monterey Sedan			30	
51 51104		88-91 Chevrolet Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab w/Deep Drop Bumper	67	40
		63-87 Chevrolet Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper		40
	67-93 Dodge Pickup, D/W Series, Full Size w/Deep Drop Bumper		40	
	02 Dodge Pickup, Ram, Full Size 2500 Only, w/Deep Drop Bumper		40	
	02 Dodge Pickup, Ram, Full Size 3500 Only, w/Deep Drop Bumper		40	
	94-01 Dodge Pickup, Ram, Full Size w/Deep Drop Bumper		40	
	74-88 Dodge Ramcharger w/Deep Drop Bumper, Except w/Skid Shield		40	
	78-86 Ford Bronco Full Size w/Deep Drop Bumper		40	
	63-79 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper		40	
	87-91 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper, Inc. SuperCab		40	
	80-86 Ford F-100, F-150, F-250, F-350 w/Deep Drop Bumper, Inc. SuperCab, Will Not Fit Custom Fascia		40	
	92-96 Ford F-150 w/Deep Drop Bumper, Inc. SuperCab		40	
	92-96 Ford F-250 w/Deep Drop Bumper, Inc. SuperCab		40	
	97 Ford F-250 Heavy Duty w/Deep Drop Bumper, Inc. SuperCab		40	
	92-96 Ford F-350 w/Deep Drop Bumper, Inc. SuperCab		40	
	97 Ford F-350 Heavy Duty w/Deep Drop Bumper, Inc. SuperCab		40	
	99-00 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames & w/Deep Drop Bumper		40	
	89-97 Ford F-Series Super Duty Cab & Chassis w/34" Wide Frames & 161" Wheelbase & w/Deep Drop Bumper		40	
	88-91 GMC Pickup, C/K Series w/8 ft. Bed 4 Dr. Crew Cab w/Deep Drop Bumper		40	
	63-87 GMC Pickup, C/K Series w/8 ft. Bed w/Deep Drop Bumper		40	
69-75 International Pickup, Full Size w/Deep Drop Bumper		40		
74-88 Plymouth Trailduster w/Deep Drop Bumper, Except w/Skid Shield		40		
21 51105	94-99 Chevrolet S-10 Pickup w/Rear Fascia & No Step Bumper	34	40	
	94-99 GMC S-15 & Sonoma Pickup w/Rear Fascia & No Step Bumper		40	
	92-93 GMC Sonoma GT		40	
	96-00 Isuzu Hombre w/Rear Fascia & No Step Bumper		40	
35 51106	04-11 Nissan Titan Pickup Crew Cab 5.6 ft. Bed	40	15	
	04-11 Nissan Titan Pickup Crew Cab 7.25 ft. Bed		15	
	04-11 Nissan Titan Pickup King Cab 6.5 ft. Bed		15	
	04-11 Nissan Titan Pickup King Cab 8 ft. Bed		15	
25 51107	83-84 Chevrolet S-10 Pickup w/Standard Box & Step Bumper	37	40	
	85-97 Chevrolet S-10 Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.		40	
	83-84 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper		40	
	85-97 GMC S-15 & Sonoma Pickup w/Standard Box & Step Bumper, Inc. ZR2 & Highlander Pkg.		40	
96-97 Isuzu Hombre w/Step Bumper		40		
30 51108	95-04 Toyota Tacoma Pickup All, 2 & 4 WD (App. starts with 95-1/2)	42	40	
31 51109	00-04 Nissan Xterra	28	15	
18 51138	05-10 Dodge Dakota Pickup All Models	36	20	
	06-09 Mitsubishi Raider		20	

† = Available While Supply Lasts.

RECEIVER HITCH APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
34 51139	06-11 Honda Ridgeline	38	20
30 51141	01-05 Ford Explorer Sport Trac	38	15
32 51142	01-04 Ford Escape	31	35
	01-04 Mazda Tribute		35
11 51143	03 Dodge Pickup, Ram, Full Size 1500 Built After 11/2002	14	20
	04-05 Dodge Pickup, Ram, Full Size 1500, Except Daytona, Hemi Sport Quad Cab, Ram Rumble Bee & SRT-10		20
	06-08 Dodge Pickup, Ram, Full Size 1500, Except Mega Cab & SRT-10		20
	06-08 Dodge Pickup, Ram, Full Size 1500, Inc. Mega Cab		20
	03-05 Dodge Pickup, Ram, Full Size 2500 HD		20
	06-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab		20
	03-05 Dodge Pickup, Ram, Full Size 3500 HD		20
	06-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab		20
37 51144	98-04 Nissan Frontier Pickup All, Inc. Desert Runner	49	30
	88-97 Nissan Pickup		30
25 51145	97-06 Jeep TJ Canada	31	15
	97 Jeep Wrangler		15
	98-06 Jeep Wrangler All, Inc. Unlimited		15
27 51146	05-11 Toyota Tacoma Pickup All, Except X-Runner	37	30
22 51147	05-11 Nissan Frontier Pickup	40	30
	09-10 Suzuki Equator		30
25 51148	04-06 Dodge Durango	44	20
17 51149	06-10 Jeep Commander	26	20
	05-10 Jeep Grand Cherokee All, Except SRT-8 & Models w/OEM Tow Hook		20
	05-10 Jeep Grand Cherokee Models w/OEM Tow Hook		90
25 51151	02-07 Buick Rendezvous All, Inc. Ultra	33	40
	01-05 Pontiac Aztek All, Inc. AWD		40
27 51152	99-04 Chevrolet Tracker	29	15
	99-05 Suzuki Grand Vitara		15
	99-05 Suzuki Vitara		15
	01-06 Suzuki XL-7		15
33 51153	99-03 Lexus RX 300	34	15
	01-03 Toyota Highlander		15
35 51154	98-02 Mercedes-Benz ML320	23	30
	03-05 Mercedes-Benz ML350		30
	99-01 Mercedes-Benz ML430		30
	02-05 Mercedes-Benz ML500		30
30 51155	04-06 Lexus RX 330 All, Inc. Models w/18" Spare Tire	37	20
	07-09 Lexus RX 350		20
	06-09 Lexus RX 400h Hybrid		20
	04-07 Toyota Highlander All, Inc. Hybrid		20
31 51156	99-11 Honda Odyssey	44	15
25 51157	06-11 Toyota RAV4	35	20
33 51158	08-11 Toyota Highlander All, Inc. Hybrid	45	25
29 51159	01-06 Acura MDX	40	30
	03-08 Honda Pilot		30
19 51161	00-04 Ford Focus Sedan	20	20
	05-07 Ford Focus Sedan, Except w/Street Appearance Pkg.		20
	00-07 Ford Focus ZX3 3 Dr. Hatchback, Except SVT & w/Street Appearance Pkg.		20
	02-07 Ford Focus ZX5 5 Dr. Hatchback, Except SVT & w/Street Appearance Pkg.		20
27 51162	01-06 Hyundai Elantra All Models, Inc. GT	24	15
27 51163	03-05 Chevrolet Cavalier All, Except LS Sport	37	40
	95-99 Chevrolet Cavalier All, Except Z-24		40
	02 Chevrolet Cavalier All, Except Z-24		40
	00-01 Chevrolet Cavalier All, Inc. Z-24		40
	03-05 Pontiac Sunfire All Models		40
	95-99 Pontiac Sunfire All, Except GT		40
32 51164	08-10 Chevrolet Cobalt Sport 2 Dr.	48	25
	08-10 Chevrolet Cobalt Sport 4 Dr.		25
	05-10 Chevrolet Cobalt SS 2 Dr., Incl. Supercharged Models		25
	05-10 Chevrolet Cobalt SS 4 Dr.		25
	06-11 Chevrolet HHR		25
	08-10 Chevrolet HHR SS		35
	07-09 Pontiac G5 GT		25
	05-07 Pontiac G5 Pursuit GT 2 Dr. (Canada Only)		25
	05-07 Pontiac G5 Pursuit GT 4 Dr. (Canada Only)		25
	05-07 Saturn Ion 3 w/2.4 Liter Engine		25
	04-06 Saturn Ion Redline		25
21 51165	06-10 Honda Civic 2 Dr., Except Si Models	27	30
	06-10 Honda Civic 2 Dr., Si Models		30
	06-11 Honda Civic 4 Dr., Except Hybrid & Si Models		30
	06-11 Honda Civic 4 Dr., Si Models		30
	06-11 Honda Civic Hybrid		30
16 51166	02-06 Honda CR-V	26	20

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
24 51167	03-07 Honda Accord 2 Dr.	23	25
	03-07 Honda Accord 4 Dr., Including Hybrid		25
12 51168	07-11 Honda CR-V	23	20
22 51169	09-10 Pontiac Vibe All, Except GT Models	26	15
	03-08 Pontiac Vibe All, Inc. GT Models		15
	03-10 Toyota Matrix All Models		15
23 51171	03-10 Toyota Corolla	25	20
31 51172	01-09 Volvo S60 Sedan	35	15
	03-07 Volvo V70 Wagon All, Inc. AWD		15
	01-02 Volvo V70 Wagon All, Inc. AWD & XC		15
	03-07 Volvo XC70 Wagon AWD		15
36 51173	00-05 Buick Le Sabre All Models	35	30
	06-09 Buick Lucerne All, Except Super & Special Edition Models		30
	00-03 Oldsmobile Aurora		30
	00-05 Pontiac Bonneville All Models		30
25 51174	98-08 Subaru Forester All, Inc. XT	33	30
36 51175	05-07 Chrysler Town & Country w/Stow & Go Seats, Inc. 4 WD	44	25
	05-07 Dodge Grand Caravan w/Stow & Go Seats, Inc. 4 WD		25
29 51176	05-10 Chrysler 300 All, Except 300C	35	30
	05-10 Chrysler 300C		30
	08-10 Dodge Challenger All Models		30
	06-10 Dodge Charger All Models		30
	05-08 Dodge Magnum All Models		30
29 51177	08-09 Subaru Legacy Sedan	32	25
	05-07 Subaru Legacy Sedan, Except Outback		25
	05-07 Subaru Legacy Wagon All, Except Outback		25
	05-07 Subaru Outback Sedan, Except Sport		25
	05-09 Subaru Outback Wagon All, Except Sport		25
33 51178	97-03 Lexus ES 300 4 Dr.	29	15
	04-06 Lexus ES 330 4 Dr.		15
	95-99 Toyota Avalon		15
	92-96 Toyota Camry 2 & 4 Dr.		15
	97-06 Toyota Camry 4 Dr.		15
	99-03 Toyota Solara		15
24 51179	05-07 Ford Five Hundred	40	30
	05-07 Ford Freestyle		30
	08-09 Ford Taurus Sedan, All Models		30
	08-09 Ford Taurus X		30
	05-07 Mercury Montego		30
	08-09 Mercury Sable Sedan, All Models		30
26 51180	05-09 Hyundai Tucson	31	25
	05-10 KIA Sportage 4 Cyl. Models		25
	05-10 KIA Sportage 6 Cyl. Models		25
34 51183	05-09 Buick Allure Canada Only	35	30
	97-05 Buick Century Sedan		30
	05-09 Buick La Crosse All, Except Super		30
	98-02 Oldsmobile Intrigue		30
26 51185	05-09 Chevrolet Equinox	32	25
	10-11 Chevrolet Equinox All Models		25
	10-11 GMC Terrain All Models		25
	06-09 Pontiac Torrent		25
	02-07 Saturn Vue All, Except Redline		25
40 51188	00-11 Chevrolet Impala All Models	45	30
28 51190	07-11 Toyota Camry 4 Dr., Except Hybrid	39	45
	07-11 Toyota Camry 4 Dr., Hybrid		45
28 51191†	05-11 Ford Escape All, Inc. Hybrid	32	20
	05-06 Mazda Tribute		20
	08-10 Mazda Tribute All, Inc. Hybrid		20
	05-09 Mercury Mariner All, Inc. Hybrid		20
28 51192	08-10 Chrysler Town & Country	41	20
	08-10 Dodge Grand Caravan		20
	09-10 Volkswagen Routan		20
21 51193	05-09 Chevrolet Equinox	35	30
	10-11 Chevrolet Equinox All Models		30
	10-11 GMC Terrain All Models		30
	06-09 Pontiac Torrent		30
	02-07 Saturn Vue All, Except Redline		30
29 51194	05-11 Ford Escape All, Inc. Hybrid	37	20
	05-06 Mazda Tribute		20
	08-10 Mazda Tribute All, Inc. Hybrid		20
	05-11 Mercury Mariner All, Inc. Hybrid		20
19 51195	11 Jeep Grand Cherokee All, Except Models w/OEM Tow Hook	32	20
	11 Jeep Grand Cherokee Models w/OEM Tow Hook		40
36 51196	11 Toyota Sienna Van All Models	37	45

† = Available While Supply Lasts.

FRONT MOUNTED RECEIVER APPLICATION GUIDE

MAKE/MODEL	YEAR	PC	PART NO.	FOOTNOTES	VERT LOAD	LINE PULL	IN
CHEVROLET							
Blazer	Full Size	92-94	42	65005	JU,JV	500	9000 40
	Downsize, All Models	95-05	38	65004	JW,JX,X	300	9000 30
Express Van	Full Size	96-02	41	65016	X	500	9000 35
	RV Cutaway Only	03	41	65016	X	500	9000 35
Pickup, C Series							
2 Dr. Regular & Extended Cabs, 2WD	88-00	48	65021	JV,KD,KE	500	9000 30	
4 Dr. Crew Cab, 2WD	92-00	48	65021	JV,KD,KE	500	9000 30	
Pickup, C/K Series							
2 Dr. Regular & Extended Cabs	88-00	42	65005	JU,JV,KC	500	9000 40	
Pickup, K Series 4 Dr. Crew Cab, 4WD	92-00	42	65005	JU,JV,KC	500	9000 40	
Pickup, Silverado							
2500 LD 6.6 ft. Bed, 2 & 4 WD	99-04	23	65028	HB	500	9000 20	
2500 LD 8 ft. Bed, 2 & 4 WD	99-04	23	65028	HB	500	9000 20	
1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	99-07	49	65023		500	9000 20	
1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	99-07	49	65023		500	9000 20	
1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	01-07	23	65028	HB	500	9000 20	
2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	01-07	23	65028	HB	500	9000 20	
2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	01-07	23	65028	HB	500	9000 20	
3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	01-07	23	65028	HB	500	9000 20	
1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	04-07	49	65023		500	9000 20	
2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	23	65050	⊙EP,GP,RZ	500	9000 40	
2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	23	65050	⊙EP,GP,RZ	500	9000 40	
3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	23	65050	⊙EP,GP,RZ	500	9000 40	
3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	23	65050	⊙EP,GP,RZ	500	9000 40	
1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	07-11	38	65052	⊙GP,X	500	9000 25	
1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-11	38	65052	⊙GP,X	500	9000 25	
1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-11	38	65052	⊙GP,X	500	9000 25	
2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11	27	65056	⊙EP,GP,RZ	500	9000 45	
2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11	27	65056	⊙EP,GP,RZ	500	9000 45	
3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11	27	65056	⊙EP,GP,RZ	500	9000 45	
3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11	27	65056	⊙EP,GP,RZ	500	9000 45	
S-10 Pickup	94-04	38	65004	JW,JX,X	300	9000 30	
Suburban	Old Body Style	92-99	48	65021	JV,KD	500	9000 30
			42	65005	JU,JV,KC	500	9000 40
	All 1500 Series, 2 & 4 WD	00-06	49	65023		500	9000 20
	All 2500 Series, 2 & 4 WD	00-06	23	65028	HB	500	9000 20
Tahoe	Old Body Style	95-00	42	65005	JU,JV	500	9000 40
	All 1500 Series, 2 & 4 WD	00-06	49	65023		500	9000 20
TrailBlazer	Downsize, All Models	99-01	38	65004	JW,JX,X	300	9000 30
DODGE							
Dakota Pickup	00-04	57	65029	⊙JW	300	9000 25	
Durango	00-03	57	65029	⊙JW	300	9000 25	
Pickup, Ram Sport	95-99	57	65003	⊙JV	500	9000 30	
Pickup, Ram, Full Size		94-01	57	65003	⊙JV	500	9000 30
	2500 Only	02	57	65003	⊙JV	500	9000 30
	3500 Only	02	57	65003	⊙JV	500	9000 30
	1500 Only	02-05	51	65033	⊙	500	9000 25
	2500 HD, Inc. Mega Cab	03-09	51	65046		500	9000 40
	3500 HD, Inc. Mega Cab	03-09	51	65046		500	9000 40

MAKE/MODEL	YEAR	PC	PART NO.	FOOTNOTES	VERT LOAD	LINE PULL	IN	
FORD								
E-150 Econoline Van	Full Size, All Models	91-07	45	65001		500	9000 20	
	Full Size, All Models	08-11	42	65053	EP,GP,JV	500	9000 40	
E-250 Econoline Van	Full Size, All Models	91-07	45	65001		500	9000 20	
	Full Size, All Models	08-11	42	65053	EP,GP,JV	500	9000 40	
E-350 Econoline Van	Full Size, All Models	91-07	45	65001		500	9000 20	
	RV Cutaway	91-07	45	65001		500	9000 20	
	Full Size, All Models	08-11	42	65053	AI,EP,GP,JV	500	9000 50	
	RV Cutaway	08-11	42	65053	AI,EP,GP,JV	500	9000 50	
E-450 Econoline Van	RV Cutaway	91-07	45	65001		500	9000 20	
	RV Cutaway	08-11	42	65053	AI,EP,GP,JV	500	9000 50	
Excursion	00-05	52	65022	AA,KI	500	9000 40		
Expedition	97-02	49	65025	⊙	500	9000 20		
Explorer		91-94	54	65017	⊙	300	9000 35	
	2 Dr. Sport	01-03	37	65030	⊙	300	9000 25	
	4 Dr.	02-05	40	65032		500	9000 30	
Explorer Sport Trac	01-05	37	65030	⊙	300	9000 25		
F-150	Styleside/Flareside, All Models Inc. SuperCab	92-96	51	65011	⊙J,JZ	500	9000 30	
	Lightning Pickup	93-95	51	65011	⊙J,JZ	500	9000 30	
	Flareside (New Body Style)	04-08	45	65043	⊙	500	9000 20	
	Styleside (New Body Style)	04-08	45	65043	⊙	500	9000 20	
	Flareside (New Body Style), 2 & 4 WD	09-10	45	65054	⊙EP,GP	500	9000 30	
	Harley-Davidson, 2 & 4 WD	09-10	45	65054	⊙EP,GP,HB	500	9000 30	
	Styleside (New Body Style), 2 & 4 WD	09-10	45	65054	⊙EP,GP	500	9000 30	
	SVT Raptor	10	45	65054	⊙EP,GP,KG	500	9000 30	
	F-150 Light Duty	Flareside	97-98	49	65025	⊙JW	500	9000 20
		Styleside	97-98	49	65025	⊙JW	500	9000 20
Flareside		99-03	49	65025	⊙	500	9000 20	
Styleside		99-03	49	65025	⊙	500	9000 20	
F-150 Light Duty Heritage	Flareside/Styleside (Old Body Style)	04	49	65025	⊙	500	9000 20	
F-150 SuperCrew		00-03	49	65025	⊙	500	9000 20	
	New Body Style, w/5.5 & 6.5 ft. Beds	04-08	45	65043	⊙	500	9000 20	
	New Body Style, w/5.5 & 6.5 ft. Beds, 2 & 4 WD	09-10	45	65054	⊙EP,GP	500	9000 30	
F-250	Styleside, All Models Inc. Super Cab	92-96	48	65014	⊙JT,KB	500	9000 25	
		97	49	65015	⊙JW	500	9000 25	
F-250 Heavy Duty		97	49	65015	⊙JW	500	9000 25	
			48	65014	⊙JT,KB	500	9000 25	
F-250 Light Duty	Styleside	97-98	49	65025	⊙JW	500	9000 20	
	Styleside	99	49	65025	⊙	500	9000 20	
F-250 Super Duty		99-07	52	65022	AA,KI	500	9000 40	
		08	51	65049	⊙GP	500	9000 20	
	2WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP	500	9000 20	
	4WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP,X	500	9000 20	
		11	51	65049	⊙GP,X	500	9000 20	
	All Models							
F-350	Styleside, All Models Inc. Super Cab	92-96	49	65015	⊙JW	500	9000 25	
		97	48	65014	⊙JT,KB	500	9000 25	
F-350 Heavy Duty		97	48	65014	⊙JT,KB	500	9000 25	
		99-07	49	65015	⊙JW	500	9000 25	
F-350 Super Duty		99-07	52	65022	AA,KI	500	9000 40	
		08	51	65049	⊙GP	500	9000 20	
	2WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP	500	9000 20	
	4WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP,X	500	9000 20	
		11	51	65049	⊙GP,X	500	9000 20	
	All Models							

FRONT MOUNTED RECEIVER APPLICATION GUIDE

MAKE/MODEL	YEAR	PC	PART NO.	FOOTNOTES	VERT LOAD	LINE PULL	IN
FORD (Continued)							
F-350 Super Duty Cab & Chassis w/34" Wide Frames	99-07	52	65022	AA,KI	500	9000	40
	08	51	65049	⊙GP	500	9000	20
2WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP	500	9000	20
4WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP,X	500	9000	20
F-450 Super Duty	08	51	65049	⊙GP	500	9000	20
2WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP	500	9000	20
4WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP,X	500	9000	20
All Models	11	51	65049	⊙GP,X	500	9000	20
F-450 Super Duty Cab & Chassis w/34" Wide Frames	99-07	52	65022	AA,KI	500	9000	40
	08	51	65049	⊙GP	500	9000	20
2WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP	500	9000	20
4WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP,X	500	9000	20
F-550 Super Duty Cab & Chassis w/34" Wide Frames	99-07	52	65022	AA,KI	500	9000	40
	08	51	65049	⊙GP	500	9000	20
2WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP	500	9000	20
4WD (App. starts with 2008-1/2)	08-10	51	65049	⊙GP,X	500	9000	20
Ranger Pickup	89-92	54	65017	⊙	300	9000	35
	93-97	54	65017	⊙JY	300	9000	35
	01-05	33	65024		500	9000	35
GMC							
Jimmy Full Size	92-94	42	65005	JU,JV	500	9000	40
Downsize, All Models	95-02	38	65004	JW,JX,X	300	9000	30
Pickup, C Series 2 Dr. Regular & Extended Cabs, 2WD	88-00	48	65021	JV,KD,KE	500	9000	30
4 Dr. Crew Cab, 2WD	92-00	48	65021	JV,KD,KE	500	9000	30
Pickup, C/K Series 2 Dr. Regular & Extended Cabs	88-00	42	65005	JU,JV,KC	500	9000	40
Pickup, K Series 4 Dr. Crew Cab, 4WD	92-00	42	65005	JU,JV,KC	500	9000	40
Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	99-04	23	65028	HB	500	9000	20
2500 LD 8 ft. Bed, 2 & 4 WD	99-04	23	65028	HB	500	9000	20
1500 LD 6.6 ft. Bed, 2 & 4 WD, Except Denali (Classic)	99-07	49	65023		500	9000	20
1500 LD 8 ft. Bed, 2 & 4 WD, Except Denali (Classic)	99-07	49	65023		500	9000	20
1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	01-07	23	65028	HB	500	9000	20
2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	01-07	23	65028	HB	500	9000	20
2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	01-07	23	65028	HB	500	9000	20
3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	01-07	23	65028	HB	500	9000	20
1500 LD 5.8 ft. Bed, 2 & 4 WD, Except Denali (Classic)	04-07	49	65023		500	9000	20
2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	23	65050	⊙EP,GP,RZ	500	9000	40
2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	23	65050	⊙EP,GP,RZ	500	9000	40
3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	23	65050	⊙EP,GP,RZ	500	9000	40
3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	23	65050	⊙EP,GP,RZ	500	9000	40
1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	07-11	38	65052	⊙GP,X	500	9000	25
1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-11	38	65052	⊙GP,X	500	9000	25
1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-11	38	65052	⊙GP,X	500	9000	25
2500 HD 6.6 ft. Bed, 2 & 4 WD, Except Denali HD (New Body Style)	11	27	65056	⊙EP,GP,RZ	500	9000	45
2500 HD 8 ft. Bed, 2 & 4 WD, Except Denali HD (New Body Style)	11	27	65056	⊙EP,GP,RZ	500	9000	45

MAKE/MODEL	YEAR	PC	PART NO.	FOOTNOTES	VERT LOAD	LINE PULL	IN
GMC (Continued)							
Pickup, Sierra (Continued) 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11	27	65056	⊙EP,GP,RZ	500	9000	45
3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11	27	65056	⊙EP,GP,RZ	500	9000	45
S-15 & Sonoma Pickup	94-04	38	65004	JW,JX,X	300	9000	30
Savana Van Full Size	96-02	41	65016	X	500	9000	35
RV Cutaway Only	03	41	65016	X	500	9000	35
Suburban	92-99	42	65005	JU,JV,KC	500	9000	40
	48	65021	JV,KD		500	9000	30
Yukon Old Body Style	92-00	42	65005	JU,JV	500	9000	40
All 1500 Series, 2 & 4 WD	00-06	49	65023		500	9000	20
Yukon Denali All 1500 Series, 2 & 4 WD	01-06	49	65023		500	9000	30
Yukon XL All 1500 Series, 2 & 4 WD	00-06	49	65023		500	9000	20
All 2500 Series, 2 & 4 WD	00-06	23	65028	HB	500	9000	20
Yukon XL Denali All 1500 Series, 2 & 4 WD	01-06	49	65023		500	9000	30
All 2500 Series, 2 & 4 WD	01-06	23	65028	HB	500	9000	20
SUZUKI							
Hombre	96-00	38	65004	JW,JX,X	300	9000	30
JEEP							
Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	84-01	41	65009	JV	300	9000	30
Comanche	86-92	41	65009	JV	300	9000	30
Grand Cherokee	93-98	55	65008	JV	300	9000	25
Grand Wagoneer	93	55	65008	⊙JV	300	9000	25
TJ Canada	97-06	33	65048	⊙X	300	9000	25
Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)	84-90	41	65009	JV	300	9000	30
Wrangler All, Inc. Unlimited	87-95	33	65048	⊙X	300	9000	25
Unlimited, 4 Dr.	97-06	33	65048	⊙X	300	9000	25
	07-10	35	65055	⊙EP,GP	500	9000	40
	07-11	35	65055	⊙EP,GP	500	9000	40
YJ Canada	87-95	33	65048	⊙X	300	9000	25
LINCOLN							
Mark LT (Mexico Only), 2 & 4 WD	06-08	45	65043	⊙	500	9000	20
	10	45	65054	⊙EP,GP	500	9000	30
Navigator	98-02	49	65025	⊙	500	9000	20
MAZDA							
Navajo	91-94	54	65017	⊙JY	300	9000	35
Pickup B-Series All Models	94-97	54	65017	⊙JY	300	9000	35
All Models	01-05	33	65024		500	9000	35
MERCURY							
Mountaineer	02-05	40	65032		500	9000	30
OLDSMOBILE							
Bravada	96-01	38	65004	JW,JX,X	300	9000	30
TOYOTA							
Sequoia	01-07	49	65031		500	9000	40
Tacoma Pickup	01-04	45	65041		500	9000	30
Tundra	00-06	49	65031		500	9000	40
	07-10	27	65051	⊙HM,KG	500	9000	25

†= Available while supply lasts.

AA= Requires temporary removal of bumper during installation.

AI= Additional installation time required.

EP= Fascia trimming required.

GP= Hitch cross tube concealed behind bumper.

HB= Slight fascia deformation may occur on some models.

HM= Hitch cross tube is visible beneath bumper.

JT= 2WD models only.

FRONT MOUNTED RECEIVER APPLICATION GUIDE

- JU= License plate relocation required to install hitch, see 5443. (Sold separately)
- JV= Rubber air deflector/fascia must be removed or trimmed to install hitch.
- JW= 4WD models only.
- JX= Requires factory tow hooks for installation on 2WD models.
- JY= Extensive fascia cutting required on models w/fog lamp option.
- JZ= Requires factory stabilizer (anti-roll) bar for hitch installation.
- KB= Diesel engine models only.
- KC= Does not fit 2500/3500 2WD (C-Series) models w/8 lug wheels.
- KD= Fits 2500/3500 2WD (C-Series) models w/8 lug wheels only.
- KE= Does not fit 88-91 4 Dr. Crew Cab models.
- KG= Skid shield must be removed or modified if present.
- KI= Optional OEM Fog Lights must be removed for receiver installation.
- Ø= Uses all existing holes, no drilling required.
- RZ= License plate holder relocation and/or modification required to install hitch, see 49802 or 5443 sold separately.
- X= Minor fascia trimming required.

FRONT MOUNTED RECEIVER APPLICATION NUMERICAL

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
FRONT MOUNT RECEIVER			
45 65001	91-07 Ford E-150 Econoline Van Full Size, All Models	37	20
	91-07 Ford E-250 Econoline Van Full Size, All Models		20
	91-07 Ford E-350 Econoline Van Full Size, All Models		20
	91-07 Ford E-350 Econoline Van RV Cutaway		20
	91-07 Ford E-450 Econoline Van RV Cutaway		20
57 65003	95-99 Dodge Pickup, Ram Sport	39	30
	94-01 Dodge Pickup, Ram, Full Size		30
	02 Dodge Pickup, Ram, Full Size 2500 Only		30
	02 Dodge Pickup, Ram, Full Size 3500 Only		30
38 65004	95-05 Chevrolet Blazer Downsize, All Models	33	30
	94-04 Chevrolet S-10 Pickup		30
	99-01 Chevrolet TrailBlazer Downsize, All Models		30
	95-02 GMC Jimmy Downsize, All Models		30
	94-04 GMC S-15 & Sonoma Pickup		30
	96-00 Isuzu Hombre		30
	96-01 Oldsmobile Bravada		30
42 65005	92-94 Chevrolet Blazer Full Size	31	40
	88-00 Chevrolet Pickup, C/K Series 2 Dr. Regular & Extended Cabs		40
	92-00 Chevrolet Pickup, K Series 4 Dr. Crew Cab, 4WD		40
	92-99 Chevrolet Suburban Old Body Style		40
	95-00 Chevrolet Tahoe Old Body Style		40
	92-94 GMC Jimmy Full Size		40
	88-00 GMC Pickup, C/K Series 2 Dr. Regular & Extended Cabs		40
	92-00 GMC Pickup, K Series 4 Dr. Crew Cab, 4WD		40
	92-99 GMC Suburban		40
	92-00 GMC Yukon Old Body Style		40
55 65008	93-98 Jeep Grand Cherokee	44	25
	93 Jeep Grand Wagoneer		25
41 65009	84-01 Jeep Cherokee Downsize, All Models (Will Not Fit Grand Cherokee)	29	30
	86-92 Jeep Comanche		30
	84-90 Jeep Wagoneer Downsize, All Models (Will Not Fit Grand Wagoneer)		30
48 65014	92-96 Ford F-250 Styleside, All Models Inc. Super Cab	45	25
	97 Ford F-250 Heavy Duty		25
	92-96 Ford F-350 Styleside, All Models Inc. Super Cab		25
	97 Ford F-350 Heavy Duty		25
49 65015	92-96 Ford F-250 Styleside, All Models Inc. Super Cab	37	25
	97 Ford F-250 Heavy Duty		25
	92-96 Ford F-350 Styleside, All Models Inc. Super Cab		25
	97 Ford F-350 Heavy Duty		25
41 65016	96-02 Chevrolet Express Van Full Size	35	35
	03 Chevrolet Express Van RV Cutaway Only		35
	96-02 GMC Savana Van Full Size		35
	03 GMC Savana Van RV Cutaway Only		35
54 65017	91-94 Ford Explorer	34	35
	89-97 Ford Ranger Pickup		35
	91-94 Mazda Navajo		35
	94-97 Mazda Pickup B-Series All Models		35
48 65021	88-00 Chevrolet Pickup, C Series 2 Dr. Regular & Extended Cabs, 2WD	32	30
	92-00 Chevrolet Pickup, C Series 4 Dr. Crew Cab, 2WD		30
	92-99 Chevrolet Suburban Old Body Style		30
	88-00 GMC Pickup, C Series 2 Dr. Regular & Extended Cabs, 2WD		30
	92-00 GMC Pickup, C Series 4 Dr. Crew Cab, 2WD		30
	92-99 GMC Suburban		30
52 65022	00-05 Ford Excursion	46	40
	99-07 Ford F-250 Super Duty		40
	99-07 Ford F-350 Super Duty		40
	99-07 Ford F-350 Super Duty Cab & Chassis w/34" Wide Frames		40
	99-07 Ford F-450 Super Duty Cab & Chassis w/34" Wide Frames		40
	99-07 Ford F-550 Super Duty Cab & Chassis w/34" Wide Frames		40
49 65023	04-07 Chevrolet Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	31	20
	99-07 Chevrolet Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	99-07 Chevrolet Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)		20
	00-06 Chevrolet Suburban All 1500 Series, 2 & 4 WD		20
	00-06 Chevrolet Tahoe All 1500 Series, 2 & 4 WD		20
	04-07 GMC Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD, Except Denali (Classic)		20
	99-07 GMC Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD, Except Denali (Classic)		20
	99-07 GMC Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD, Except Denali (Classic)		20
	00-06 GMC Yukon All 1500 Series, 2 & 4 WD		20
	01-06 GMC Yukon Denali All 1500 Series, 2 & 4 WD		30
	00-06 GMC Yukon XL All 1500 Series, 2 & 4 WD		20
	01-06 GMC Yukon XL Denali All 1500 Series, 2 & 4 WD		30
33 65024	01-05 Ford Ranger Pickup	39	35
	01-05 Mazda Pickup B-Series All Models		35

Part PC No.	YEAR MAKE/MODEL	WT. (LBS)	INST. TIME
49 65025	97-02 Ford Expedition	33	20
	97-03 Ford F-150 Light Duty Flareside		20
	97-03 Ford F-150 Light Duty Styleside		20
	04 Ford F-150 Light Duty Heritage Flareside/Styleside (Old Body Style)		20
	00-03 Ford F-150 SuperCrew		20
	97-99 Ford F-250 Light Duty Styleside		20
	98-02 Lincoln Navigator		20
23 65028	01-07 Chevrolet Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	30	20
	01-07 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	01-07 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		20
	99-04 Chevrolet Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD		20
	99-04 Chevrolet Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD		20
	01-07 Chevrolet Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		20
	00-06 Chevrolet Suburban All 2500 Series, 2 & 4 WD		20
	01-07 GMC Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	01-07 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)		20
	01-07 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)		20
	99-04 GMC Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD		20
	99-04 GMC Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD		20
	01-07 GMC Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)		20
	00-06 GMC Yukon XL All 2500 Series, 2 & 4 WD		20
	01-06 GMC Yukon XL Denali All 2500 Series, 2 & 4 WD		20
57 65029	00-04 Dodge Dakota Pickup	45	25
	00-03 Dodge Durango		25
37 65030	01-03 Ford Explorer 2 Dr. Sport	21	25
	01-05 Ford Explorer Sport Trac		25
49 65031	01-07 Toyota Sequoia	41	40
	00-06 Toyota Tundra		40
40 65032	02-05 Ford Explorer 4 Dr.	34	30
	02-05 Mercury Mountaineer		30
51 65033	02-05 Dodge Pickup, Ram, Full Size 1500 Only	43	25
45 65041	01-04 Toyota Tacoma Pickup	31	30
45 65043	04-08 Ford F-150 Flareside (New Body Style)	38	20
	04-08 Ford F-150 Styleside (New Body Style)		20
	04-08 Ford F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds		20
	06-08 Lincoln Mark LT		20
51 65046	03-09 Dodge Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab	42	40
	03-09 Dodge Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab		40
33 65048	97-06 Jeep TJ Canada	24	25
	87-95 Jeep Wrangler		25
	97-06 Jeep Wrangler All, Inc. Unlimited		25
	87-95 Jeep YJ Canada		25
51 65049	08 Ford F-250 Super Duty	35	20
	08-10 Ford F-250 Super Duty 2WD (App. starts with 2008-1/2)		20
	08-10 Ford F-250 Super Duty 4WD (App. starts with 2008-1/2)		20
	11 Ford F-250 Super Duty All Models		20
	08 Ford F-350 Super Duty		20
	08-10 Ford F-350 Super Duty 2WD (App. starts with 2008-1/2)		20
	08-10 Ford F-350 Super Duty 4WD (App. starts with 2008-1/2)		20
	11 Ford F-350 Super Duty All Models		20
	08 Ford F-350 Super Duty Cab & Chassis		20
	08-10 Ford F-350 Super Duty Cab & Chassis 2WD (App. starts with 2008-1/2)		20
	08-10 Ford F-350 Super Duty Cab & Chassis 4WD (App. starts with 2008-1/2)		20
	08 Ford F-450 Super Duty		20
	08-10 Ford F-450 Super Duty 2WD (App. starts with 2008-1/2)		20
	08-10 Ford F-450 Super Duty 4WD (App. starts with 2008-1/2)		20
	11 Ford F-450 Super Duty All Models		20
	08 Ford F-450 Super Duty Cab & Chassis		20
	08-10 Ford F-450 Super Duty Cab & Chassis 2WD (App. starts with 2008-1/2)		20
	08-10 Ford F-450 Super Duty Cab & Chassis 4WD (App. starts with 2008-1/2)		20
	08 Ford F-550 Super Duty Cab & Chassis		20
	08-10 Ford F-550 Super Duty Cab & Chassis 2WD (App. starts with 2008-1/2)		20
	08-10 Ford F-550 Super Duty Cab & Chassis 4WD (App. starts with 2008-1/2)		20
23 65050	07-10 Chevrolet Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	29	40
	07-10 Chevrolet Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		40
	07-10 Chevrolet Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		40
	07-10 Chevrolet Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		40
	07-10 GMC Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		40
	07-10 GMC Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		40
	07-10 GMC Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)		40
	07-10 GMC Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)		40
27 65051	07-10 Toyota Tundra	35	25

† = Available While Supply Lasts.

